



RECTIGATE A3000-SMR-3P

Three-Phase SCR Trigger & Control Module



Precise Control for
Industrial SCR Rectifier Systems



Reliable
Performance



Precise & Stable
Trigger Control




Industrial Grade
& Durable

01

PRODUCT OVERVIEW

Control yang Fleksibel untuk Sistem SCR Industri

Rectigate A3000-SMR-3P merupakan SCR trigger and control module tiga fasa yang digunakan untuk mengendalikan firing SCR/thyristor pada sistem rectifier dan power control. Dengan metode phase-shift control, Rectigate memungkinkan level output sistem diatur secara variabel berdasarkan control signal yang diberikan.



Key Highlights



Three-Phase
SCR Trigger
Control



Phase-Shift
Control



Cycle
Control Mode



Full / Half
Control
Selection



Multiple
Analog
Inputs



Adjustable
Soft Start



Adjustable
Output
Limiting



Fault Relay
Output



Designed for Industrial Integration

Suitable for SCR Rectifier • Transformer Control • Industrial Power Controller • Electroplating Rectifier



Reliable
Performance



Precise & Stable
Trigger Control



Industrial Grade
& Durable

/// CONTROL & ADJUSTMENT

Variable Output Control

Rectigate memberikan fleksibilitas untuk mengatur firing angle SCR sehingga level output sistem dapat dikendalikan sesuai kebutuhan proses. Module ini mendukung beberapa pilihan input dan pengaturan untuk integrasi dengan panel kontrol industri.

Multiple Control Signal Options

- 0-10 VDC** —
Standard analog voltage control
- 0-5 VDC** —
Alternative analog voltage control
- 4-20 mA** —
Industrial current-loop control signal



Phase-Shift Control

Memungkinkan pengaturan output secara gradual berdasarkan control signal.



Adjustable Soft Start

Potensiometer T1 digunakan untuk pengaturan soft start hingga 0-16 detik.



Output Limiting

Potensiometer T2 digunakan untuk menentukan batas maksimum output command.

FUNCTION & PROTECTION

Built for Practical Industrial Control

Selain fungsi trigger SCR, Rectigate memiliki beberapa fungsi monitoring dan interface yang mendukung integrasi pada control panel industri.

Operating Mode Selection



50 Hz — Phase Shift — Full Control




50 Hz — Phase Shift — Half Control



50 Hz — Cycle Control



60 Hz — Phase Shift — Full Control



Start / Stop Control

Terminal ST menyediakan fungsi start/stop melalui external contact. ST terhubung ke GD = Start, ST terbuka = Stop.



Status Indication

- L1 — Fault Indicator
- L2 — Working Indicator



Protection Interface

- Phase Loss Detection
- Temperature Protection Input (WD1)



Fault Relay Output

Relay contact tersedia pada terminal COM / NO / NC untuk alarm, interlock, atau monitoring system.



Reliable
Performance




Precise & Stable
Trigger Control



Industrial Grade
& Durable

CONNECTION & TECHNICAL DATA

Connection Overview



SCR Trigger Outputs
K1, G1, G2, K2 untuk kelompok output trigger SCR tiga fasa.



Control Terminals
WD1, GD, 12V, UG1, mA, UG2, ST, COM, NO, NC, L, N

Technical Specification

Product	Rectigate A3000-SMR-3P
Controller Type	Three-Phase SCR Trigger Controller
Control Technology	SCR / Thyristor Phase Control
Operating Frequency	Selectable 50 / 60 Hz
Control Modes	Phase Shift / Cycle Control
SCR Configuration	Full Control / Half Control
Analog Input	0–10 VDC
Analog Input	0–5 VDC
Current Input	4–20 mA
Soft Start	Adjustable, 0–16 sec
Output Limit	Adjustable
Start / Stop	External Contact Input
Fault Output	Relay COM / NO / NC
Control Power Supply	AC 85–265 V




Catatan: spesifikasi mengikuti module/controller yang digunakan dan perlu disesuaikan dengan desain sistem akhir.

APPLICATION & CONTACT

One Controller. Multiple Industrial Applications.

Rectigate digunakan sebagai bagian dari solusi kontrol SCR PT Muara Teknik Elektrik dan dapat diintegrasikan pada berbagai kebutuhan industrial power control.



Typical Applications



Electroplating Rectifier



Hard Chrome Plating



Anodizing



Galvanizing



Custom Industrial Rectifier



Transformer & Power
Control System

Integrated with MTE Rectifier Solutions

PT Muara Teknik Elektrik menyediakan Trafo Rectifier Air Cooled dan Oil Cooled yang dapat dikustom sesuai kebutuhan aplikasi pelanggan.



Need Technical Consultation?

Konsultasikan kebutuhan voltage, ampere, control, dan sistem rectifier Anda dengan tim kami.

PT MUARA TEKNIK ELEKTRIK

Kp. Ciketing, RT.001/RW.002, Sumur Batu,
Kec. Bantar Gebang, Kota Bekasi,
Jawa Barat 17151

WhatsApp / Phone: +62 852 1552 5453

Email: info@mtelektrik.id

Website: www.mtelektrik.id

Request Technical Consultation • Request Quotation



Reliable
Performance



Precise & Stable
Trigger Control



Industrial Grade
& Durable