

REQUEST FOR INFORMATION (RFI)

PROJECT :	BKK2	R.F.I. NO. :	523213-01-RFI-AR-0029
TO :	CTA	ATTENTION :	CTA
SUBMITTED DATE:	20-Jan-26	NEED REPLY BY DATE :	27-Jan-26

SUBMISSION OF :	<input checked="" type="checkbox"/> Q&A	<input checked="" type="checkbox"/> Drawing	<input checked="" type="checkbox"/> Document	<input type="checkbox"/>	Others (as specified below)
SUBJECT : Request for Information - Confirm Colour for Partition Wall Toilet Room 1st to 5th Floor					

Total Page (s) : 8 (Including this page)

FUNCTION :	<input type="checkbox"/> Structural (ST)	<input type="checkbox"/> Electrical & Communication (EL)	<input type="checkbox"/> Mechanical (ME)	<input type="checkbox"/> Vertical Transport (VT)
	<input checked="" type="checkbox"/> Architectural (AR)	<input type="checkbox"/> Fire Protection (FI)	<input type="checkbox"/> Hydraulic & Sanitary (HY)	<input type="checkbox"/> Other (O)

(1) CONTRACTOR REQUEST FOR INFORMATION :

GAA need to confirm information about wall partition by Willy. Which color do we need to apply in partition wall because in Aurecon's drawing did not shown any details about this.

Requested by : 
Engineering ManagerReviewed by : 
Project Manager**(2) ATTN : Commtech Asia (Thailand)** For Approval See Note Please Clarify

From : GAA Group

By : 
Name / Position Mr. Itsarate Trachuengtong/
Project Manager

Date : 20-Jan-26

Note : Aurecon to confirm the colour of the wall partition for the toilet room
from level 1 to level 5.

Reviewed By : Commtech Asia (Thailand)

Name / Position Finlay Coady
Sr. Project Manager
Date : 30th January 2026**(3) ATTN : AURECON** For Approval See Note Please Clarify

From : Commtech Asia (Thailand)

By :
Name / Position ()Date :

Note : SLA: Please refer to the notes in the attached markup.Reviewed By : Tarkoon Suwansukhum
AURECON

Name / Position (Tarkoon S / Architect)

Date : 3 February 2026

(4) ATTN : STT GDC

- Clarification only Not Approved
- Approved for proceeding work
- Approved with comments, proceeding work in compliance with comments
- Approved with comments, not for proceeding work and need to re-submit

From : AURECON







By :
Name / Position ()Date :

Note : Please follow with SLA's response.Reviewed By : STT GDC 
Name / Position Sirawit Thepsuwan VP PMO


Date : 6 Feb 2026

CC :


 STT GDC AURECON Commtech Asia
(Thailand) GAA OTHERS.....



STANDARD FOR HANDICAPED HARDWARE & BATHWARE INSTALLATION DETAIL



STANDARD FOR HARDWARE & BATHWARE INSTALLATION DETAIL



NOTE :

- WALL BETWEEN TOILET TO OTHER ROOM SHALL BE UP TO UNDERSIDE OF ABOVE SLAB
- WALL BETWEEN TOILET TO OTHER ROOM SHALL BE 150 MM. HIGH ABOVE SUSPENDED CEILING

BATHWARE SCHEDULE		
NO.	DESCRIPTION	SUPPLIER
Ⓐ	WATER CLOSET WALL HUNG TYPE : 3119-WT-0 WASTE PIPE : VP-3815, BRACKET VP-955032, STOP VALVE : A-5601 SENSOR FLOW CONCEALED TOILET FLUSH VALVE : A-8613-000-50, OUTLET SPUD FOR PIPE : A-8603-000-50, HYDRO SPRAY : A-700A-CH	BY AMERICAN STANDARD OR APPROVED EQUAL
Ⓑ	WASH HAND BASIN CONCEALED COUNTER TOP : WP-F513-WT SENSOR FAUCET : A-8506-AC, FLEXIBLE SUPPLY HOSE : A-800-16-DY, P-TRAP : A-8108-DY, WASTE OUTLET : A-8009, STOP VALVE : A-5601	BY AMERICAN STANDARD OR APPROVED EQUAL
Ⓒ	URINAL : CCA6519-3120410F WITH SENSOR	BY AMERICAN STANDARD OR APPROVED EQUAL
Ⓓ	WATER CLOSET : TF-3229P-WT WASTE PIPE : VP-3815, BRACKET VP-955032, STOP VALVE : A-5601, SENSOR FLOW CONCEALED TOILET FLUSH VALVE : A-8613-000-50, OUTLET SPUD FOR PIPE : A-8603-000-50, HYDRO SPRAY : A-700A-CH	BY COTTO AND AMERICAN STANDARD OR APPROVED EQUAL
Ⓔ	WHEEL CHAIR BASIN : COTTO SC00537 SENSOR FAUCET : A-8506-AC, FLEXIBLE SUPPLY HOSE : A-800-16-DY, P-TRAP : A-8108-DY, WASTE OUTLET : A-8009, STOP VALVE : A-5601	BY BOBRICK OR APPROVED EQUAL
Ⓕ	WALL MOUNTED SWING UP GRAB BAR B-4998	BY BOBRICK OR APPROVED EQUAL
Ⓖ	STRAIGHT GRAB BAR : HORIZONTAL B-5806x36, B-5806w42 AND VERTICAL B-5806x36	BY BOBRICK OR APPROVED EQUAL
Ⓗ	F40017 - CHADY RAIN CLICK PUSH BUTTON SHOWER SET	BY AMERICAN STANDARD OR APPROVED EQUAL
Ⓘ	MIRROR : 6 MM THK, MIRROR 1200 MM, HIGH X FULL LENGTH ON 4 MM THK, MOISTURE RESISTANT PLYWOOD WITH 20 MM. S/F FRAME	-
Ⓚ	WALL TAP : F-FAST600-070500BTO	BY AMERICAN STANDARD OR APPROVED EQUAL
Ⓛ	SOAP HOLDER : B-26607	BY BOBRICK OR APPROVED EQUAL
Ⓜ	FLOOR DRAIN : A-8204-N	BY AMERICAN STANDARD OR APPROVED EQUAL
Ⓝ	TILT MIRROR : B-293 2436 610x910 MM.	BY BOBRICK OR APPROVED EQUAL
Ⓞ	TOILET TISSUE DISPENSER : B-2890	BY BOBRICK OR APPROVED EQUAL
Ⓟ	TOILET CUBICLE PARTITION : 13 HPL	BY WILLY OR APPROVED EQUAL
Ⓡ	TOWEL BAR : K-1393-46 N	BY AMERICAN STANDARD OR APPROVED EQUAL
Ⓡ	HAND DRYER : B-7128	BY BOBRICK OR APPROVED EQUAL
Ⓢ	EMERGENCY TOILET CALL SYSTEM (EMERGENCY SWITCH AND CORRIDOR LIGHT)	EMERGENCY SWITCH ABB BUSCH-INFOLINE-CALL SYSTEM OR APPROVED EQUAL
Ⓣ	STEEL LOCKER 917W X 457H X 1829H LK-6109	BY LUCKY (SIAM STEEL)
Ⓤ	MIRROR : 6 MM THK, MIRROR 600W X 1200H MM, WIDE X HIGH ON 4 MM THK, MOISTURE RESISTANT PLYWOOD WITH 20 MM. S/F FRAME	BY AMERICAN STANDARD OR APPROVED EQUAL
⓫	TOILET CUBICLE PARTITION : 13 HPL WITH ALUMINUM BASE EXCEPT DOOR	BY WILLY (NOT USE)
⓬	SHOWER ENCLOSURE : B-3P150-2KACTGCL	BY AMERICAN STANDARD OR APPROVED EQUAL
⓭	SEMI COUNTER WASH BASIN : 0515-WT , SENSOR FAUCET : A-8506-AC , FLEXIBLE SUPPLY HOSE : A-800-16-DY, P-TRAP : A-8108-DY , WASTE OUTLET : A-8009, STOP VALVE : A-5601	BY AMERICAN STANDARD OR APPROVED EQUAL
⓮	CYNET WALL-HUNG BASIN : WP-1511-WT , SENSOR FAUCET : A-8506-AC , FLEXIBLE SUPPLY HOSE : A-800-16-DY, P-TRAP : A-8108-DY , WASTE OUTLET : A-8009, STOP VALVE : A-5601	BY AMERICAN STANDARD OR APPROVED EQUAL

CLIENT
ST Telemedia Global Data Centres
STT GDC (THAILAND) CO., LTD.
944 Mitrtown Office Tower, 22nd-23rd Floor
Rama 4 Road, Wangmai, Pathumwan, Bangkok 10330

ENGINEER
aurecon
www.aurecongroup.com
AURECON CONSULTING (THAILAND) CO., LTD.
89 AIR Capital Center Building, 21st Floor, Unit 2104-2107
Ratchadapisek Road, Dinduang, Dinduang, Bangkok 10400

STRUCTURAL REVIEWER
สถาปัตย์ เจริญศักดิ์ กานต์ สถา 1754

MECHANICAL & FIRE PROTECTION
วิจิตราษฎร์ ปิยบุตรนฤมล สถา 1488
พิชัยราษฎร์ ใจวรรณ สถา 9229
นิตยา ภานุสินธุ์ สถา 64614

ELECTRICAL & COMMUNICATIONS
มนต์ราษฎร์ นราภรณ์ สถา 209
ศักดิ์พันธุ์ ทศรุ่งเรือง สถา 438
กานต์ นันท์ สถา 3502
นิติบุ๊ค มีประดิษฐ์ สถา 3907
วนิดา ภูวนานัน สถา 4891
พงษ์พันธ์ นิติกรภานัน สถา 6968

MECHANICAL ENGINEER
สุรดา ศรีทวารักษ์ สถา 848
หาด สงจิ สถา 4976
ชุติ ฟื้นฟูส่อง สถา 5005

ARCHITECTS
Steven Leach
Partners in creative solutions
บริษัท สตีเว่น ลีช อาร्कิเตกเจอร์ จำกัด
62 ถนนสุขุมวิท แขวงคลองเตยเหนือ กรุงเทพมหานคร 10330

ARCHITECT
ฐิติ ถรรากุลสุนทร สถา 603
แอนชิล ประชุมุกุล สถา 3222

12/05/25 100% DESIGN TS
04/05/25 100% DESIGN TS
REV DATE DESCRIPTION APP

SCALE SIZE DRAWN APPROVED
1 : 50 A0 DRAWN CC DATE
DESIGNED SLA
CHECKED TS SLA
TS

PROJECT
อาคารสำนักงานเพื่อเชิงพาณิชย์
ชั้น 8 ชั้น 9 ชั้น 10
ชั้น 9 สำนักงานใหญ่ ชั้น 10
สำนักงานใหญ่ ชั้น 10 สำนักงานใหญ่ ชั้น 10
สำนักงานใหญ่ ชั้น 10 สำนักงานใหญ่ ชั้น 10

TITLE
TOILET ENLARGE ROOM DETAILS

DRAWING NUMBER 523213 - 02 - DRG - AR-4402

REV

WILLY

WILLY

**WILLY10HPL
WILLY13 HPL**

HIGH PRESSURE LAMINATE



**WILLY10HPL
WILLY13 HPL
STAINLESS**



* ภาพในแคตตาล็อกเป็นภาพสำหรับโฆษณาเท่านั้น

STANDARD COLOUR

Lime
Willy-ho05

**WILLY10HPL
WILLY13 HPL
BLACK NYLON**



* ภาพในแคตตาล็อกเป็นภาพสำหรับโฆษณาเท่านั้น

STANDARD COLOUR


Tropical blue
Willy-ho12

DIAGRAM

- (A) ALUMINIUM U-PROFILE อลูมิเนียมตัว U
- (B) SIDE PILASTER เสาข้าง
- (C) DOOR ประตู
- (D) PILASTER เสากลาง
- (E) ADJUSTABLE FOOTING ขาตั้ง
- (F) TOP CHANNEL บาร์บน

FEATURES

- (G) SPRING HINGE บานพับสปริง
- (H) LOCK RIM BOLT WITH INDICATOR กลอนผิวบันเงา



Coat hook
W-10 Code No: SC-1032 (P)
W-13 Code No: SC-1332 (P)
Surface: Polished



Lock rim bolt with indicator
W-10 Code No: SL-1024 (P)
W-13 Code No: SL-1324 (P)
Surface: Polished



Spring hinge
W-10 Code No: SH-1012 (P)
W-13 Code No: SH-1312 (P)
Surface: Polished



Tissue holder
W-10 Code No: ST-1041 (P)
W-13 Code No: ST-1341 (P)
Surface: Polished





Adjustable footing
W-10 Code No: SF-1052 (P)
W-13 Code No: SF-1352 (P)
Surface: Polished



Adjustable footing
W-10 Code No: SF-1053 (P)
W-13 Code No: SF-1353 (P)
Surface: Polished

DRAWING




(unit : cm.)

DIAGRAM

- (A) ALUMINIUM U-PROFILE อลูมิเนียมตัว U
- (B) SIDE PILASTER เสาข้าง
- (C) DOOR ประตู
- (D) PILASTER เสากลาง
- (E) ADJUSTABLE FOOTING ขาตั้ง
- (F) TOP CHANNEL บาร์บน

FEATURES

- (G) BUTTERFLY HINGE บานพับผีเสื้อ
- (H) LOCK RIM BOLT BLACK NYLON กลอนกลุ่ม เป็นไวนิล



Coat hook
Code No: NCB-9031
Surface: Black nylon



Lock rim bolt
Code No: NLB-9021/2
Surface: Black nylon



Door handle
Code No: NKB-9081
Surface: Black nylon



Butterfly hinge
Code No: NHB-9011
Surface: Black nylon



Adjustable footing
W-10 Code No: NFB-9051
W-13 Code No: NFB-9052
Surface: Black nylon



Tissue holder
Code No: NTB-9042
Surface: Black nylon

รายละเอียด : Willy 10mm/13mm ประกอบด้วย ประตู แผ่นกลาง เสาคาน เสาข้างวัสดุจากแผ่น High pressure laminate หรือเรียกว่า Compact laminate 厚度 10 mm/13mm. คุณสมบัติของแผ่น วัสดุคุณภาพ มาตรฐานเกรดพรีเมียม ทนน้ำ ทนกรดด่าง ทนชีดช่วง เป็นแพนต์รังกลางดีสำหรับผู้ผลิต ได้รับมาตรฐานการผลิต ทุกประเภทระดับสากลตามมาตรฐาน


ได้รับมาตรฐานการผลิตสากล : LPS08-H, ISO 4586-2 ISO 9001:2015 ISO 14001:2015 Green Industry Thailand Brand และ Thailand Trust Mark

construction : Willy 10mm/13mm HPL components include Door panel, side panel front pillar and side pillar. the main material of the panel is made out of Premium grade ,10mm/13mm in thickness HPL (high pressure laminate) or relatively known as HPL Compact board. Special properties include : water resistant Acid and base resistant, scratch resistance Following International standard

Awarded International Standards : LPS08-ISO 4586-2 ISO 9001:2015 ISO 14001:2015 Green Industry Thailand Brand และ Thailand Trust Mark

HPL

HIGH PRESSURE LAMINATE
10mm.13mm.



กันน้ำ 100%



ไม่ลามไฟ



แข็งแรงทนทาน



กันน้ำต่อเนื่อง
กระแทก

WELCRAFT PRODUCTS CO.,LTD.



www.welcraft.com



Rama III Branch
Tel. (+662) 295-2444
Fax. (+662) 295-2837-8



Rama III Branch
2534/233 Soi Rat U-thit 1
Rama III Road, Bangkok
Bangkorlaem, Bangkok 10120



Pracha-Uthit Branch
Tel. (+662) 463-8780-1
Fax. (+662) 463-8832



Pracha-Uthit Branch
599 Moo 10 Naiklongbangplakod
Prasamoot Jadee
Samutprakan 10290



ISO 9001:2015



ISO 14001:2015



WILLY

THE LEADER OF TOILET PARTITION

STANDARD GRADE



Mocca Firwood
Willy-hw102

Sand Oak
Willy-hw103

Grey Elm
Willy-hw104

American Walnut
Willy-hw105



The toilet cubicle finish
shall be Sand Oak.



THE LEADER OF TOILET PARTITION

STANDARD GRADE

G-General

