

Secure by Design

AWS Security Workshop

Agenda

- Modernize Technical Governance
- Defining your control environment
- AWS Control Tower
- DevSecOps
- Automate Security Operations
- Continuous Compliance

Goals

- Learn how to mitigate risk
- Understand security design principles
- Discover tools to automate security enforcement at scale
- Realize that scale does not sacrifice granular security

Modernize Technology Governance




Current State – Technology Governance




Issues – Technology Governance

The majority of technology governance processes relies predominantly on administrative and operational security controls with *limited* technology enforcement.

AWS has an opportunity to innovate and advance *Technology Governance Services*.



Flexibility and Complexity




What is the regulatory requirement?

What's in-scope or out-of-scope?

How to verify the standards are met?

Security & Compliance then and now



Security by Design

Security by Design (SbD) is a security assurance approach that formalizes AWS account design, automates security controls, and streamlines auditing.

Instead of relying on auditing security retroactively, SbD provides security control built in throughout the AWS IT management process.





AWS Security Hub



AWS Identity and Access Management



Amazon CloudWatch



AWS Trusted Advisor



AME

AWS CloudTrail



AWS Directory Service



AWS Key Management Service



AWS Config



Security by Design - Design Principles

Developing new risk mitigation capabilities, which go beyond global security frameworks, by treating risks, eliminating manual processes, optimizing evidence and audit ratifications processes through rigid automation

- Build security in every layer
- Design for failures
- Implement auto-healing
- Think parallel
- Plan for Breach

- Don't fear constraints
- Leverage different storage options
- Design for cost
- •Treat Infrastructure as Code
 - Modular
 - Versioned
 - Constrained



SbD - Modernize Tech Governance (MTG)

Why?

Complexity is growing, making the old way to govern technology obsolete

You need automation that AWS offers to manage security

Goal - Modernize Tech Governance (MTG)

Adopting "Prevent" controls, making "Detect" controls more powerful and comprehensive

AWS Control Tower



AWS Control Tower







Automated AWS Setup

Launch an automated landing zone with best-practices blueprints

Policy Enforcement

Pre-packaged guardrails to enforce policies or detect violations

Dashboard for Oversight

Continuous visibility into workload compliance with controls



AWS Control Tower – Key Features



Automated landing zone with best practice blueprints



Built-in identity and access management



Guardrails for policy management



Preconfigured log archive and audit access to accounts



Account factory for account provisioning



Built-in monitoring and notifications




Dashboard for visibility and actions



Automatic updates


AWS Control Tower – Account Overview



 AWS Organizations with a master and pre-created accounts for central log archive, cross-account audit, and shared services

- Pre-configured directory and single sign-on using AWS SSO (with Active Directory custom option)
- Centralized monitoring and alerts using AWS Config, AWS CloudTrail, and AWS CloudWatch


AWS Control Tower - Account Factory



- Account factory for controls on account provisioning
 - Pre-approved account baselines with VPC options
 - Pre-approved configuration options
- End user configuration and provisioning through AWS Service Catalog
- Creates/updates AWS accounts under organizational units




AWS Control Tower - Dashboard



Security Journey



Taking the Journey





SbD – Rationalize Security Requirements

AWS has partnered with CIS Benchmarks to create consensus-based, best-practice security configuration guides that will align to multiple security frameworks globally.

The Benchmarks are:

- Recommended technical control rules/values for hardening operating systems, middle ware and software applications, and network devices
- Distributed free of charge by CIS in .PDF format
- Used by thousands of enterprises as the basis for security configuration policies and the de facto standard for IT configuration best practices.

https://www.cisecurity.org/





SbD – AWS CIS Benchmark Scope



AWS Identity and Access Management



AWS Security Hub



AWS Config



AWS Key Management Service



Simple Notification Service



Amazon CloudWatch



Amazon S3



AWS CloudTrail



Flow logs



Amazon VPC



Amazon Route 53



Amazon EC2



Amazon CloudFront



Elastic Load Balancing (ELB)



Amazon FBS



NACL

Foundational Benchmark


Three-tier Web Architecture

Define Data Protections and Controls

AWS CIS Benchmark Name		Mapping and Alignment to common Security Frameworks							
		AICPA Trust Service Criteria	BSI Germany	Canada PIPEDA	95/46/EC - European Union Data Protection Directive	FedRAMP Security ControlsMODERATE IMPACT LEVEL-	HIPAA/HITECH (Omnibus Rule)	ISO/IEC 27001:2013	PCI DSS v3.
Define secure IAM		(S3.2.0) Procedures exist to	35 (B)	Schedule 1 (Section	Article 17		45 CFR 164.308 (a)(3)(i)	A.9.2.1, A.9.2.2	7.1
policies	permissions. For example, you can give the Admins group permission to	restrict logical access to the	40 (B)	5) Safeguards,			45 CFR 164.308 (a)(3)(ii)(A)		7.1.1
	perform any of the IAM actions on any of the AWS account resources.	defined system including, but	41 (B)	Subs. 4.7.2 and			45 CFR 164.308 (a)(4)(i)		7.1.2
	Another example: You can give the Managers group permission to	not limited to, the following	42 (B)	4.7.3			45 CFR 164.308 (a)(4)(ii)(B)	A.9.4.1	7.1.3
	describe the AWS account's Amazon EC2 instances.	matters:	44 (C+)				45 CFR 164.308 (a)(4)(ii)(C)		7.1.4
		c. Registration and					45 CFR 164.312 (a)(1)		12.5.4
	as resource-based permissions.	authorization of new users.				NIST SP 800-53 R4 IA-2			
	User-based permissions are attached to an IAM user, group, or role	d. The process to make				NIST SP 800-53 R4 IA-2 (1)			
	and let you specify what that user, group, or role can do.	changes to user profiles.				NIST SP 800-53 R4 IA-4			
	Resource-based permissions are attached to a resource. You can	g. Restriction of access to				NIST SP 800-53 R4 IA-5			
	specify resource-based permissions for Amazon S3 buckets, Amazon	system configurations,				NIST SP 800-53 R4 IA-5 (1)			
	Glacier vaults, Amazon SNS topics, Amazon SQS queues, and AWS Key	superuser functionality, master				NIST SP 800-53 R4 IA-5 (2)			
	Management Service encryption keys. Resource-based permissions let	passwords, powerful utilities,				NIST SP 800-53 R4 IA-5 (3)			
	you specify who has access to the resource and what actions they can	and security devices (for				NIST SP 800-53 R4 IA-5 (6)			
	perform on it. Resource-based policies are inline only, not managed.	example, firewalls).				NIST SP 800-53 R4 IA-5 (7)	1010		
Attaching a Policies	User-based policies can be either inline or managed. Resource-based	(S3.2.0) Procedures exist to	41 (B)	Schedule 1 (Section	Article 17		45 CFR 164.308 (a)(3)(ii)(B)	A.9.2.5	8.1.4
to an IAM Groups		restrict logical access to the		5), 4.7 - Safeguards			45 CFR 164.308 (a)(4)(ii)(C)		
	An AWS managed policy is a standalone policy that is created and	defined system including, but				NIST SP 800-53 R4 AC-2 (2)			
	administered by AWS. Standalone policy means that the policy has its	not limited to, the following				NIST SP 800-53 R4 AC-2 (3)			
	own Amazon Resource Name (ARN) that includes the policy name.	matters:				NIST SP 800-53 R4 AC-2 (4)			
	Example policies: AdministratorAccess, PowerUserAccess, and	d. The process to make				NIST SP 800-53 R4 AC-2 (7)			
	AWSCloudTrailReadOnlyAccess.	changes to user profiles.				NIST SP 800-53 R4 AU-6			
	Additionally, customers can create standalone policies for administering					NIST SP 800-53 R4 AU-6 (1)			
	in their AWS account, which are referred to as a customer managed	system configurations,				NIST SP 800-53 R4 AU-6 (3)			
		superuser functionality, master				NIST SP 800-53 R4 PS-6			
		passwords, powerful utilities,				NIST SP 800-53 R4 PS-7			
	give the entity the permissions that are defined in the policy.	and security devices (for		-					
Create secure IAM	Create access keys for programmatic access to AWS, create an IAM user	(S3.2.b) b. Identification and	6 (B)	Schedule 1 (Section	Article 17 (1), (2)	NIST SP 800-53 R4 AC-1	45 CFR 164.308(a)(5)(ii)(c)	A.9.2.6	8.0
accounts and enable	and grant that user only the permissions he or she needs. Then generate	authentication of users.		5), 4.7 -		NIST SP 800-53 R4 AC-2	(New)		10.1,
AM user access keys	an access key for that user. Users need their own access keys to make			Safeguards,		NIST SP 800-53 R4 AC-3	45 CFR 164.308 (a)(5)(ii)(D)	A.9.2.1, A.9.2.2	12.3
	programmatic calls to AWS from the AWS Command Line Interface (AWS			Subsec. 4.7.3			45 CFR 164.312 (a)(2)(i)	A.9.2.4	
	CLI), Tools for Windows PowerShell, the AWS SDKs, or direct HTTP calls					NIST SP 800-53 R4 AC-11 (1)	45 CFR 164.312 (a)(2)(iii)	A.9.2.5	
	using the APIs for individual AWS services. To fill this need, you can						45 CFR 164.312 (d)	A.9.4.2	
	create, modify, view, or rotate access keys (access key IDs and secret					NIST SP 800-53 R4 AU-2 (3)	15700		
	access keys) for IAM users.					NIST SP 800-53 R4 AU-2 (4)			
						NIST SP 800-53 R4 AU-11			
						NIST SP 800-53 R4 IA-1			
						NIST SP 800-53 R4 IA-2			
			1			NIST SP 800-53 R4 IA-2 (1)	I	1	1



Document Security Architecture



https://allgress.com/get-compliant



Security Considerations

Multiple AWS accounts

VPC, private subnets for application servers and RDS

Minimal network perimeter (Only SSL Terminating Reverse Proxy in DMZ)

Tightened Security Groups - fine grained rules for ports and CIDRs

Immutable Docker containers, CloudTrail, Central Log aggregation

Enable AWS Config, Config Rules, Aggregation, GuardDuty, and Security Hub

Security Considerations (Continued)

CIS-benchmarked AMIs

Hardened Linux/Software


KMS-based secret management

Two-factor authentication on AMIs

Advanced user and key management using LDAP. Elimination of ec2-user

HSM for secure data/keys


SbD – Automated Deployments




Automate deployments, provisioning, and configurations of the AWS customer environments



SbD – Continuous Deployment




SbD – Continuous Deployment



Continuous Compliance

AWS Config is a <u>continuous recording and continuous assessment service</u>, that tracks configuration changes to AWS resources and alerts you if the configuration is non-compliant with your baseline policies.



SbD - Eco-System











Security by Design

AWS Config Rules





AWS CloudFormation

Amazon Inspector



VERIS GROUP









Center for Internet Security*










SbD - Modernizing Technology Governance (MTG)











Automate Governance

Automate Deployments

Automate Security
Operations

Continuous Compliance

AWS Resources

Amazon Web Services Cloud Compliance

https://aws.amazon.com/compliance/

SbD website and whitepaper – to wrap your head around this

https://aws.amazon.com/compliance/security-by-design/

Questions?