

RDS for Oracle limitations

[PDF \(/pdfs/AmazonRDS/latest/UserGuide/rds-ug.pdf#Oracle.Concepts.limitations\)](#)

[RSS \(rdsupdates.rss\)](#)

In the following sections, you can find important limitations of using RDS for Oracle. For limitations specific to CDBs, see [Limitations of RDS for Oracle CDBs \(./Oracle.Concepts.CDBs.html#Oracle.Concepts.single-tenant-limitations\)](#) .

Note

This list is not exhaustive.

Topics

- [Oracle file size limits in Amazon RDS \(#Oracle.Concepts.file-size-limits\)](#)
- [Public synonyms for Oracle-supplied schemas \(#Oracle.Concepts.PublicSynonyms\)](#)
- [Schemas for unsupported features \(#Oracle.Concepts.unsupported-features\)](#)
- [Limitations for Oracle DBA privileges \(#Oracle.Concepts.dba-limitations\)](#)
- [Deprecation of TLS 1.0 and 1.1 Transport Layer Security \(#Oracle.Concepts.tls\)](#)

Oracle file size limits in Amazon RDS

The maximum size of a single file on RDS for Oracle DB instances is 16 TiB (tebibytes). This limit is imposed by the ext4 filesystem used by the instance. Thus, Oracle bigfile data files are limited to 16 TiB. If you try to resize a data file in a bigfile tablespace to a value over the limit, you receive an error such as the following.

```
ORA-01237: cannot extend datafile 6
ORA-01110: data file 6:
'/rdsdbdata/db/mydir/datafile/myfile.dbf'
ORA-27059: could not reduce file size
Linux-x86_64 Error: 27: File too large
Additional information: 2
```

Public synonyms for Oracle-supplied schemas

Don't create or modify public synonyms for Oracle-supplied schemas, including SYS, SYSTEM, and RDSADMIN. Such actions might result in invalidation of core database components and affect the availability of your DB instance.

You can create public synonyms referencing objects in your own schemas.

Schemas for unsupported features

In general, Amazon RDS doesn't prevent you from creating schemas for unsupported features. However, if you create schemas for Oracle features and components that require SYS privileges, you can damage the data dictionary and affect your instance availability. Use only supported features and schemas that are available in [Adding options to Oracle DB instances \(./Appendix.Oracle.Options.html\)](#).

Limitations for Oracle DBA privileges

In the database, a *role* is a collection of privileges that you can grant to or revoke from a user. An Oracle database uses roles to provide security.

The predefined role DBA normally allows all administrative privileges on an Oracle database. When you create a DB instance, your master user account gets DBA privileges (with some limitations). To deliver a managed experience, an RDS for Oracle database doesn't provide the following privileges for the DBA role:

- ALTER DATABASE

- ALTER SYSTEM
- CREATE ANY DIRECTORY
- DROP ANY DIRECTORY
- GRANT ANY PRIVILEGE
- GRANT ANY ROLE

Use the master user account for administrative tasks such as creating additional user accounts in the database. You can't use SYS, SYSTEM, and other Oracle-supplied administrative accounts.

Deprecation of TLS 1.0 and 1.1 Transport Layer Security

Transport Layer Security protocol versions 1.0 and 1.1 (TLS 1.0 and TLS 1.1) are deprecated. In accordance with security best practices, Oracle has deprecated the use of TLS 1.0 and TLS 1.1. To meet your security requirements, RDS for Oracle strongly recommends that you use TLS 1.2 instead.

View related pages Preview

< 1 2 >

AWS::CloudFormation... AWS::RDS::CustomDBEngineVer... June 16, 2024	AWS::CloudFormation... AWS::DMS::DataProvider... April 30, 2024	AmazonRDS ›... Reducing the time for physic... March 8, 2024
---	---	--

Discover highly rated pages Preview

< 1 2 3 4 >

AmazonRDS ›... Regions, Availability... June 14, 2024	AmazonRDS ›... DB instance classes... June 14, 2024	AmazonRDS ›... Working with Amazon RDS... January 19, 2024
---	---	--