


Adam Thomas

Professor, Media Studies and IT Faculty of Media and Creative Arts adam.thomas@humber.ca codeadam.ca




Well Done





1. Coding Memes


Debugging:



Developers at the beginning of a vs. end of a project.

Developers at the end of a project.





2. Interview Questions

Interviews in the New Economy

Today's Question:

You have one 4-min hourglass, and one 7-min hourglass. How can you time 9 minutes exactly?



Interviews in the New Economy


Start both timers at the same time.

When the 4 minute runs out, turn it over to start again.

When the 7 minute runs out, turn it over.

When the second 4 minute timer runs out, there will be 1 minute of sand in the 7 minute timer.

Turn it over and you will have your 9 minutes.



3. Coding from Scratch

JavaScript Accordion

Section 1 +
Section 2 -

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Section 3

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Clone the accordion repo: https://github.com/codeadamc a/javascript-accordion

Use CSS to hide all sections of content.

Add a click event to the section titles. For now console.log() the word "open".

Function needs to know which section was clicked. Use console.log() to confirm.

On click, make the content below the link visible.

Use an if statement to hide or display the content.

Hide all other accordion content before displaying the new content.