

The background of the image features a dark blue gradient on the left, transitioning into a large, vibrant, abstract shape on the right. This shape is composed of overlapping curved segments in shades of orange, pink, and purple, creating a dynamic, modern aesthetic.

AWS re:Invent

NOV. 27 – DEC. 1, 2023 | LAS VEGAS, NV

ARC 215

Tagging strategies to align with AWS Well-Architected best practices

Courtney Waugh

(She/her)

Solutions Architect

Amazon Web Services

Duncan Bell


(He/him)

Well-Architected Solutions Architect Lead

Amazon Web Services



AWS Well-Architected Framework



Operational
excellence



Security



Reliability



Performance
efficiency




Cost
optimization



Sustainability

AWS Well-Architected Framework



Operational
excellence



Security




Reliability









Cost
optimization


Web application




Web application




Multi-account environment




Tagging strategies



Tagging strategies



Tagging strategies



Implementing tags for operational excellence


Implementing tags for reliability

Implementing tags for security


Implementing tags for cost optimization



Tagging strategies




Proactive vs. reactive tags enforcement




Example taxonomy – Real use case from large enterprise customers

Tag	Rationale	Example
ProjectId	Identify the project running the application	ProjectX
ApplicationId	Identify the application	DataLakeX, RetailSiteX
LayerId	SubComponent/Layer	DB Layer, Web, Layer
BusinessUnitId	Identify the business unit	ArchitectureBusinessUnit, OperationBusinessUnit
CostCenterId	Identify the cost center	
EnvironmentId	Identify the environment where the application is running	Prod, Dev, Test
RightSizingId	Allows to track cost/hours of resources targeted for RS	Q1 2018-6hexcode
SourceInstanceType	Defines the original instance type to be rightsized	R5.8xlarge
DestinationInstanceType	Defines the target instance type for the rightsizing	R5.xlarge
ArnId	Track top resources by ARN	Unique identifiers
TeamName/ID	To identify a specific team/owner	
aws:createdBy	AWS-generated cost allocation tags	AssumedRole:[Role Key ID]:DummyUser
aws:*	Anything with aws: prefix is automatically generated by AWS	

Tagging strategies



Evaluating tagging strategy



Thank you!

Courtney Garvin
cmwaugh@amazon.com

Duncan Bell
duncbell@amazon.com



Please complete the session
survey in the mobile app

