


Stats Variance Correlation Pipeline

Source-derived statistical asset package. Frozen historical results are preserved; ANOVA, CLD, and source data are not recomputed.


Full local source paths are preserved in source_asset_inventory.md and asset_package_summary.json.

Asset	Type	Role	Reference original
nh4n_research_pdf	pdf	scientific_result_original	Fig_NH4N_methodB2v2_01.pdf
no3n_research_pdf	pdf	scientific_result_original	Fig_NO3N_methodB2v2_01.pdf
no3n_spss_png	image	spss_result_original	SPSS_NO3-N.png

Fig_NH4N_methodB2v2_01.png



Fig_NO3N_methodB2v2_01.png



SPSS_NO3-N.png

主体间效应检验

因变量: 硝态氮

源	III 类平方和	自由度	均方	F	显著性	偏 Eta 平方
修正模型	483506.491 ^a	15	32233.766	2.412	.018	.531
截距	602765.141	1	602765.141	45.096	<.001	.585
氮肥	61326.471	3	20442.157	1.529	.226	.125
蚯蚓	1946.854	1	1946.854	.146	.705	.005
植物种类	250120.157	1	250120.157	18.713	<.001	.369
氮肥 * 蚯蚓	53398.736	3	17799.579	1.332	.281	.111
氮肥 * 植物种类	58149.014	3	19383.005	1.450	.247	.120
蚯蚓 * 植物种类	3354.632	1	3354.632	.251	.620	.008
氮肥 * 蚯蚓 * 植物种类	55210.628	3	18403.543	1.377	.268	.114
误差	427723.525	32	13366.360			
总计	1513995.157	48				
修正后总计	911230.016	47				

a. R 方 = .531 (调整后 R 方 = .311)