
Getting Started with Jev

Jev judges. Your code decides. An LLM writes the replies.

Module 1 · Meet Jev: Typed Decisions Instead of Text

The reply that breaks your parser




Prompt with no format line: 13 to 18 of 40 replies came back as markdown or a sentence

Source: measured in this course on 2026-10-30 (gpt-5.4-mini-2026-03-17, 40 CLINC150 messages, three runs) · CLINC150 on Hugging Face

A schema fixes the format, not the doubt

- An enum in the schema: always a valid team
- No probability: was it 51% or 99%?
- No probability means no threshold you can set




Source: OpenAI: Structured outputs

Switch to the notebook: Demo 1

Jev answers questions. It never writes text.

- Send a message and a question; get a probability for every option
- A System One model: fast typed judgments, no text
- Predict: on 40 messages, who is more accurate, faster, cheaper?



Source: TypeSafe docs: Introduction · TypeSafe docs: System One

Accuracy within noise, 3 to 4x faster, 12x cheaper


946 ms LLM + JSON schema	**252 ms** Jev	3.8x faster
$0.256 per 1,000, LLM + schema	**$0.022** per 1,000, Jev	11.6x cheaper

Both 72.5% to 77.5% accurate on 40 messages. Only Jev returns a probability per team.

Source: measured in this course on 2026-10-30, median latency · OpenAI: GPT-5.4 mini pricing · TypeSafe docs: Models


Switch to the notebook: Demo 2

One request, three kinds of question



Source: TypeSafe docs: Primitives · TypeSafe docs: State


Read the distribution, not only the top answer



Score 0.70 is the weighted average level. Confidence 0.00: as spread out as an even split.

Source: measured in this course on 2026-10-30 · TypeSafe docs: Confidence

Rules in Python, not in the prompt




Change a threshold, not a prompt


Source: TypeSafe docs: How to build with TypeSafe · TypeSafe agent skill

Switch to the notebook: Lab 1

Lab 1: Build triage() in one call




Urgent is not risky: the declined card



Separate questions for urgency and risk tell these two apart

Source: measured in this course on 2026-10-30 (12 lab messages)


Jev always picks a team, even when none fits



Fix: a second question in the same request: does any team fit?

Source: measured in this course on 2026-10-30 · TypeSafe agent skill: ask about the null case separately

Jev judges, your code decides



Ask what is true. Let your code decide.