



MINGW64/c/Users/axelb/AxelGonzalez_2809/AxelGonzalez_2809

GNU nano 5.4 hola.c Modified

```
/* Programa: Hola mundo */  
  
#include <conio.h>  
#include <stdio.h>  
  
int main()  
{  
    printf( "Hola mundo." );  
  
    return 0;  
}
```

AG Help AO Write Out AW Where Is AK Cut AT Execute AC Location
AX Exit AR Read File A\ Replace AU Paste AJ Justify A_ Go To Line

MINGW64:/c/Users/axelb/AxelGonzalez_2809/AxelGonzalez_2809

```
axelb@LAPTOP-IS8PD37M MINGW64 ~  
$ cd AxelGonzalez_2809/
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809 (main)  
$ cd AxelGonzalez_2809/
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)  
$ ls  
Carpeta1/  'Tarea 5.- Concepto de organización.docx'  Tarea4.png  
README.md  Tarea3.docx
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)  
$ nano hola.c
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)  
$ cat  
.git/  
Carpeta1/  
README.md  
Tarea 5.- Concepto de organización.docx  
Tarea3.docx  
Tarea4.png  
hola.c
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)  
$ cat hola.c  
/* Programa: Hola mundo */
```

```
#include <conio.h>  
#include <stdio.h>
```

```
int main()  
{  
    printf( "Hola mundo." );  
  
    return 0;  
}
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)  
$ |
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ shasum -a 1 hola.c
shasum: -a: No such file or directory
shasum: 1: No such file or directory
329a708da99a0785af910d85c53392841e2cb395 *hola.c

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ nano firma.txt

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ cat firma.txt
hola.c 1
329a708da99a0785af910d85c53392841e2cb395

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ nano hola.c

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ cat hola.c
/* Programa: Hola mundo */

#include <conio.h>
#include <stdio.h>

int main()
{
    printf( "Hola mundo." );

    retur n 0;
}

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ |
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ shasum -a 1 hola.c
31e56583107790d1f0648658c846f13ac34577c4 *hola.c

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ nano firma.txt

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ cat firma.txt
hola.c 1
329a708da99a0785af910d85c53392841e2cb395

hola.c 2
31e56583107790d1f0648658c846f13ac34577c4

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ nano hola.c

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ shasum -a 1 hola.c
329a708da99a0785af910d85c53392841e2cb395 *hola.c

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ nano firma.txt

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ cat firma.txt
hola.c 1
329a708da99a0785af910d85c53392841e2cb395

hola.c 2
31e56583107790d1f0648658c846f13ac34577c4

hola.c 3
329a708da99a0785af910d85c53392841e2cb395

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ |
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ shasum -a 256 hola.c
599ac3a251d8daba95d01e74a639235f272bd3c24c582db67153ecdcd202950d *hola.c

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ nano firma.txt

axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ cat firma.txt
hola.c 1 sha 1
329a708da99a0785af910d85c53392841e2cb395

hola.c 2 sha 1
31e56583107790d1f0648658c846f13ac34577c4

hola.c 3 sha 1
329a708da99a0785af910d85c53392841e2cb395

hola.c 4 sha256
599ac3a251d8daba95d01e74a639235f272bd3c24c582db67153ecdcd202950d
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ shasum -a 256 hola.c 599ac3a251d8daba95d01e74a639235f272bd3c24c582db67153ecddcd202950d hola.c
599ac3a251d8daba95d01e74a639235f272bd3c24c582db67153ecddcd202950d *hola.c
shasum: 599ac3a251d8daba95d01e74a639235f272bd3c24c582db67153ecddcd202950d: No such file or directory
599ac3a251d8daba95d01e74a639235f272bd3c24c582db67153ecddcd202950d *hola.c
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ nano hola.c
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ cat hola.c
```

```
/* Programa: Hola mundo */

#include <conio.h>
#include <stdio.h>
//cambio
int main()
{
    printf( "Hola mundo." );

    return 0;
}
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ pwd
/c/Users/axelb/AxelGonzalez_2809/AxelGonzalez_2809
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ shasum -a 1 hola.c
9d2cee608cadbf06ae04847e1e2e2f0665ef53c7 *hola.c
```

```
axelb@LAPTOP-IS8PD37M MINGW64 ~/AxelGonzalez_2809/AxelGonzalez_2809 (main)
$ |
```