Bot Taxonomy Proposal

Axel Alejandro Garcia Fuentes and Arturo Asael Torres Alvarez

Universidad Autonoma de Guadalajara, Computer Science Department, Av. Patria 1201, Lomas del Valle, 3a Sec, C.P. 45129, Zapopan, Jalisco, Mexico. http://www.uag.mx

Abstract. Bots are used basically to automate tasks. They are tools used to perform activities that range from document edition to mimic the human behavior. This article is a proposal of how bots can be categorized. It is motivated by the desire to help studying bots properties and understand how bots may be used in the field. This work identifies a few main categories where bots may be classified. During the creation of this work it was found four of them and the majority of the studied bots seem to fall into those categories. *abstract* environment.

Keywords: Social Bots, Taxonomy

1 Introduction

Computers help humans to speed up computations and to automate repetitive tasks. One way to automate a task is to divide it in several subtasks and write a program that perform those subtasks. It is true that not all the tasks can be automated using those simple steps. Nevertheless, they are enough to introduce the concept of using a computer to perform automation. Software bots are computer programs that automate tasks. If the need is to modify documents then the bot will edit certain parts of a document, if the necessity is to propagate a message over a network of contacts then the bot will deliver a message and will repeat delivering the same message as many times as it is programmed for. [1] mentions the existence of social bots which are considered as a computer algorithm that automatically produces content and interacts with humans on social media; e.g. Twitter or Facebok.

There are bots that are able to write articles. For example, in this category falls a bot called Lsjbot. That boot created about 454,000 articles which is about the half of the articles in Swedish Wikipedia [2]. Another example is ClueBot NG, which is a bot that cleans up vandalism from an article of the national supreme court[3]. In this context the term *vandalism* means meaningless messages added to a document; for example text used to discredit an article. [1] mentions that early bots mainly modified content automatically, examples of that are [4] and [5].

Other types of bots can be used to influence a social network behavior. Some bots in this category are so sophisticated that can even answer queries by using natural language algorithms[6]. According with [1] there exist bots that are aimed

2 Bot Taxonomy Proposal

to mimic humans. While there are benign bots they can be created to persuade, smear or deceive also.

When multiple social bots are controlled by a person that is called Sybil[1]. Reference [7] mentions botnets which seems to be similar to Sybil. The difference seems to be that botnets are intended to be used with malware and Sybils are social bots.

Wikipedia has a page about creating wikipedia bots to aid article creation[8]. It also has another page to request the creation of a bot: http://en.wikipedia.org/wiki/Wikipedia:Bot_requests. Editing bots seems to be a common tool for that website.

2 Problem

Authors of reference[1] believe bots may be less easy to detect as the time goes on. That reference mentions cases where bots and humans work together and the bot uses the account of a human to publish messages with Twitter; there may be cases where the human account is hacked and the bot publishes messages from a hacked account.

3 Taxonomies

Some of them are benign and, in principle, innocuous or even helpful: this category includes bots that automatically aggregate content from various sources, like simple news feeds[1]

3.1 Editing Bots

According with [7] bots can be independent pieces of software which are capable of perform small tasks like create nanoposts. That definition seems to be compatible with [9] who defines a bot as software for making certain types of procedural edits automatically.

Table 1. Characteristics of Editing Bots

Modus operandi	They do not interact in a social networking. Typically process	
	text documents.	
Output	A newer version of processed documents.	

Examples of this type of bots are: Swedish Wikipedia surpasses 1 million articles with aid of article creation bot [2], Wikipedia Bot Writes 10,000 Articles a Day: [4] and Meet the 'bots' that edit Wikipedia [3].

3.2 Social Media Bots

This type of bots emerged from online social networks. They are used between several possible goals to spread information or influence targets. According with [10] a there are three types of Twitter accounts: user, bots and cyborgs (users assisted by bots). From those types, this work derives two subcategories of social bots: bot and cyborg.

Some examples of the usage of social bots is: Distractors [Abokhodair et al. 2015]. Smoke screening strategies. Political campaigns orchestrated by social bots [11]. This malicious usage with the purpose to harm is documented by [1] also; inflate support for a political candidate. In fact, these kinds of abuse have already been observed: during the 2010 U.S. midterm elections [11]. Campaigns of this type are sometimes referred to as astroturf or Twitter bombs [1].

Table 2. Characteristics of Social Media Bots

Modus operandi	Mimic humans and/or human behavior in OSN.
Output	Spread information or influence targets.

3.3 Botnets

According with reference [12] botnets are networks of infected hosts. The infection was performed by using bots. In this context those bots are controlled by a human operator which is called botmaster. That definition is similar to the definition of Sybil [1]. However, a botnet is meant to be utilized by malware. Botnets are different than malware like worms because of its manual orchestration [12]:

"Botnets borrow infection strategies from several classes of malware, including self-replicating worms, e-mail viruses, etc."

Table 3. Characteristics of Botnets

Modus operandi	Scans used to recruit new victims. Infections can also be spread
	by convincing victims to run some form of malicious code on
	their machines
Output	Bot binary installation ready to execute next time the victim is
	rebooted.

3.4 User Assistant Bots

In this category falls the bots that assist humans. Bots like Siri from Apple or Cortana from Microsoft. These bots will analyze data on demand of the end

4 Bot Taxonomy Proposal

user. In this case the end user is doing a search and the generated information not necessarily will be stored in all the cases.

Another bot in this category is the Chatterbot or chatbot. An historical example of the nature of this type of bot is the Turing test. There are other examples of this kind of bots like PanBot https://www.panbot.com. This video shows information about another https://www.youtube.com/watch?v=tjXfM7U15Vw. This other is an example of this kind of bots in action https://www.youtube.com/watch?v=W2JmbgbXX4E

Table 4. Characteristics of User Assistant Bots

Modus operandi	Receives a request directly from the human user and process i	
	I supports on natural language processing systems.	
Output	Answer to the human request.	

4 Social Bots Taxonomy Demonstration

<Add an introductory paragraph here>

After the Major elections of June 2015 in Guadalajara, Jalisco was over data about some of the contestants presumably legitim Twitter accounts was gathered. Somple public media reported irregularities on that data. That media claimed some of the followers were actually bots:

```
> library(xlsx)
> library(xtable)
> data <- read.xlsx( "AccountsData_20150617.xlsx", 1 )
> data <- data[,c("Cuenta", "Seguidores.en.Twitter", "Seguidores.Reales")]
> data <- data[complete.cases(data), ]
> head(data)
```

	Cuenta	Seguidores.en.Twitter	Seguidores.Reales
2	@Paco_Olvera	160700	0.27
3	${\tt @ManceraMiguelMX}$	1420000	0.28
4	@miguelalonsogob	35400	0.36
5	${\tt @RobertoSandoval}$	47400	0.37
6	@nunezarturo	54500	0.38
7	@eruviel_avila	333000	0.45

That data shows the real followers as a percentage of the total number of followers. In order to know the number of followers those percentages mean the percentage of real followers should be multiplied by the total number of followers of that politician account. That calculation is shown in the following code snippet:

The following table shows that summary data:

Table 5. Statistics of Jan/15 Guadalajara Elections

	NoMain.Accounts	Total.Followers	Reported.Human.Followers
1	51	10,263,900	4,827,383

Interpreting the data provided by this source we can tell the bot followers were 53%. That is more than the half of followers. For that reason we consider that a situation that justify using it for this bot taxonomy proposal.

5 Detection

According with [1] real users seem to spend more time looking at other user's contents and messaging than Sybil.

innocent-by-association strategy), ? Sybil until proven otherwise? approach (opposite to the first) [1]

References

- E. Ferrara, O. Varol, C. Davis, F. Menczer, and A. Flammini, "The rise of social bots," arXiv preprint arXiv:1407.5225, 2014.
- L. Guldbrandsson, "Swedish wikipedia surpasses 1 million articles with aid of article creation bot," Wikimedia, June 2013.
- 3. D. Nasaw, "Meet the âĂŸbotsâĂŹ that edit wikipedia," BBC News, vol. 24, 2012.
- G. McDonald, "Wikipedia bot writes 10,000 articles a day," news. discovery.com, July 2014.
- 5. wikipedia.org, "Wikipedia:bots/status," Wikipedia, June 2014.
- 6. technology review.com, "How to spot a social bot on twitter," $MIT\ Technology\ Review,\ July\ 2014.$
- T. Kuhn, "Science bots: a model for the future of scientific computation?," in Proceedings of the 24th International Conference on World Wide Web Companion, pp. 1061–1062, International World Wide Web Conferences Steering Committee, 2015.
- 8. wikipedia.org, "Wikipedia talk:creating a bot," Wikipedia, September 2014.
- 9. P. Ayers, C. Matthews, and B. Yates, *How Wikipedia works: And how you can be a part of it.* No Starch Press, 2008.
- C. Wagner, S. Mitter, C. Körner, and M. Strohmaier, "When social bots attack: Modeling susceptibility of users in online social networks," *Making Sense of Microposts* (# MSM2012), p. 2, 2012.
- 11. J. Ratkiewicz, M. Conover, M. Meiss, B. Gonçalves, A. Flammini, and F. Menczer, "Detecting and tracking political abuse in social media.," in *ICWSM*, 2011.
- M. Abu Rajab, J. Zarfoss, F. Monrose, and A. Terzis, "A multifaceted approach to understanding the botnet phenomenon," in *Proceedings of the 6th ACM SIGCOMM* conference on Internet measurement, pp. 41–52, ACM, 2006.