


Semaine 12 janvier

Lundi : Re-installation de Proxmox pour supprimer les anciens fichier de Herbert, via clé USB

Tout d'abord, installation de Rufus





The screenshot shows the Rufus website's download page. The browser's address bar displays 'rufus.ie/fr/#download'. The page has a dark blue background with a light blue header. A large, bold title 'Téléchargement' is centered at the top. Below it, the text 'Dernières versions :' is followed by a table of download links. The table has five columns: 'Lien', 'Type', 'Plateforme', 'Taille', and 'Date'. It lists four versions of Rufus, all dated 2025.10.02. Below the table, there are two links: 'Autres versions (GitHub)' and 'Autres versions (dAppCDN)'. At the bottom, the text 'Configuration requise :' is partially visible.

Lien	Type	Plateforme	Taille	Date
rufus-4.11.exe	Standard	Windows x64	1.8 Mo	2025.10.02
rufus-4.11p.exe	Portable	Windows x64	1.8 Mo	2025.10.02
rufus-4.11_x86.exe	Standard	Windows x86	1.8 Mo	2025.10.02
rufus-4.11_arm64.exe	Standard	Windows ARM64	4.9 Mo	2025.10.02

[Autres versions \(GitHub\)](#)
[Autres versions \(dAppCDN\)](#)

Configuration requise :







Installer Proxmox via clé :

Menu BIOS F11

Sélectionner hard disk

Clé USB formatée Rufus



Welcome to the Proxmox Virtual Environment. Please use your web browser to
configure this server - connect to:

https://172.16.21.182:8006/

pve login: root

Password:


Linux pve 6.17.2-1-pve #1 SMP PREEMPT_DYNAMIC PMX 6.17.2-1 (2025-10-21T11:55Z) x86_64


The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

root@pve:~# ls a


```
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
   inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: nic0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq master vmb0 state UP group default qlen 1000
   link/ether 00:1e:c9:d5:cc:fc brd ff:ff:ff:ff:ff:ff
   altname enp3s0
   altname enx001ec9d5ccfc
3: nic1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop state DOWN group default qlen 1000
   link/ether 00:1e:c9:d5:cc:fe brd ff:ff:ff:ff:ff:ff
   altname enp7s0
   altname enx001ec9d5ccfe
4: nic2: <BROADCAST,MULTICAST> mtu 1500 qdisc noop state DOWN group default qlen 1000
   link/ether 00:10:18:b4:c4:d4 brd ff:ff:ff:ff:ff:ff
   altname enx001018b4c4d4
5: nic3: <BROADCAST,MULTICAST> mtu 1500 qdisc noop state DOWN group default qlen 1000
   link/ether 00:10:18:b4:c4:d6 brd ff:ff:ff:ff:ff:ff
   altname enx001018b4c4d6
6: vmb0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group default qlen 1000
   link/ether 00:1e:c9:d5:cc:fc brd ff:ff:ff:ff:ff:ff
   inet 172.16.21.182/24 scope global vmb0
       valid_lft forever preferred_lft forever
   inet6 fe80::21c:9d5:ccfc::/64 scope link proto kernel ll
       valid_lft forever preferred_lft forever
root@pve:~# nano /etc/netu
```




Migrer une VM existante vers Proxmox

°Migrer le disque vers le serveur Proxmox



Cr  er la VM vide
sur Proxmox



Laisser tel quel

Créer: Machine virtuelle

Général

Système d'exploitation

Système

Disques

Processeur

Mémoire

Réseau

Confirmation

Carte graphique: Par défaut

Contrôleur SCSI: VirtIO SCSI single

Machine: Par défaut (i440fx)

Agent QEMU: ☐

Micrologiciel

BIOS: Par défaut (SeaBIOS)

Ajouter un module TPM: ☐


Aide

Avancé ☐

Retour

Suivant

Supprimer disque



Ajuster selon les spécificités de la VM dans VMware

Créer: Machine virtuelle

Général

Système d'exploitation

Système

Disques

Processeur

Mémoire

Réseau

Confirmation

Supports de processeur:

2

Type:

x86-64-v2-AES

Cœurs:

1

Total de cœurs:

2

Aide

Avancé

Retour

Suivant

Memoire pareil

Créer: Machine virtuelle

Général

Système d'exploitation

Système

Disques

Processeur

Mémoire

Réseau

Confirmation

Mémoire (MiB):

2048

Aide

Avancé

Retour

Suivant

Reseau : laisser tel quel

Créer: Machine virtuelle ✕

Général Système d'exploitation Système Disques Processeur Mémoire Réseau Confirmation

☐ Aucun périphérique réseau


Pont (bridge): vmbr0 Modèle: VirtIO (paravirtualisé)

Étiquette de VLAN: aucun VLAN Adresse MAC: auto


Pare-feu: ☒

? Aide Avancé ☐ Retour Suivant

Une fois fini, cliquer sur la VM et ajouter > disque



Où j'en suis :



Sécurisation de Proxmox (ssh) :

Clé + passphrase

Ajout d'une clé en SSH :

```
C:\Users\Axel>ssh-keygen -t ed25519
Generating public/private ed25519 key pair.
Enter file in which to save the key (C:\Users\Axel\.ssh/id_ed25519): proxmoxkey
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in proxmoxkey
Your public key has been saved in proxmoxkey.pub
The key fingerprint is:
SHA256:/LX0FSEHTIuf7/TNp1D1jyyjYLBMA3xB1TFmCv7QyGI axel@DESKTOP-9RQQIFT
The key's randomart image is:
+--[ED25519 256]--+
|      .+...=+O      |
|    . O = +.O.O     |
|  E * O . O O .    |
|  . + +   . + O.    |
|    + S   + O .     |
|    O + . . = O.    |
|    O O . = * .     |
|      . . + B oo    |
|      . O O.=       |
+-----[SHA256]-----+
```

Passphrase : sésameouvretoimaintenant

Vérification de si les clés ont été générées sur le pc. Dans powershell :

dir C:\Users\Axel\.ssh (là où sont stockées les clés ssh)

Affiché : id_ed25519

id_ed25519.pub

known-hosts

Copie de la clé vers Proxmox (il demandera une dernière fois le mdp):

```
PS C:\Users\Axel> type C:\Users\Axel\.ssh\id_ed25519.pub | ssh usersio@172.16.21.182 "mkdir -p ~/.ssh && cat >> ~/.ssh/authorized_keys"
The authenticity of host '172.16.21.182 (172.16.21.182)' can't be established.
ED25519 key fingerprint is SHA256:gJaPlvFhFhEwW2MjjsQa032aSKG1o6Bpsf4pcZNT0hk.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? y
Please type 'yes', 'no' or the fingerprint: yes
Warning: Permanently added '172.16.21.182' (ED25519) to the list of known hosts.
```

Connexion en ssh, ça fonctionnera bien il demande la passphrase

```
PS C:\Users\Axel> ssh usersio@172.16.21.182
Enter passphrase for key 'C:\Users\Axel/.ssh/id_ed25519':
Linux pve 6.17.4-2-pve #1 SMP PREEMPT_DYNAMIC PMX 6.17.4-2 (2025-12-19T07:49Z) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
usersio@pve:~$ S
```

Connexion en root pour installer sudo

su -

«mdp »

apt update

apt install sudo

Connexion usersio

su usersio

Désactivation du login via root et de l'authentification par mdp, activation de l'auth par clé

PasswordAuthentication no

PubkeyAuthentication yes

PermitRootLogin no

Redémarrage ssh

sudo systemctl restart ssh

Tests :

En usersio depuis pc qui a la clé : OK

```
PS C:\Users\Axel> ssh usersio@172.16.21.182
Enter passphrase for key 'C:\Users\Axel/.ssh/id_ed25519':
Linux pve 6.17.4-2-pve #1 SMP PREEMPT_DYNAMIC PMX 6.17.4-2 (2025-12-19T07:49Z) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Wed Jan 14 16:09:34 2026 from 172.16.21.125
```

En root depuis pc qui a la clé : non

```
PS C:\Users\Axel> ssh root@172.16.21.182
root@172.16.21.182: Permission denied (publickey).
```

En usersio depuis PC du voisin : non

```
C:\Users\jairu>SSH USERSIO@172.16.21.182
USERSIO@172.16.21.182: Permission denied (publickey).
```

