seeed studio

INDUSTRIAL PRODUCT DATASHEET

Feetech ST3215-C047 12V 30Kg Servo

STS 3215 C 047 is a 12 V 30 Kg. cm serial bus smart servo, with plastic case, core motor, 1:345 metal gearbox and 12 bit high precision magnetic coding sensor. The stall toruqe is 30 kg. cm and the rated torque is 10 kg. cm. Designed for versatility, it is suited for use in industrial automation, robotics, and low-torque drive applications, such as Le Robot SO-Arm 101.

SKU	UPDATED	PRICE
108090003	2026-04-20 08:20:54	22.000000



Overview



Figure 1. 101090142 Feetech St 3215 C046 Standard Torque Servo 2

STS 3215 C 047 is a 12 V 30 Kg. cm serial bus smart servo, with plastic case, core motor, 1:345 metal gearbox and 12 bit high precision magnetic coding sensor. The stall toruqe is 30 kg. cm and the rated torque is 10 kg. cm. Designed for versatility, it is suited for use in industrial automation, robotics, and low-torque drive applications, such as Le Robot SO-Arm 101.

Key Features

01

High Precison

Provides 360-degree positioning with precise angle control and multi-turn continuous rotation capability

02

Metal Gearbox Includes 1

345 gear reduction ratio metal gearbox

03

Easy Calibration

Offers one-touch midpoint calibration

04

Rich output

Provides real-time feedback of position, speed, voltage, current, temperature, and load

05

12V Servo Could be used with 12V power supply

Product Gallery



Figure 1. 108090003 Sts321530Kg Serial Servo 1



Figure 2. 108090003 Sts321530Kg Serial Servo



Figure 3. 108090003 Sts321530Kg Serial Servo



Figure 4. 108090003 Sts321530Kg Serial Servo



Figure 5. 108090003 Sts321530Kg Serial Servo



Figure 6. 108090003 Sts321530Kg Serial Servo

Specification

Product: Feetech ST3215 C047

Product	Feetech ST3215 C047
Voltage	4- 14V
Operating Temperature	-10℃~60℃
Mechanical Dimension	45.2mm x 24.7mm x 35mm
Communication Interface	Serial

Hardware Overview




Figure 1. Image Feetech 2



Figure 2. Image Feetech

Applications




Figure 1. image C047

Used on leader arm

Lerobot SO-ARM101 robotic arm

Part List

ST3215-C047 Servo	x1
Servo Horn	x2
Screw	x18
JST Wire	x1

Compliance & Logistics

HSCODE	8501109990
USHSCODE	8501106080
UPC	
EUHSCODE	8501109390
COO	CHINA

Logistics	Value
ECCN	EAR99
HSCODE	8501109990
USHSCODE	8501106080
EUHSCODE	8501109390
COO	CHINA

Resource Links

- https://www.seeedstudio.com/STS3215-30KG-Serial-Servo-p-6340.html
- Datasheet
- Github
- Debug Software
- Modbus-RTU Protocol

Seeed Technology Co.,Ltd.
9F, Building G3, International E City,
Zhongshanyuan Road, Nanshan, Shenzhen, China

Tel: +86 0755-80695676
Web: www.seeed.cc
Shop: www.seeedstudio.com