peaq

PARTNERSHIP UPDATE

Milestone Update

What we built. Why. How. What's next.

For the peaq tech, DePIN, and partnership team

AXI MOBILITY LIMITED

Service-as-Software for fleet operations

Building Africa's mobility infrastructure on peaq

Prepared for:	peaq tech / DePIN / partnership team
Pilot context:	ROAM Electric — 10 internal EV motorcycles, Nairobi
Document version:	1.0
Date:	May 7, 2026
Reference:	AXI/2026/PEAQ/001
Frozen tag:	`peaq-review-2026-05-07`
Contact:	team@aximobility.com

Apache-2.0 open source · Repos: `peaq-contracts` + `peaq-integration`

Contents

1 Executive summary **3**

1.1 What we built on peaq . . . 3

1.2 Status today . . . 3

1.3 Audit checklist progress at a glance . . . 3

2 Why peaq **4**

2.1 The decision matrix . . . 4

3 What we built (the three use cases) **4**

3.1 Insurance Risk Oracle . . . 4

3.1.1 Problem . . . 4

3.1.2 Solution . . . 5

3.1.3 End-to-end flow . . . 5

3.1.4 Real ROAM scenario . . . 5

3.1.5 Why peaq vs a centralised database . . . 5

3.1.6 Implementation . . . 5

3.2 High-Risk Command Vault . . . 6

3.2.1 Problem . . . 6

3.2.2 Solution . . . 6

3.2.3 State machine . . . 6

3.2.4 End-to-end flow . . . 6

3.2.5 Real ROAM scenario . . . 7

3.2.6 Why peaq vs an off-chain Slack approval . . . 7

3.2.7 Implementation . . . 7

3.3 Credential Revocation Registry . . . 8

3.3.1 Problem . . . 8

3.3.2 Solution . . . 8

3.3.3 End-to-end flow . . . 8

3.3.4 Real ROAM scenario . . . 8

3.3.5 Why peaq vs a central NTSA database . . . 8

3.3.6 Implementation . . . 9

4 How it all fits together **10**

4.1 The architecture . . . 10

4.2 Three flows, every day . . . 10

4.2.1 Flow A — Daily Merkle anchor (00:00 UTC) . . . 10

4.2.2 Flow B — Per-event critical hash (live) . . . 10

4.2.3 Flow C — Public verification (on demand) . . . 10

5 The peaq footprint we use **11**

5.1 Pallet vs EVM split (decision rationale) . . . 11

6 Milestones reached **12**

7 Roadmap **17**

7.1 Visual timeline . . . 17

7.2 Roadmap detail . . . 18

8 What we'd love from the peaq team **19**

8.1 Direct answers to seven unverified questions . . . 19

8.2 Code review . . . 19

8.3 Mainnet promotion guidance . . . 19

8.4 Partnership amplification . . . 20

9 The shape of the partnership **21**

10 Next actions **22**

10.1 For the peaq team . . . 22

10.2 For AXI (in parallel) . . . 22

10.3 Repository links . . . 22

10.4 Documents in this packet . . . 22

Sign-off **23**

1 Executive summary

AXI Mobility runs a fleet platform. AI agents do the work of monitoring vehicles, drivers, energy, commands, and risk; we turn those signals into cases, actions, and reports. Customer is the supervisor. AXI is the operator.

1.1 What we built on peaq

Three production-shape Solidity contracts, all live on Agung testnet:

Insurance Risk Oracle	High-Risk Command Vault	Credential Revocation Registry
verifiable risk scores per DID	K-of-M approval gate	per-issuer revocation log

Plus a TypeScript SDK and standalone CLI that wraps peaq's three pallets (`peaqDid`, `peaqRbac`, `peaqStorage`), peaq EVM via viem, KMS-backed Ed25519 signers, and a daily Merkle anchor service.

1.2 Status today

Where we are

- **51 unit and fuzz tests passing** on the local Foundry harness.
- **Agung deploy dry-run successful.** Production deploy runbook ready (`AGUNG_DEPLOY.md`) — 25 minutes from a blank `.env` to first attestation.
- **Pre-audit hardening checklist about 80% closed** (`AUDIT_CHECKLIST.md`). Remaining items: Echidna invariant runs, multisig setup, external audit firm engagement, `audit-v1` freeze tag.
- **Mainnet promote** is gated on Safe 4-of-7 multisig admin and external audit acceptance. Realistic window: 6–10 weeks from audit kickoff.

1.3 Audit checklist progress at a glance

2 Why peaq

We chose peaq over generic Layer 1s and Layer 2s for one reason: **mobility-native chain primitives**.

2.1 The decision matrix

	axiprimary		
	Verifiable identity per vehicle and driver	`peaqDid` pallet (DID method spec, attribute extrinsics)	Build our own DID method and registry contract
	On-chain RBAC across operators and regulators	`peaqRbac` pallet	Build OZ-AccessControl-shape registry plus maintain it
2axilightwhite	Anchor and verify chain-of-custody for compliance	`peaqStorage` plus EVM contracts side-by-side	Pick one, or run two chains
	Realistic gas and finality for African DePIN	Substrate finality plus EVM precompiles in a single node	Bridge fees and two-chain ops
	Mobility ecosystem alignment	DePIN focus, ROAM-class peers	Generic finance and DeFi peers
0			

Strategic lock

We are not bridging across two chains. **peaq is the chain.** Polygon is our *fallback* for the daily Merkle anchor only — redundancy, not primary. This decision lives in `POSITIONING.md` as a strategic lock, not a tactical call.

3 What we built (the three use cases)

Each contract solves a real problem we ran into during the ROAM pilot design.

3.1 Insurance Risk Oracle

3.1.1 Problem

Insurance underwriters in Kenya quote premiums based on patchy fleet data. They charge a ”risk surcharge” because they cannot trust the numbers. ROAM (and every fleet operator we talked to) overpays by 15–25%.

3.1.2 Solution

We attest a per-DID risk score on-chain. Append-only, signed by an authorised attestor. Score in $[0, 1000]$. Insurer reads the latest score before quoting. Verifiable. Auditable. Cheap.

3.1.3 End-to-end flow



3.1.4 Real ROAM scenario

ROAM rider Mary Akinyi

6 months riding · 4,200 km logged · 0 harsh-brake events · 89% safety score.

AXI attestor signs:

```
attest(did:peaq:mary, score=920, expiresAt=now+30d, payloadHash=0x...)
```

Insurer reads `getLatest(did:peaq:mary)` → score 920 → premium discount tier 1.

3.1.5 Why peaq vs a centralised database

Insurers will not trust AXI's database; we are an interested party. They will trust an on-chain attestation log signed by independent attestors. The chain gives them deniability: "we relied on a public register".

3.1.6 Implementation

Contract	`InsuranceRiskOracle.sol` (UUPS proxy, append-only history)
`ATTESTOR_ROLE`	AXI attestation service publishes scores
`CALIBRATOR_ROLE`	Risk team tunes the score-to-premium curve
`UPGRADER_ROLE`	Multisig 4-of-7 pushes upgrades
`DEFAULT_ADMIN_ROLE`	Multisig grants and revokes roles
Score range	$[0, 1000]$
Staleness gate	`riskScore()` reverts if > 7 days old

3.2 High-Risk Command Vault

3.2.1 Problem

Fleet-wide actions are risky. "Lock 47 bikes" is one button, and it has to be reversible, auditable, and multi-party. Operator dashboards routinely have a single-sig escape hatch — that is how fleets get held ransom.

3.2.2 Solution

K-of-M approval gate. AXI staff propose a high-risk command (lock fleet, mass route override, broadcast more than 100 messages, fund withdrawal). M approvers must sign. Once K reach (out of M), the command becomes executable by anyone — including a regulator if AXI staff disappear.

3.2.3 State machine



Bright green = active state · Gray = terminal

3.2.4 End-to-end flow



3.2.5 Real ROAM scenario

Mary's bike pack-temp spike

KMG 117P shows pack temperature 52°C — risk of fire. AXI ops Brian proposes `LOCK_FLEET` on the 3 bikes in the same depot, $K = 2$ of $M = 3$.

- Joy approves · 1/2 reached
- ROAM ops manager approves · 2/2 reached → status flips to **Approved**
- Anyone calls `execute(commandId, payload)` → bikes locked

The on-chain audit shows: who proposed, who approved, when, and what.

3.2.6 Why peaq vs an off-chain Slack approval

A Slack approval can be repudiated. An on-chain K-of-M cannot. The audit trail is the product — insurance underwriters and regulators want to see operators are practising good governance before they price the premium or licence the fleet.

3.2.7 Implementation

Contract	`HighRiskCommandVault.sol` (**not upgradeable**)
Threshold range	$1 \leq K \leq M \leq 10$
Expiry window	1 minute to 30 days
Replay-safety	`commandId` from `(commandType, targetDid, payloadHash, K, M, nowTs, proposer)`
Payload binding	`propose()` stores `keccak256(payload)`; `execute()` must present same bytes
Permissionless execute	once K reached, anyone can run it (no value extraction; documented MEV note)

Why not upgradeable

An upgradeable approval gate is a back door. The Vault is permanent — operators see exactly what they are approving and there is no path for AXI to silently change the rules.

3.3 Credential Revocation Registry

3.3.1 Problem

Driver licenses, NTSA inspection certificates, and insurance binders all expire or get revoked. Today fleets find out at the roadside check (about $300 fine plus a tow-truck bill). Insurers find out at claim time (about $5,000 loss). Verification is paper-based and manual.

3.3.2 Solution

Each credential is hashed and registered. When the issuer (NTSA, insurance company, AXI fleet manager) revokes, they call `revoke(hash, reasonCode)`. Anyone — insurer, regulator, the driver app itself — can check `isRevoked(hash)` for free. Per-issuer scope: only the issuer of a credential can revoke it.

3.3.3 End-to-end flow



3.3.4 Real ROAM scenario

ROAM rider Wanjiku's NTSA inspection

Inspection certificate expires 2026-05-15. NTSA officer revokes:

```
revoke(hash=0x... (Wanjiku's certificate), reasonCode=2 (expired))
```

At the next checkpoint, the inspector scans the QR code on Wanjiku's bike. The verify app calls `isRevoked(hash)` → **true**. Wanjiku is pulled aside, not jailed for "fraudulent docs". Saves AXI a court date.

3.3.5 Why peaq vs a central NTSA database

NTSA's portal goes down regularly. Our chain does not. Plus: insurance firms outside Kenya want to sell premium products to AXI fleets without trusting Kenya's central databases — chain-anchored revocation gives them an independent verification path.

3.3.6 Implementation

Contract	`CredentialRevocationRegistry.sol` (UUPS proxy)
`ISSUER_ROLE`	Per-credential issuer scope (only issuer of a credential can revoke it)
`revoke()`	Idempotent at boundary — re-revoke is rejected to preserve original `reasonCode`
`revokeBatch()`	Up to 100 revocations per transaction (handy for issuer-key rotation)
`unrevoke()`	Admin-only emergency function (in case issuer key is compromised)
`pause()`	Emergency stop

4 How it all fits together

4.1 The architecture



4.2 Three flows, every day

4.2.1 Flow A — Daily Merkle anchor (00:00 UTC)



Outcome: `peaqscan`, Subscan, and Polygonscan all show the same root. Anyone can pick a random event from yesterday, walk the proof, and verify.

4.2.2 Flow B — Per-event critical hash (live)



4.2.3 Flow C — Public verification (on demand)



5 The peaq footprint we use

	axiprimary		
	EVM smart contracts	3 production contracts (Vault, Oracle, Registry)	1–10× per day per fleet
	`peaqDid` pallet	DID issuance per vehicle, driver, asset (battery, container)	once per entity creation; ~50/day at pilot
2axilightwhite	`peaqRbac` pallet	Cross-tenant role assignments (issuer, attestor, approver, auditor)	rare; once per role change
	`peaqStorage` pallet	Selective evidence storage (compliance binders)	sparse; monthly compliance recompute
	EVM precompiles	viem-compatible `defineChain` plus standard tooling	every chain interaction
	Mainnet RPC (`peaq.api.onfinality.io`)	Daily anchor plus per-event critical hash	continuous
0	Agung testnet	Pre-mainnet integration testing	continuous in CI

5.1 Pallet vs EVM split (decision rationale)



6 Milestones reached

2axilightwhite

axiprimary

2026-04	Lock peaq as primary chain (Polygon as fallback) — strategic decision in `POSITIONING.md`	
2026-04	Verified 34 peaq facts and flagged 7 open questions in `VERIFIED_SPECS.md`	

	axiprimary	
2026-04	Built TypeScript integration: EVM client (viem), Substrate client, DID issuer/method/resolver, RBAC + Storage pallet wrappers, KMS-Ed25519 signers, idempotency, retry, structured logger	✅

	axiprimary	
2026-04	Built standalone `peaq-cli` ops tool with 5 command groups (anchor, did, storage, health, status)	
		✅
2026-04	Wrote 3 production-shape Solidity contracts with UUPS, OZ AccessControl, custom errors, NatSpec	
		✅

	axiprimary		
2026-04	51 unit and fuzz tests passing on local Foundry harness		
2026-05	Slither in CI severity-gated to high; `forge fmt` + snapshot in CI		
2026-05	Agung deploy dry-run successful (chain ID 9990)		
2026-05	`AUDIT_CHECKLIST.md` (about 80% items closed)		

axiprimary

2026-05	AGUNG_DEPLOY.md 25-minute zero-to-first-attestation run-book	✅
2026-05	Per-contract STRIDE threat models pub-lished in threat-models/	✅
2026-05	SECURITY.md respon-sible disclo-sure policy	✅
2026-05	PEAQ_REVIEW.md hand-off packet for peaq tech team	✅

axiprimary

2026-05 This mile-stone docu-ment

0

7 Roadmap

7.1 Visual timeline



7.2 Roadmap detail

	axiprimary		
	Production Agung deploy	Week 1	Live testing against real Agung; pilot can chain-anchor daily
	Internal pilot launch (10 ROAM bikes)	Week 2	First real chain anchor, first risk attestation, first revocation
	External audit engagement	Week 3–4	Lock contracts, tag `audit-v1`
2axilightwhite	Audit completion + remediation	Week 4–8	Gate to mainnet
	peaq mainnet promote	Month 2	Production daily anchor, Safe 4-of-7 multisig admin
	First external customer (REVLOG batteries)	Month 3	Same platform, different ontology
	Bug bounty live	Month 3	Phase 5 gate per `EXECUTION_ORDER.md`
	First sovereign customer deploy	Month 6+	Atlas Sovereign K2 LoRA on AWS GPU for PII-touching reasoning
0			

8 What we'd love from the peaq team

8.1 Direct answers to seven unverified questions

These come from `VERIFIED_SPECS.md`. We want to publish answers in that file as "verified, source: peaq team confirmation".

Capacity + economics

1. **Exact extrinsic fees.** Cost of `peaqDid.addAttribute` and `peaqStorage.addItem` in PEAQ + USD?
2. **DePIN bulk-write pricing.** Is there a tier for high-frequency writes? At ROAM Phase 4 (∼10,000 vehicles), we will write 10–100 events per second.

Compliance + identity

3. **W3C JSON-LD VC compliance.** Does peaq DID resolve correctly inside W3C VC libraries? The insurance arbitrage thesis depends on insurers consuming our DIDs in their existing tooling.

Network safety

4. **Decentralisation metrics.** Validators and collators count, geographic distribution, nakamoto coefficient.
5. **Major incidents and forks since mainnet launch.** For our risk model.
6. **KREST → PEAQ migration plan.** What is the canary network policy? Is there guidance for partners?

Tooling

7. **Official viem chain definition.** Does peaq plan to ship one? We are synthesising via `defineChain` today.

8.2 Code review

- Validate our `did:peaq:...` issuer and resolver against the spec repo.
- Validate our pallet wrapper code (storage and RBAC).
- Spot-check the EVM contracts; flag anything peaq has seen go wrong in other DePIN deployments.

8.3 Mainnet promotion guidance

- Preferred audit firm list? (We are considering Trail of Bits, OpenZeppelin, Halborn, Sigma Prime.)
- Monitoring requirements before a partner goes mainnet?
- Multisig setup recommendations? (Safe on peaq EVM is the path; signers + threshold.)
- Public launch playbook — does peaq announce and amplify partner mainnet launches?

8.4 Partnership amplification

- Co-marketing for the ROAM mainnet promote — joint announcement with ROAM and a peaq team blog post.
- DePIN ecosystem listing — list AXI Mobility on peaq's DePIN partners page.
- Reference architecture write-up — happy to contribute a "how AXI uses peaq" reference for other DePIN partners.

Time-sensitive

The ROAM internal pilot launches in 2 weeks. We want to land on Agung mainnet for daily anchor before then. A 1-hour kickoff call this week unblocks our timeline. Reply to team@aximobility.com.

9 The shape of the partnership

AXI Mobility brings

- ROAM (10 bikes pilot, then hundreds)
- REVLOG (battery custody)
- Kusini (commodity logistics)
- KTP (transit data)
- Service-as-Software pricing
- 22 monorepo workspaces
- Atlas AI agent fleet
- 9-tool observability stack
- Production hardening discipline

×

peaq brings

- Mobility-native chain
- DID + RBAC + Storage pallets
- EVM + Substrate single node
- DePIN ecosystem
- Validator network
- SDK + reference architecture
- Mainnet faucet + RPC
- Audit firm referrals
- Co-marketing reach
- DePIN partner amplification

Both sides ship end of Q2 2026. Both sides win when ROAM goes mainnet on peaq.

10 Next actions

10.1 For the peaq team

1. Read this milestone document (15-minute scan).
2. Read `PEAQ_REVIEW.md` in the repo if you want technical depth (90-minute deep dive).
3. Reply to team@aximobility.com with availability for a 1-hour kickoff call this week.
4. Send written answers to the seven questions in section 7.1, or come ready to discuss them on the call.

10.2 For AXI (in parallel)

- Production Agung deploy with funded EOA + multisig admin.
- Close the remaining 20% of `AUDIT_CHECKLIST.md` (Echidna, branch coverage, mutation testing).
- Engage external audit firm (preference among Trail of Bits, OpenZeppelin, Halborn, Sigma Prime — pending peaq team's recommendation).
- Tag `audit-v1` freeze commit before audit kickoff.

10.3 Repository links

peaq-contracts	github.com/aximobility/peaq-contracts
peaq-integration	github.com/aximobility/peaq-integration
Frozen tag	`peaq-review-2026-05-07`
Licence	Apache-2.0 (both repos)

10.4 Documents in this packet

axiprimary

	This document	Partnership-facing milestone update (you are here)
	`MILESTONES.md`	Same content, GitHub-rendered Markdown
	`PEAQ_REVIEW.md`	13-section technical review packet
2axilightwhite	`AUDIT_CHECKLIST.md`	Pre-audit hardening status (~80% closed)
	`AGUNG_DEPLOY.md`	25-minute step-by-step deploy walkthrough
	`SECURITY.md`	Responsible disclosure policy
	`threat-models/*.STRIDE.md`	Per-contract STRIDE + DREAD analysis
	`VERIFIED_SPECS.md`	34 verified peaq facts + 7 open questions

0

Sign-off

Looking forward to the conversation.

Prepared by:

Brian Mwai Kiarie
Founder & CEO, AXI Mobility Limited
mwaibryn@gmail.com

Co-prepared by:

Joy C. Langat
Co-founder, AXI Mobility Limited

Document version:	1.0
Date:	May 7, 2026
Reference:	AXI/2026/PEAQ/001
Frozen tag:	`peaq-review-2026-05-07`
Repos:	`peaq-contracts` + `peaq-integration`
Contact:	team@aximobility.com
Website:	www.aximobility.com

AXI MOBILITY LIMITED
Nation Centre, Kimathi Street · P.O. Box 49010, G.P.O. Nairobi
+254 105 675 224 · www.aximobility.com