Table 2: Statistics of the selected 10 impoverished counties for road network extraction performance comparison.

Year	Avg. popu	Avg. GDP	Avg. Area	Avg. #Images
2017	0.4218	0.8930	2079	8045
2021	0.4463	1.288	2079	8045

Additional Information on Experiments

Validation Dataset Statistics

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

780

781

782

783

784

785

786

788

To assess the performance of our proposed framework for road network extraction, we randomly select 10 impoverished counties from those declared out of poverty in recent years in the file "List of 832 National Poverty-Stricken Counties" [The National Rural Revitalization Administration, 2014], whose statistics are shown in Table 2. The unit for the average population is "million people", the unit for average GDP is "million Chinese Yuan (CNY)", and the unit for average area is km^2 .

The selected impoverished counties' names are "Shufu County", "Xixiang County", "Guanghe County", feng County", "Jiangzi County", "Honghe County", "Libo County", "Linquan County", "Jingyu County", and "Lingqiu County".

A.2 Evaluation Metrics

Graph sampling [Biagioni and Eriksson, 2012; Aguilar and Buchin, 2021] is a commonly used method for comparing two graphs, which simultaneously evaluates the geography and topology of graphs. In our evaluation process, the core idea is to first compute a set of point samples separately on the ground truth road network G and the proposed road network H. The point samples are determined by a fixed sampling interval on the road edge, which we set as 0.01. Then, the selected point samples on G and H are matched one-to-one globally according to a maximum matching distance, which we set as 0.1 by experiment trials.

The precision, recall, and F1-score showing the accuracy of the road networks are computed as follows,

$$precision = \frac{\#matched\ samples}{\#samples\ on\ H},$$
 (11)

$$recall = \frac{\#matched\ samples}{\#samples\ on\ G},$$
 (12)

$$precision = \frac{\# matched \ samples}{\# samples \ on \ H}, \qquad (11)$$

$$recall = \frac{\# matched \ samples}{\# samples \ on \ G}, \qquad (12)$$

$$F1 - score = \frac{2 * precision * recall}{precision + recall}. \qquad (13)$$

Then, the road intersection recovery rate (RI) is used for further evaluation. RI reflects the recovery percentage of road intersections in the ground truth road network, and we select the intersection of over three road segments. Besides, Mean Absolute Percentage Error over road length (MRL) and road density (MRD) are adopted for evaluation. MRL and MRD measure the difference between the road length and road density from extracted road network H and ground truth G, re-




Figure 10: The results of recovering different classes of roads in 2017.

spectively. The metrics are calculated as

$$MRL = \frac{1}{N} \sum_{i}^{N} \frac{|RoadLength(G_i) - RoadLength(H_i)|}{RoadLength(G_i)},$$
(14)

789

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

$$MRD = \frac{1}{N} \sum_{i}^{N} \frac{|RoadDensity(G_i) - RoadDensity(H_i)|}{RoadDensity(G_i)}$$
(15)

$$RI@k = \frac{1}{N} \sum_{i}^{N} \frac{\#Matched\ intersections@k}{\#Intersections@k\ on\ G_i}, \tag{16}$$

where N denotes the number of selected counties for evaluation, and RI@k denotes the road intersection recovery rate over k road segments(k = 3).

A.3 Road Classification

There are following 10 classes of roads used in the experiments. They are classified based on their width and speed restriction. From the highest to the lowest level, which is the same order used in the experiments, the exact road class names are "Highway", "National Road", "Provincial Road", "County Road", "Township Road", "Village Internal Roads", "Major Road", "Minor Road", "Ordinary Road", and "Pathway".

We also show in Figure 10 the recognition results of the above mentioned roads in 2017. We can see that our proposed framework performs well on reconstructing the lowclass roads that are important and usually missing in the public dataset.

В **Dataset Description and Additional** Socioeconomic Analysis

B.1 Dataset Characteristics

We leverage the satellite image to generate a road network dataset targeting impoverished areas to support SDGs. And 382 impoverished counties are selected from those declared

Table 3: Dataset statistics of the selecte	a minoremen	i counties in unicient	r economic regions	III 2017 and 2021.

-	Regions	#County	#Prov	#Image	Area	Popu	GDP	SSE	Balance	RL	RD	RPC
2017	Western	214	12	33105	2210	355.8	7.513	2.920	6.363	1878	0.95	6.61
	Central	132	6	31079	1999	572.0	11.75	4.783	11.50	2537	1.43	5.74
	Eastern	30	2	20518	1171	362.0	7.447	2.710	8.922	2444	2.68	7.66
	Northeastern	6	2	81775	3720	283.3	6.601	2.681	5.713	3265	1.08	12.5
	All combined	382	$-\bar{22}$	32180	2079	$-4\overline{2}8.7$	$-8.9\bar{3}\bar{0}$	$\bar{3}.\bar{5}4\bar{3}$	$-8.\bar{3}28$	$\bar{2172}$	1.26	6.48
2021	Western	214	12	33105	2210	370.1	10.75	3.576	9.776	2340	1.17	8.06
	Central	132	6	31079	1999	597.2	17.31	6.242	19.04	3236	1.85	7.05
	Eastern	30	2	20518	1171	360.0	9.887	2.696	15.64	2842	3.17	9.05
	Northeastern	6	2	81775	3720	275.0	6.546	1.322	9.695	3484	1.19	13.8
	All combined	382	$-\bar{22}$	32180	2079	446.3	$\bar{12.88}$	4.393	13.44	$^{-}27\overline{0}7^{-}$	1.56	7.88

out of poverty in recent years in the file "List of 832 National Poverty-Stricken Counties" [The National Rural Revitalization Administration, 2014] in China. The 382 impoverished counties are assigned to China's four major economic regions, which are determined by the China State Council according to the socioeconomic development of different regions. Those four regions are the western, central, eastern, and northeastern economic regions.

813

814

815

816

817

818

819

820

821

822

823

825

826

827

828

829

830

831

832

833

834

835

836

838

839

840

841

842

843

845

846

847

848

849

851

852

853

We select the Gross Domestic Product (GDP), added value of the secondary sector of the economy (SSE), and resident saving balance (Balance) as the indicators reflecting the regional socioeconomic development. These indicators are collected from the "China County and City Statistical Yearbook²" published by China Statistics Press in 2017 and 2021. The detailed socioeconomic status of the selected counties in different economic regions are presented in Table 3. Altogether, we show the number of counties (#County), number of provinces (#Prov), average number of images (#Image), average area (km^2) , average population (popu, thousand people), average GDP (billion CNY), average added value of the secondary sector of the economy (SSE, billion CNY), average resident saving balance (Balance, billion CNY), average road length (RL, km), average road density (RD, km/km^2), and average road length per capita (RPC, m). Most of the counties reside in the western and central economic regions, because China's economic development is higher in eastern provinces than other regions and most counties declaring out of poverty are located in the western and central regions. From the perspective of the road networks, the western region still has the least road length and road density, and the eastern region almost has twice the road density, which shows the road accessibility inequality among different economic regions.

B.2 Road Network Features with County Size

In this section, we compare the road network length and per capita road length in our generated dataset across counties with different population size. Specifically, we group the counties into 10 deciles (that means decile 10 represents the counties with the top 10% population and decile 1 includes the counties with the least 10% population) and compute the mean road length (RL) and road length per capita (RPC).




Figure 11: The comparison of road network length and per capita road length in counties from different population groups.

854

855

856

857

858

859

860

861

862

863

864

The results in different deciles in 2017 and 2021 respectively are presented in Figure 11. The results show that counties with more population have more road length, but the expansion of road network is slower than the growth of population, which is consistent with the findings in US metropolitan areas [Levinson, 2012].

B.3 Correlation Analysis in Year 2017

The correlation analysis of road network length and population, GDP, SSE, and balance in our generated dataset in 2017 is shown in Figure 12. We can see the population, GDP, and balance show higher \mathbb{R}^2 than SSE.

²http://www.stats.gov.cn/zs/tjwh/tjkw/tjzl/202302/t20230215_1908004.html




Figure 12: Correlation between the road length and socioeconomic indicators, i.e., population, GDP, SSE, and Balance in impoverished counties in 2017.