


# SM01 Series


Processor Modules With Integrated Connectivity For IoT




GSM




Ethernet




**Balance of  
performance & power**  
**Low cost and easy to use**  
**Saves time to market**  
**Features rich**



 **sigfox**  
Make Things Come Alive



 **LoRa**



 **MiWi**


## Introduction

Recent growth in AI, cloud computing and Internet of Things (IoT) have created a whole raft of opportunities in every field. SciFlair has developed Axino IOT platform ([www.axino.co](http://www.axino.co)) and designed SM01 communication modules to offer connectivity to IoT devices. All SM01 series modules have identical microcontroller, hardware add-ons, expansion connector and software libraries which makes application development and code migration seamless across SM01 family.


## Hardware Features

- Microchip 16 bit microcontroller
- 128KB program flash
- 8KB RAM
- RTC with Vbat for backup
- Hardware based Cryptographic Engine
- 4MB on board SPI flash
- On board analog temperature sensor
- On board 8Mhz primary and 32.768Khz secondary crystal

## SM01 Hardware Block Diagram



## SM01 Expansion Connector



■ Note: TXD, RXD and GPIOs are only available via SM01 libraries functions.

## SM01 Software Libraries

The SM01 software libraries provide building blocks to ease the development of IoT applications. In spite of each SM01 series module has its own library with communication front-end driver and functionality different from other, the APIs are identical for all modules.

### SM01 Library Features

- Communication front-end driver and easy to use APIs to send and receive data to/ from cloud.
- FOA (Firmware Over Air) support on selected versions of libraries to transparently upload firmware to device from cloud.
- Implementation of ezCom Client to send and receive data to SciFlair communication server.
- Common features across all version:
  1. Low-level interfaces to use real time clock & calendar.
  2. Console module to get device information, send commands, upload firmware or debug application over serial port.
  3. interfaces to use Tick Module for time keeping and time measurement.
  4. High-level interfaces to easily read and write data to on-board SPI flash.
  5. GPIOs control and other helper functions to ease the development.

Table below shows supported functionalities for all libraries versions:

	SM01 -GSM	SM01 -WiFi	SM01 -ETH	SM01 -LoRa	SM01 -Sigfox	SM01 -MiWi
<b>Communication Front-End Driver</b>	GSM	WiFi	Ethernet	LoRa	SIGFOX	MiWi
<b>Firmware Over Air</b>	✓	✓	✓	–	–	–
<b>ezCom Client</b>	✓	✓	✓	–	–	–
<b>SM01 Common Drivers</b>	✓	✓	✓	✓	✓	✓
	RTCC (Real Time Clock Calendar)					
	Tick Module (Timekeeping and time measurements)					
	UART Debug/Console					
	On board SPI Flash					
	GPIOs Control					

ALL PRODUCTS, SOLUTIONS, SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

#### Contact Us:

SciFlair Ltd.  
Unit 18, Apex Court, Woodlands Lane, Bristol BS32 4JT  
United Kingdom

Phone: +44 (0)117 313 7585, Fax: +44 (0)117 313 7584



website: [www.sciflair.com](http://www.sciflair.com)  
[www.axino.co](http://www.axino.co)

email: [info@sciflair.com](mailto:info@sciflair.com)