

Creator Hub

Full Engineering Packet

Architecture, implementation, rebuild guide, operations, and launch readiness

Project creator: Kaden McCullen

Prepared as a single professional engineering and operating packet

Creator and support disclosure. Kaden McCullen independently came up with the project, its direction, and its requirements. To support Kaden, artificial intelligence provided Kaden research and code to support their project; it did not independently originate the project or make the product decisions.

Release basis: Creator Hub checkpoint c1d25f13, with PDF-specific documentation consolidation

Contents

1 Document purpose and usage	1
2 Executive summary	1
3 Product definition and confirmed decisions	2
3.1 Product concept	2
3.2 Canonical creator record	2
3.3 Premium-entry decision	3
4 System architecture	3
4.1 Context diagram	3
4.2 Runtime layers	3
4.3 Repository map	4
5 Frontend routes and experience	5
6 Identity, roles, and authorization	6
6.1 Account model	6
6.2 Authorization composition	6
6.3 Core gate examples	6
7 API and workflow implementation	7
7.1 Concrete tRPC routers	7
7.2 Creator application	8
7.3 Creator publishing and media	8
7.4 Messaging and safety	8
7.5 Live-event workflow	9
8 Relational data model	9
9 Payments, payouts, tokens, and accounting	10
10 Media and live infrastructure	10
11 Security, privacy, safety, and governance	11
12 Operations and staffing model	11
13 Testing and quality gates	12
14 Deployment and rebuild instructions	12
14.1 Local setup	12
14.2 Required environment categories	13
14.3 Current deployment	13
15 Repository metadata and attribution audit	13
16 Legal and legitimate-launch boundary	14
17 Launch gates and recommended order	14
18 Open product decisions	15
19 Final implementation register	15
20 References and source map	15

1 Document purpose and usage

This packet is a practical rebuild guide for Creator Hub. It explains what the platform is intended to do, what has been implemented in the current React, Express, tRPC, Drizzle, and MySQL/TiDB project, how the principal controls work, how the repository is organized, how to reproduce the development workflow, and what must still be completed before a lawful production launch.

The packet is written for Kaden McCullen, engineering collaborators, product and design contributors, operations staff, payment and streaming vendors, security reviewers, and qualified legal or compliance advisers. It is an engineering and operating specification, not a legal opinion, payment-provider approval, tax determination, age-assurance certification, or guarantee that a provider will accept the business model.

Important interpretation. The current repository is an implementation baseline and demonstration of the core access, creator, media, messaging, safety, and operations foundations. Provider-dependent payment settlement, creator payouts, live streaming, restricted evidence storage, and jurisdiction-specific approvals remain launch gates.

2 Executive summary

Creator Hub is an adult-only creator monetization platform for human creators and paying members. Its product concept combines creator-hosted pages with paid posts and subscriptions, live rooms with optional gifting or donations, direct engagement, protected media, and platform operations. The defining business rule is Premium Access: an account must hold active platform membership authorization before entering the real creator network or performing protected network actions.

The application is currently a modular full-stack web project. The React client presents public and authenticated surfaces. Express hosts the runtime and tRPC transport. Drizzle maps relational domain tables to MySQL or TiDB. Server policy modules evaluate account state, role, Premium Access status, creator approval, payout readiness, ownership, resource entitlements, contact settings, bilateral blocks, publication state, and staff permissions. S3-compatible managed storage holds creator media bytes while the database stores metadata and access state.

The current featured creator is Kaden McCullen. The public presentation includes the confirmed Instagram handle @itskadenbro. The visual language is matte black with restrained neon pink, editorial photography, Old English display typography, cursive creator treatment, glass-depth cards, grain, and reduced-motion-aware motion.

Area	Current state	What it means
Public experience	Implemented	Landing page, age acknowledgement, safety messaging, public previews, Premium Access entry, and creator application surfaces exist.
Premium Access	Implemented	Client gate and server policy enforce platform-level entry before protected network activity.

Area	Current state	What it means
Creator onboarding	Foundation implemented	Application, review status, eligibility and payout-readiness states exist; restricted evidence and final provider workflows remain separate.
Paid content	Foundation implemented	Posts, products, subscriptions, PPV state, orders, entitlements, checkout foundation, and protected media registration exist.
Live experiences	Foundation implemented	Event scheduling and entitlement checks exist; managed playback, chat, and broadcast operations remain provider work.
Payments and payouts	Provider-dependent	Hosted checkout foundation exists, but adult-industry approval, settlement, payouts, disputes, reserves, and reconciliation remain required.
Evidence vault	Not complete	A separate restricted evidence boundary is specified but is not yet implemented in the current application.
Verification	Passing	Type checking passes and the current suite reports 18 passing tests in 8 test files.

3 Product definition and confirmed decisions

3.1 Product concept

The platform is intended for human creators and paying guests. A creator can maintain a profile, publish paid or membership-restricted posts, schedule live events, communicate according to policy, and receive creator-level commercial benefits after approval and payout readiness. A member can obtain Premium Access, follow creators, subscribe to creator tiers, acquire protected posts or event access, message where permitted, and participate in future provider-backed gifting flows.

The project is deliberately structured so that public marketing and policy information can be visible without exposing the real private creator network. Public previews are not an authorization grant. Protected data, messages, offers, media, and live sessions must be authorized again on the server.

3.2 Canonical creator record

Field	Canonical value
Creator	Kaden McCullen
Handle	kaden-mccullen
Instagram	@itskadenbro
Featured image	/manus-storage/kaden-mccullen_560fb805.jpeg
Category	Featured creator

Field	Canonical value
Membership presentation	\$9 / month
Display status	Live now
Next event label	Open studio session


The Instagram handle is presentation metadata. It is surfaced on the homepage featured treatment, creator cards, and the creator profile as an external link. It is not an authentication credential, payment identifier, age or eligibility record, or substitute for creator review.

3.3 Premium-entry decision

Premium Access is a platform-level entitlement. It is separate from creator subscriptions, PPV purchases, tickets, tips, and resource-specific entitlements. The current rule is cumulative: Premium Access must be active, and the creator or resource-level policy must also grant access. A Premium member is not automatically entitled to every creator, post, message, event, or asset.

4 System architecture

4.1 Context diagram



The application is a modular monolith until traffic, availability, or restricted-data requirements justify service separation. The payment adapter, media adapter, restricted evidence boundary, and authorization policy are treated as module contracts so provider-specific logic does not leak into the visual layer.

4.2 Runtime layers

Layer	Implementation	Responsibility
Browser	React 19, Wouter, Tailwind CSS 4, Radix/shadcn primitives	Public pages, protected workspaces, loading states, empty states, responsive presentation, and interaction feedback.
Client data	tRPC React bindings and TanStack Query	Typed request/response flow, auth state, cache invalidation, and mutation state.
HTTP runtime	Express 4 and project server runtime	OAuth callback, tRPC transport, static delivery, storage proxy, and process startup.
API contract	tRPC 11 and Zod	Typed procedures, schema validation, router grouping, and server policy execution.

Layer	Implementation	Responsibility
Domain logic	server/platform modules	Access, Premium Access, media, messaging, and creator application decisions.
Persistence	Drizzle ORM with MySQL/TiDB	Business records, state transitions, references, timestamps, indexes, and audit records.
Storage	S3-compatible managed storage	Creator media bytes and managed asset paths.
Identity	Configured OAuth provider	Session establishment, current-user context, and logout.
Payments	Hosted checkout foundation and adapter boundary	Provider references, pending order creation, and event-oriented fulfillment foundation.

4.3 Repository map

client/src/App.tsx	Routes and global providers
client/src/pages/ operations pages	Public, member, creator, live, safety, and
client/src/components/ primitives	Gates, headers, dashboard shells, cards, and UI
client/src/lib/catalog.ts	Featured creator metadata and illustrative
creator catalog	
client/src/index.css	Theme tokens, typography, texture, image
treatment, motion	
server/routers.ts	Concrete tRPC application router and procedure
checks	
server/db.ts	Drizzle query and persistence helpers
server/platform/access.ts	Account, role, ownership, block, and resource
policies	
server/platform/premium.ts	Premium Access decision mapping
server/platform/creatorApplication.ts	Application workflow helpers
server/platform/media.ts	MIME, size, filename, and storage-key
validation	
server/platform/messaging.ts	Conversation and participant policy helpers
server/payments/ foundations	Hosted checkout and provider mapping
server/storage.ts	Managed storage target helpers
drizzle/schema.ts	Relational schema, enums, indexes, and
constraints	
docs/ rebuild documentation	Functional, technical, operations, audit, and

5 Frontend routes and experience

Route	Surface	Access behavior	Current purpose
/	Home	Public	Editorial landing page, age acknowledgement, featured Kaden presentation, collection preview, approach, safety, and early-circle messaging.
/join	Premium Access	Public entry/status	Plan explanation, account entry, privacy boundary, provider-dependent payment notice, and secure access foundation.
/apply	Creator application	Authenticated workflow	Creator application submission and status messaging.
/studio	Creator studio	Authenticated plus server creator policy	Draft publishing and media workflow presentation.
/studio/live	Creator events	Authenticated plus creator readiness	Future live-event scheduling.
/studio/contact	Contact settings	Authenticated plus approved creator	Message policy and tips preference.
/explore	Explore	PremiumAccessGate	Premium creator collection and filters.
/creator/:handle	Creator profile	PremiumAccessGate	Kaden profile, paid membership presentation, protected-content explanation, social link, and live preview.
/dashboard	Account hub	Auth-aware	Account status and member workspace.
/live	Live lobby	PremiumAccessGate	Entitlement-aware live entry foundation.
/inbox	Inbox	PremiumAccessGate	Protected conversation workspace.
/safety	Safety center	Public	Reporting, restrictions, human review, and safety information.

Route	Surface	Access behavior	Current purpose
/operations	Operations desk	Staff checks in procedures	Summary, application, media, report, and ad review queues.

Public previews communicate the concept but do not authorize real private network data. The route wrapper improves user experience; the server remains the actual authorization boundary.

6 Identity, roles, and authorization

6.1 Account model

The `users` table stores the OAuth provider reference, display fields, role, account status, age acknowledgement timestamp, marketing-consent timestamp, and lifecycle timestamps. Passwords and raw payment-card credentials are not stored in the application schema.

Roles are `fan`, `creator`, `moderator`, `finance`, and `admin`. Account statuses are `active`, `pending_review`, `suspended`, and `closed`. Staff capabilities must be scoped to the operation and resource; a role label alone is not enough to authorize sensitive work.

6.2 Authorization composition

Dimension	Examples	Why it matters
Role	Creator publishing, moderator review, finance/admin operations	Limits privileged actions.
Account state	Active, pending review, suspended, closed	Prevents inactive accounts from using sensitive workflows.
Premium entitlement	Active <code>premium_access</code> grant	Controls entry to the creator network.
Resource entitlement	Creator membership, post, live event, bundle	Controls the specific protected resource.
Ownership	Creator owns profile/post or staff has permitted scope	Prevents object-level authorization errors.
Relationship	Conversation participant, membership, block state, contact policy	Controls interpersonal actions.
Lifecycle state	Approved creator, payout-ready creator, published post, live event	Prevents premature publication or playback.
Audit requirement	Application review, media review, report resolution, checkout	Makes high-impact actions attributable.

6.3 Core gate examples

```
// Illustrative server-side decision shape.
type PremiumDecision = {
```

```

    allowed: boolean;
    reason: "granted" | "premium_required" | "account_restricted";
};

// The browser may request the action, but the server decides.
if (!hasActiveAccount(user) || !canEnterPremiumNetwork(user, premiumStatus)) {
    throw new TRPCError({ code: "FORBIDDEN" });
}

```

The concrete implementation uses `canEnterPremiumNetwork`, `canAccessProtectedResource`, `canPurchaseFromCreator`, `canAdministerPlatform`, `canModeratePlatform`, `hasActiveAccount`, `canSubmitCreatorApplication`, `isConversationParticipant`, and `canOpenConversation`.

Action	Required conditions	Failure
Explore real creator network	Active account and active Premium Access	Forbidden / Premium Access recovery
Follow a creator	Premium Access and approved creator profile	Forbidden or unavailable
Open a conversation	Premium Access, contact policy, relationship, no bilateral block	Forbidden
Send a message	Open participant conversation, no block, valid body	Forbidden
Purchase creator offer	Active account, Premium Access, active product, creator purchase policy	Forbidden / not found
Access post	Premium Access plus matching creator membership or post entitlement	Safe decision only
Enter live event	Premium Access plus event state and membership/ticket entitlement	Safe decision only
Draft post	Approved creator and payout readiness	Forbidden
Upload media	Accepted type/size, owned post, approved creator, payout readiness	Bad request / forbidden
Staff review	Capability, resource/case scope, and audit event	Forbidden

7 API and workflow implementation

7.1 Concrete tRPC routers

Router	Procedures	Behavior
auth	me, logout	Current session user and cookie clearing.
premium	plans, status	Active Premium Access plans and current platform subscription/decision.

Router	Procedures	Behavior
creatorApplication	me, submit	Application read returning null when absent; validated submission and audit write.
creator	publishingStatus, createPost, createMediaUploadTarget, registerMedia, createLiveEvent, updateContactSettings	Creator readiness, ownership, media validation, future event scheduling, and policy settings.
member	followCreator, blockAccount, unblockAccount	Premium-gated follow and bilateral safety blocks.
messaging	open, send, list, history	Premium gate, contact policy, participant checks, block checks, and audit on sending.
operations	summary, creatorApplications, reviewCreatorApplication, reports, resolveReport, pendingAssets, reviewAsset, pendingAds, reviewAd	Scoped staff queues and review mutations.
access	post, liveEvent	Entitlement decision without media bytes or playback credentials.
checkout	create	Premium-gated hosted checkout foundation, pending order, and audit write.
safety	report	Public report creation for profiles, posts, assets, messages, events, and ads.

7.2 Creator application

A signed-in account submits a display name, a lowercase handle, optional category and note, and an agreement acceptance. The server checks application eligibility, saves non-document workflow state, and writes `creator.application_submitted`. Review procedures can set application status, eligibility status, payout readiness, and review notes. Restricted age, identity, consent, and compliance materials are intentionally outside the ordinary application table.

7.3 Creator publishing and media

Publishing status is enabled only when the creator profile is approved and payout readiness is ready. A post supports `public`, `members`, `ppv`, and `private` access types. PPV requires a price and non-PPV posts reject a price. Upload targets are generated only after media type, byte size, ownership, creator approval, and payout checks. Registered assets begin in pending moderation state and are stored as metadata pointing to managed storage.

7.4 Messaging and safety

Opening a conversation requires Premium Access, a creator, the creator's contact policy, the current creator relationship when required, and no bilateral block. Sending requires participant membership, an

open conversation, a valid body, and no block. Public reports accept a subject type, subject ID, reason, and optional detail. Staff review procedures resolve reports and moderate pending assets or advertisements.

7.5 Live-event workflow

Approved and payout-ready creators can schedule future events with members, ticketed, or private access. The access procedure checks Premium Access, event status, creator/resource entitlement, and ownership. Actual broadcast, chat, playback-token issuance, stream moderation, and provider callbacks are not active in the current build.

8 Relational data model

Table	Domain	Important fields or purpose
users	Identity	OAuth reference, role, account status, age acknowledgement, consent, timestamps.
platformAccessPlans	Platform commerce	Premium plan code, pricing, currency, provider references, lifecycle.
platformSubscriptions	Platform commerce	Provider customer/subscription references and period status.
creatorProfiles	Creator	Owner, handle, display name, visibility, approval, payout, message policy, tips setting.
creatorApplications	Creator	Agreement version, eligibility, payout readiness, review status, reviewer.
membershipTiers	Creator commerce	Creator, name, prices, active state, order.
posts	Content	Creator, access type, tier, PPV price, publication status.
contentAssets	Media	Creator, storage key, MIME, size, post, moderation status.
products	Commerce	Subscription, post, bundle, or live-event product and price.
orders	Commerce	Buyer, creator, product, totals, fees, provider references, order status.
subscriptions	Commerce	Fan, creator, tier, provider subscription, lifecycle.
entitlements	Authorization	User, resource type/id, source, status, validity, revoke reason.
liveEvents	Live	Creator, schedule, access type, event status, provider stream ID.
tips	Commerce	Fan, creator, optional post/event, amount foundation.
conversations	Messaging	Fan, creator, state, timestamps.
creatorFollows	Relationship	Member-to-creator follow state.

Table	Domain	Important fields or purpose
accountBlocks	Safety	Blocking user, blocked user, reason, timestamps.
messages	Messaging	Conversation, sender, body, state, timestamps.
adPlacements	Advertising	Sponsor, disclosure, approval, active window, placement state.
reports	Safety	Subject, reporter, reason, detail, workflow status.
moderationActions	Safety	Staff action, target, rationale, timestamps.
auditLogs	Governance	Actor, action, target, metadata, timestamps.

The schema stores provider references and workflow states, not passwords, raw payment-card data, or ordinary-query copies of restricted evidence. A future evidence vault must be separate, encrypted, access-granted by case, and independently audited.

9 Payments, payouts, tokens, and accounting

The checkout foundation uses hosted payment collection. The `checkout.create` procedure requires an active account and Premium Access before allowing a creator offer. It loads the active product and creator, creates a hosted session with provider metadata, creates a pending order keyed by provider checkout ID, writes an audit event, and returns the hosted URL.

This code path is not a production approval. The selected provider must explicitly underwrite the actual adult-content category, recurring billing, creator payouts, PPV, tips, gifting, reserves, refunds, disputes, tax reporting, supported countries, supported currencies, and marketplace flow. The current test provider configuration does not close those business decisions.

Tokens, power, and gifts remain a product-definition gate. Before activation, document the unit name, price ladder, wallet balance rules, purchase flow, chargeback/refund rules, creator redemption and payout treatment, platform commission, taxation, age and jurisdiction constraints, fraud controls, spending limits, and ledger reconciliation. Never launch a virtual economy with ambiguous value or undefined redemption.

10 Media and live infrastructure

The storage design separates bytes from access decisions. A creator asset is registered by storage key, content type, byte size, moderation status, creator, and post. A storage path does not itself grant access. Production delivery should use private origin controls, short-lived signed URLs or provider credentials, CDN policy, deletion and retention procedures, abuse monitoring, and incident response.

Live streaming should use a managed provider rather than a custom media pipeline for the first production version. The application should create or associate a stream session, enforce Premium Access and resource entitlements, issue short-lived playback credentials, retain provider references, apply chat and moderation policy, and record access and safety events. Streaming provider credentials, playback tokens, and ingest secrets must never be placed in ordinary logs or browser-visible configuration.

11 Security, privacy, safety, and governance

Control	Current foundation	Production requirement
Authentication	Hosted OAuth session and current-user context	Production identity, recovery, re-authentication, and privileged MFA.
Authorization	Role, account, Premium Access, ownership, entitlement, relationship, and staff checks	Negative tests for BOLA, escalation, stale entitlement, and enumeration.
Payment safety	Hosted checkout and provider references	Approved provider, raw-body signature verification, replay protection, idempotency, reconciliation.
Media safety	Upload validation, owned storage prefix, moderation state	Private origin, expiring delivery, abuse controls, deletion, retention, incident response.
Privacy	Minimized records, age acknowledgement, consent timestamps, public/private boundaries	Final notice, rights requests, deletion, retention, vendor map, jurisdiction review.
Safety	Blocks, reporting, moderation queues, human-accountable operations	Escalation SLAs, appeals, staff training, crisis procedures.
Evidence	Architectural separation specified	Restricted encrypted vault, case-scoped grants, legal holds, access logging.
Auditability	Audit writes across high-impact procedures	Immutable retention, clock synchronization, review cadence, alerting.
Advertising	Placement status, disclosure, approval state	Consent-aware serving, sponsor review, measurement and disclosure policy.

The platform must use least privilege, deny by default, validation on every request, secure secrets management, encrypted transport, encrypted storage where applicable, rate limits, anomaly monitoring, backups, recovery procedures, dependency scanning, and an incident-response runbook. These requirements are engineering controls; they do not replace counsel's decisions about market classification, age and content eligibility, recordkeeping, taxation, consumer notices, or reporting obligations.

12 Operations and staffing model

Operations are separated by capability. Moderators review reports and media. Administrators review creator applications and advertising. Finance staff handle reconciliation and payout controls. Support staff handle account and policy requests within scope. High-impact actions must be attributable to a staff account, reason-coded, case-linked when appropriate, and written to audit logs.

Queue	Owner	Completion condition
Creator applications	Admin / onboarding	Status, eligibility, payout readiness, review note, and audit event are complete.
Pending media	Moderator	Asset approved or rejected with action record and reason.
Safety reports	Moderator / trust and safety	Report resolved, actioned, dismissed, escalated, or appealed with scope.
Advertising	Admin / policy	Disclosure, consent context, approval status, and active window confirmed.
Payments	Finance	Provider events reconciled, refunds/disputes tracked, balances and reserves reviewed.
Live safety	Moderator / operations	Broadcast, chat, reports, emergency stop, and incident handling staffed.
Restricted evidence	Designated compliance role	Case-scoped access, legal hold, retention, and audit complete.

13 Testing and quality gates

The current repository has eight Vitest files and 18 passing tests. They cover logout behavior, product-to-price mapping, Premium Access and resource access decisions, creator application eligibility, media validation, messaging policy, and the confirmed Kaden metadata. Type checking passes with `pnpm check`.

Test file	Focus
<code>server/auth.logout.test.ts</code>	Session logout behavior.
<code>server/payments/stripeProducts.test.ts</code>	Product-to-provider price mapping.
<code>server/platform/access.test.ts</code>	Premium and resource access policy.
<code>server/platform/creatorApplication.test.ts</code>	Application eligibility and state.
<code>server/platform/media.test.ts</code>	MIME, byte size, filename, storage-key policy.
<code>server/platform/messaging.test.ts</code>	Contact policy, participants, and blocks.
<code>server/platform/premium.test.ts</code>	Premium Access decision mapping.
<code>client/src/lib/catalog.test.ts</code>	Kaden McCullen and @itskadenbro metadata.

Before launch, add provider sandbox tests, signed webhook tests, replay and idempotency tests, entitlement lifecycle tests, storage delivery tests, live playback-token tests, abuse and rate-limit tests, accessibility tests, performance and resilience tests, security scans, and operational acceptance tests.

14 Deployment and rebuild instructions

14.1 Local setup

The project uses Node.js with `pnpm`. A rebuild should follow this sequence:

1. Install dependencies from the lockfile.

2. Provide managed environment variables through the project secret system; never commit secrets.
3. Confirm the database connection and apply schema migrations through the project's approved migration workflow.
4. Run `pnpm check` and `pnpm test`.
5. Start the development server with `pnpm dev`.
6. Verify public and protected routes at desktop and mobile sizes.
7. Review the project task register, document all incomplete provider or legal gates, and save a checkpoint only after verification.

14.2 Required environment categories

Category	Purpose
Database	MySQL/TiDB connection string.
Session and OAuth	JWT/session secret, OAuth application ID, OAuth server and portal URLs.
Managed platform APIs	Server and frontend API URLs and keys where required.
Storage	Managed storage helpers and provider configuration.
Payments	Only after written provider approval: secret key, publishable key, webhook secret, product and price references.
Streaming	Only after provider selection: ingest, API, playback, webhook, moderation, and chat configuration.
Evidence vault	Only after provider and counsel selection: encrypted vault, key management, case and audit configuration.

Never place raw payment-card credentials, identity documents, age records, consent files, stream secrets, or provider webhook secrets in source code, client bundles, logs, screenshots, or ordinary application tables.

14.3 Current deployment

The current managed deployment is available at <https://creatortap-ahmwckip.manus.space>. The project uses autoscale hosting. The latest saved website checkpoint for the current documentation and site state is `c1d25f13`; this PDF is the rebuild-oriented export of that state.

15 Repository metadata and attribution audit

The repository metadata has been reviewed and aligned with Kaden McCullen's creator attribution. `package.json` now identifies Kaden as the package author and retains the MIT license declaration. A matching `LICENSE` file records Kaden McCullen as the 2026 copyright holder. `ATTRIBUTION.md` is the central creator and support disclosure, while `CONTRIBUTING.md` carries the same disclosure and defines engineering review standards.

The root `README.md` places the attribution and support disclosure at the top and links to the central attribution and contribution files. The public homepage footer now displays © 2026 Kaden McCullen · @itskadenbro. The browser document title remains Creator Hub, with no stale automated-generation

or legacy creator label. No MkDocs, Sphinx, ReadTheDocs, or generated documentation-site footer configuration was found in the repository.

The configured Git remote is a managed project artifact remote rather than a connected public GitHub or GitLab repository. Consequently, no external GitHub/GitLab About section was available to update from the repository. If Kaden later publishes a public mirror, the repository description, About panel, topics, and social-preview metadata should repeat the creator disclosure and link to `ATTRIBUTION.md`.

16 Legal and legitimate-launch boundary

This packet is designed to support a lawful build process, but engineering documentation cannot certify legality. Before public production use, Kaden and the operating entity should obtain qualified advice for the actual jurisdictions and business model. The review should cover entity structure, consumer terms, privacy notices, age and eligibility rules, creator contracts, consent and rights management, payment classification, marketplace and payout obligations, tax collection and reporting, records and retention, advertising disclosures, copyright and takedown operations, accessibility, moderation, incident response, and cross-border operations.

The platform should not activate adult-content payments, creator payouts, live broadcasting, gifting, or restricted record storage solely because code paths exist. Each activation requires provider approval, policy ownership, test evidence, operational staffing, and a written launch decision. Public-facing copy must not promise protection that the platform cannot technically provide, including absolute prevention of copying, screen capture, fraud, chargebacks, or abuse.

17 Launch gates and recommended order

1. Confirm entity, jurisdictions, content categories, minimum-age policy, creator agreements, privacy notice, terms, tax responsibilities, recordkeeping, and safety escalation with qualified advisers.
2. Obtain written approval from an adult-industry payment and payout provider for the exact entry fee, subscriptions, PPV, tips, gifts, reserves, refunds, chargebacks, countries, and currencies.
3. Implement signed webhook verification, idempotent event processing, reconciliation, refund and dispute handling, payout ledger, reserves, and finance review.
4. Integrate managed streaming with entitlement-gated playback, broadcast lifecycle, chat moderation, reporting, emergency stop, and incident handling.
5. Implement the restricted evidence vault with encryption, case-scoped grants, legal holds, retention, access logs, and no generic administrator bypass.
6. Replace illustrative creator catalog entries with approved database-backed profiles and confirm private-detail boundaries before Premium Access.
7. Complete end-to-end, security, accessibility, performance, resilience, abuse, and operational acceptance testing.
8. Publish incident runbooks and conduct a launch-readiness review with named owners and rollback decisions.

18 Open product decisions

Decision	Required definition
Premium Access price	Platform fee, cadence, currency, grace period, cancellation, and recovery behavior.
Creator economics	Creator fees, complimentary beta profiles, revenue share, reserves, payout schedule, and tax treatment.
Gifting economy	Unit name, value, purchase, redemption, refund, ledger, payout, abuse, and spending controls.
Private details	Exact fields visible on the public page, after Premium Access, after creator membership, and to staff.
Live scale	Concurrent creators, viewers, latency, chat rate, moderation staffing, and outage expectations.
Provider selection	Approved payment, payout, storage, streaming, messaging, evidence, and analytics vendors.
Beta program	Eligibility, complimentary profile terms, referral tracking, sales incentives, compliance, and disclosures.

19 Final implementation register

The current implementation includes the public landing and creator presentation; Premium Access route and server gates; creator application and review-state foundation; creator publishing and protected media registration; posts, products, memberships, orders, subscriptions, and entitlements schema; live-event scheduling and access decisions; messaging, follows, blocks, safety reports, moderation queues, advertising review states, audit logs, hosted checkout foundation, managed storage integration, the Kaden McCullen presentation with @itskadenbro, an editorial design system, the comprehensive Markdown documentation set, and an 18-test validation suite.

The current implementation does not yet constitute a production-ready adult marketplace. Production activation remains conditional on provider approval, verified payment and payout operations, managed streaming, restricted evidence storage, final legal and policy review, operational staffing, and end-to-end launch acceptance.

20 References and source map

This packet consolidates the following project sources. The source files are the authority for implementation detail; this PDF is the rebuild-oriented narrative and operating guide.

Source	Purpose
docs/engineering-packet.md	Implementation-aligned architecture, route, API, data, security, deployment, and launch summary.
docs/functional-	Product flows, roles, Premium Access, creator onboarding, commerce, engagement, live events, safety, and advertising.

Source	Purpose
specification-v2.md	
docs/technical-specification-v2.md	System context, authorization model, data domains, API boundaries, security, media, payments, and provider adapters.
docs/operations-launch-specification-v2.md	Operations, staffing, governance, finance, privacy, safety, testing, and launch gates.
drizzle/schema.ts	Implemented relational tables, enums, indexes, and field-level constraints.
server/routers.ts	Concrete tRPC procedures and server-side checks.
server/platform/*.ts	Access, Premium Access, creator application, media, and messaging policy modules.
client/src/App.tsx	Registered frontend routes and route-level gates.
client/src/lib/catalog.ts	Kaden McCullen and public creator presentation metadata.
README.md	Project orientation and local development summary.
Project task register	Implementation history and current task register.

Final note. Kaden McCullen is the creator and decision-maker for this project. Artificial intelligence supported Kaden with research and code; it did not independently originate the platform. This packet documents engineering work and launch requirements so Kaden can rebuild, review, and extend the system with qualified professional support where required.