Section 1F. Common Distributions Statistics for Data Science

Victor M. Preciado, PhD MIT EECS Dept of Electrical & Systems Engineering University of Pennsylvania preciado@seas.upenn.edu

Random Variables: Common Distributions

Common discrete r.v.'s:

- ▶ Bernoulli, $X \sim \text{Ber}(p)$. Flip a coin with bias p; X = 1 if the coin turns out 'Head', X = 0 otherwise. $\mathbb{E}[X] = 1 \times p + 0 \times (1 p) = p$
- ▶ Binomial, $X \sim \text{Bin}(n, p)$. Number of Heads after flipping n biased coins

$$p_X(h) = \binom{n}{h} p^h (1-p)^{n-h}$$


Common continuous r.v.'s:

▶ *Uniform*, $X \sim \text{Unif}(a, b)$:

$$f_X(x) = \begin{cases} \frac{1}{b-a} & \text{for } x \in [a, b] \\ 0 & \text{otherwise} \end{cases}$$

▶ *Normal* (aka Gaussian), $X \sim \mathcal{N}(\mu, \sigma^2)$:

$$f_X(x) = \frac{1}{\sqrt{2\pi}\sigma} e^{-\frac{1}{2\sigma^2}(x-\mu)^2}$$



Copyright 2020 University of Pennsylvania No reproduction or distribution without permission.