Sound Pressure

When sound passes through a medium (fluid), there is a change in volume as follows:

$$egin{aligned} rac{dv}{V} &= \lim_{\Delta x o 0} rac{S(y(x + \Delta x, t) - y(x, t))}{S\Delta x} \ rac{dv}{V} &= rac{\delta y(x, t)}{\delta x} \end{aligned}$$

Note that the bulk modulus B is represented in terms of pressure and change in volume:

$$B = rac{-p(x,t)}{rac{dv}{V}}$$

These two equations can then be combined and rearranged to get the pressure equation:

$$p(x,t) = BkA\sin(kx - \omega t)$$

where B is the bulk modulus.

The maximum pressure can then be found through:

$$p_{\text{max}} = BkA$$
 (of a sinusoidal sound wave)

Sound Velocity

We can express velocity in terms of the Bulk or Young's Modulus.

For liquids For solids

$$v = \sqrt{rac{B}{
ho}}$$
 $v = \sqrt{rac{B}{
ho}}$

We can also find the velocity in gas in terms of the heat capacity ration γ :

$$v=\sqrt{rac{\gamma RT}{M}}$$

where:

- T = absolute temperature (K)
- M = molar mass
- R = gas constant, 8.314 J/mole-K
- γ = heat capacity ratio

Sound Intensity

The intensity of a sound wave can be expressed as follows:

$$I=rac{1}{2}\sqrt{
ho B}\omega^2A^2$$

$$I = rac{p_{ ext{max}}^2}{2
ho v} = rac{p_{ ext{max}}^2}{2\sqrt{
ho B}}$$

Then to get the sound intensity level in decibels:

$$\beta = (10dB)\log\frac{I}{I_0}$$

where $I_0=1 imes 10^{-12} W/m^2$

Standing Sound Wave

Open Pipe (Open both sides)

Stopped Pipe (Closed one side)

$$f_n = n rac{v}{2L} \,\, ({
m n} = 1, 2, 3, ...)$$

$$f_n = n rac{v}{4L} \,\, ({
m n} = 1, 3, 5, ...)$$

Their fundamental frequencies would then be:

$$f_1 = rac{v}{2L} \ f_1 = rac{v}{4L} \ ext{(for an open pipe)}$$

$$f_1 = \frac{v}{AL}$$
 (for a closed pipe)

Beat Frequency

The frequency of a "beat" is:

$$f_{
m beat} = |f_2 - f_1|$$

Doppler Effect & Shock Wave

Doppler Effect

Shock Wave

$$f_L = rac{v \pm v_L}{v \pm v_s} f_s$$

$$\sin \alpha = \frac{vt}{v_s t} = \frac{v}{v_s}$$

where the sign of v_L and v_s depends on the direction of the movement of the listener and source. When moving towards the other, then the velocity is a positive. If moving away from the other, then the velocity is a negative.