قاعدة معرفة مشروع **PS5** للتطبيقات المنزلية والمحاكيات

# PS5 Homebrew & Emulator Project Knowledge Base

Firmware 13.40 • Current working stack and lessons learned • 7 Oct 2026

ملخص عملي ثنائي اللغة لكل ما تم تجريبه، ما نجح، ما فشل، المسارات، الأدوات، معرفات التطبيقات، وقواعد الاستمرار بدون إعادة نفس الأخطاء.

A bilingual practical record of what was tested, what worked, what failed, paths, tools, title IDs, and the rules for continuing without repeating earlier mistakes.

مهم: هذا الملف يفترض استخدام نسخ ألعاب وملفات نظام مملوكة لك ومأخوذة من أجهزتك.

Important: this guide assumes you are using your own legally obtained game backups and system files.

## 1) الحالة الحالية - العربية

- الجهاز: PS5 على Firmware 13.40.
- مدير البيلود: Payload Manager v0.5.2.
- الهارد الخارجي ظاهر للنظام كـ /mnt/usb0.
- Web File Manager مستخدم لإدارة الملفات عن بعد، وPayload Manager لإدارة واستيراد ملفات ELF.
- ShadowMountPlus يعمل وتم استخدامه لإظهار تطبيقات المحاكيات على واجهة PS5.
- kstuff موجود ضمن بيئة التشغيل.
- تم استبدال etaHEN القديم ببناء Unified مناسب لـ 11.00-13.60، والـToolbox ظهر بنجاح على 13.40.
- داخل etaHEN Toolbox تم العثور على الخيار الصحيح باسم [Debug] Legacy Jailbreak CMD Server في أسفل Settings.
- محاكي PS5SX2 مثبت ويعمل، وتم حل قراءة مكتبة USB في جلسة العمل الحالية بعد تشغيل الـHelper.
- Porpoise مثبت ويعمل، لكن نقطة العمل الحالية هي التأكد من خروجه من sandbox ورؤية USB بعد تفعيل Legacy Jailbreak CMD Server وإعادة فتح المحاكي.

عناوين الشبكة في هذه الجلسة (قد تتغير لاحقًا):

```
PS5 IP: 192.168.8.212
Payload Manager: http://192.168.8.212:8084
Web File Manager: http://192.168.8.212:8888
```

## 2) أهم القواعد التي تعلّمناها

- لا تحمل Source Code على أنه نسخة تثبيت. إذا فكيت ZIP ووجدت Makefile / tools / cmake / src بدون مجلد PPSA جاهز أو ELF واضح، غالبًا حملت السورس.
- لا نخمن اسم ملف Release أو الرابط المباشر. يجب التأكد من Asset الفعلي في صفحة Releases قبل إعطاء رابط تنزيل مباشر.
- لا ننقل مكتبة ألعاب ضخمة للـSSD الداخلي لمجرد أن المحاكي لم يرها. أولًا نتحقق من دعم USB الرسمي، ثم من الـsandbox، ثم من المسار.
- إذا كان التطبيق يرى فقط download0 / dev / data / app0 ومجلدات مؤقتة ولا يرى /mnt/usb0، فالمشكلة عادة صلاحيات/sandbox وليست اسم مجلد الألعاب.

- Payload Manager يفضّل له وضع ELF في جذر USB عند الاستيراد. استخدم Copy to Internal إذا أردت إبقاء نسخة احتياطية على USB.
- لا تشغل نسختين من etaHEN فوق بعض. استورد النسخة الجديدة أولًا، ثم انتقل لها بطريقة منظمة.
- لا تعتمد على تعديل config.ini من الذاكرة. حدث معنا خطأ exact_title_ids=exact_title_ids=...؛ أي سطر إعداد يجب مراجعته حرفيًا قبل الحفظ.
- لا تفترض أن حذف/إعادة تسمية config.ini سيجبر البرنامج على إعادة إنشائه. هذا لم يحدث في وضعنا الحالي.
- بالنسبة لـPorpoise مع etaHEN، تعليمات المطور تقول استخدام Legacy Command Server؛ تعديل قائمة app- jailbreak ليس البديل الصحيح له.
- بالنسبة لـPS5SX2، الـHelper جزء أساسي من التجربة لأنه يعطي التطبيق ما يحتاجه من صلاحيات/JIT و/data؛ في جهازنا كان تشغيله مهمًا لظهور ألعاب USB.

# 3) Current State - English

- Console: PS5 on firmware 13.40.
- Payload manager: Payload Manager v0.5.2.
- External drive is visible to the system as /mnt/usb0.
- Web File Manager is used for remote filesystem work; Payload Manager is used for ELF import/launch.
- ShadowMountPlus is working and has registered the emulator titles on the PS5 home screen.
- kstuff is part of the active environment.
- The older etaHEN setup was replaced by an unofficial Unified etaHEN build for 11.00-13.60; on 13.40 the etaHEN Toolbox opened successfully.
- The correct Toolbox setting was found at the bottom of Settings as [Debug] Legacy Jailbreak CMD Server.
- PS5SX2 is installed and working. In this setup the Helper was important for the USB library to become usable.
- Porpoise is installed and launches. The current task is to confirm it leaves the app sandbox and can browse USB after enabling the Legacy Jailbreak CMD Server and reopening Porpoise.

# 4) Critical Operating Rules

- Never treat GitHub Source code archives as installable releases. Installable PS5 apps normally arrive as a ready PPSAxxxxx folder, or as a clearly identified ELF payload.
- Never guess a release asset filename or direct-download URL. Verify the real asset first.
- Do not move a 100+ GB game library to internal storage just because a frontend cannot see it. Verify official USB support, sandbox status, and scan paths first.
- If an app only sees app0/data/dev/download0 and not /mnt/usb0, suspect sandbox/jailbreak-daemon state before changing game folders.
- When importing payloads from USB, keeping a backup by using Copy to Internal is safer than Move to Internal.
- Do not stack two etaHEN builds at once. Import first, then switch cleanly.
- Configuration lines must be checked literally. A duplicated key prefix can silently invalidate the setting.
- Do not assume a missing config file will regenerate automatically; it did not in this environment.
- For Porpoise under etaHEN, the project specifically calls for Legacy Command Server. etaHEN app-jailbreak whitelisting is not the substitute documented by Porpoise.
- For PS5SX2, the Helper exists to jailbreak the app at launch and provide /data/JIT access needed by the emulator.

# 5) خريطة المحاكيات / Emulator Matrix

| Emulator | Title ID | App / payload pieces | Game & system data | Special requirement | Status in this project |
|---|---|---|---|---|---|
| PS5SX2 (PS2) | PPSA99203 | PS5SX2Installer.elf + PS5SX2Helper.elf; title folder registered by ShadowMountPlus | BIOS: /data/PCSX2/bios or supported USB BIOS folders. Games: /data/PCSX2/games or USB: /games, /PCSX2/games, /PS5SX2/games | Helper + kstuff; JIT and /data access | Installed and working |
| Porpoise / Dolphin (GC/Wii) | PPSA99764 | Ready PPSA99764 app folder | Default writable area: /data/porpoise/. USB | etaHEN: Legacy Jailbreak CMD Server must be ON so the | Installed; USB access is the current finishing task |

| Emulator | Title ID | App / payload pieces | Game & system data | Special requirement | Status in this project |
|---|---|---|---|---|---|
| | | | officially supported; add folders in Settings > Games | app is freed from sandbox | |
| PS5CEMU-HAR (Wii U / 3DS) | PPSA99360 | Ready PPSA99360 app folder | Game dumps/keys prepared separately; persistent data under /data/ps5cemu | Project docs require app jailbreak for /data + JIT; without JIT Cemu can fall back to slower interpreter | Installed; not fully configured/tested yet |
| PS5X360 (Xbox 360) | PPSA50011 | Ready PPSA50011 app folder | Official current guide: PPSA50011/assets/roms/<Game>/; no BIOS or keys are shipped | Working homebrew environment with etaHEN/kstuff/ShadowMountPlus | Installed tile; games/config not yet finalized |
| XPSemu (Original Xbox) | PPSA97358 | PPSA97358 + xpsemu_tools.elf (or one equivalent helper, not both) | /data/xemu/: MCPX ROM, Xbox BIOS, xbox_hdd.qcow2; games in /data/xemu/games | kstuff + XPSemu Tools; whitelist PPSA97358 in /data/whitelist.txt | Installed tile; system files/games not yet finalized |
| PS5 RetroArch | PPSA99169 | Ready PPSA99169 app folder | Games/content in content/; BIOS in system/ (e.g. PS2 system/pcsx2/bios/) | Compatible homebrew launcher; current release ships many cores incl. PPSSPP/Dolphin/LRPS2 | Installed tile; not yet finalized |
| RPCS3 / PS3 | N/A in shipped RetroArch release | No ready RPCS3 core is shipped in the current RetroArch release | N/A | Current PS5 RetroArch build process explicitly leaves RPCS3 out of the release | Deferred |

## 6) etaHEN, Toolbox, Payload Manager - ما ثبت عندنا

- النسخة التي فتحت Toolbox على FW 13.40: ملف etaHEN-11.00-13.60.elf (Unified) غير رسمي، نطاق 11.00-13.60).
- النسخة القديمة etaHEN 2.5B كانت تعمل كبيلود، لكن الـToolbox لم تكن تفتح في تجربتنا على 13.40.
- داخل Toolbox > Settings ظهر خيار Allow /data in App sandboxes وخيارات Debug في أسفل الصفحة.
- الخيار المطلوب لـPorpoise ظهر باسم [Debug] Legacy Jailbreak CMD Server، ووصفه: Apps can Jailbreak via Socket.
- يمكن تشغيل [Debug] App Jailbreak Notification أثناء التشخيص لمعرفة متى يحصل تطبيق على jailbreak.
- Payload Manager v0.5.2 يدعم استيراد payload من Copy to Internal، USB، مصادر خارجية، Active Processes، وAutoload.
- وضع ملفات ELF في جذر USB هو المسار الأبسط والأكثر موثوقية عند الاستيراد اليدوي.

قاعدة تبديل **etaHEN**:

```
1) Import the new ELF first.
2) Do not launch it over an already-running etaHEN build.
3) Use Payload Manager Active Processes / a clean session to avoid duplicate daemons.
4) Verify Toolbox opens before touching emulator-specific settings.
```

## 7) ShadowMountPlus ومسارات التطبيق

- ShadowMountPlus يستطيع فحص data/homebrew/ وكذلك mnt/usb0/homebrew/ إلى mnt/usb7/homebrew/، كما يفحص جذور USB نفسها.
- لذلك ظهور التطبيق على Home Screen لا يعني بالضرورة أن كل بياناته يجب أن تكون على SSD الداخلي.
- مع ذلك، كل محاكي له مساراته الخاصة للبيانات القابلة للكتابة؛ مثال Porpoise يستخدم data/porpoise/، وXPSemu يستخدم data/xemu/.
- المسار المعروف الجيد في توثيق معظم المشاريع هو data/homebrew/PPSAxxxxx/، لكن ShadowMountPlus يدعم تسجيل عناوين من USB كذلك إذا كانت البنية صحيحة.

## 8) Porpoise - الخطة الصحيحة لإنهائه الآن

1. تأكد أن etaHEN Unified المناسب لـ13.40 هو الذي يعمل وأن Toolbox تفتح.

2. ادخل etaHEN Toolbox > Settings وانزل لآخر الصفحة.

3. فعّل Legacy Jailbreak CMD Server = ON [Debug].

4. اقفل Porpoise إغلاقًا كاملًا من واجهة PS5، وليس مجرد الرجوع للـHome.

5. افتح Porpoise من جديد بعد تشغيل Legacy server. مطور Porpoise يذكر أن المحاكي يعيد طلب jailbreak لعدة ثوانٍ، وإذا وقع تشغيل داخل sandbox مرة أخرى افتحه مرة إضافية.

6. ادخل Settings > Games > Add a game folder. زر Triangle يقفز إلى Drives وPorpoise games folder. عند خروج التطبيق من sandbox يجب أن يستطيع رؤية USB/extended drives.

7. اختَر مجلد ألعابك على /mnt/usb0/... واضغط Square لاستخدام المجلد الحالي كمصدر. لا تنقل المكتبة إلى الداخل.

8. إذا بقيت الشاشة محصورة في app0/data/dev/download0 ولم يظهر USB، فعّل Debug App Jailbreak Notification ثم أغلق وافتح Porpoise وراقب إشعار jailbreak.

9. إذا استمرت المشكلة بعد ذلك، اجمع /data/homebrew/PPSA99764/trace.txt و /data/homebrew/PPSA99764/porpoise/core.log قبل أي تغيير إضافي.

# 9) Porpoise - Exact Finish Procedure (English)

1. Confirm the Unified etaHEN build appropriate for 13.40 is running and its Toolbox opens.
2. Open etaHEN Toolbox > Settings and scroll to the bottom.
3. Enable [Debug] Legacy Jailbreak CMD Server.
4. Fully close Porpoise from the PS5 UI; do not merely return to Home.
5. Relaunch Porpoise after the Legacy server is on. Porpoise retries the jailbreak request for a few seconds; if one launch still lands in the sandbox, launch Porpoise once more.
6. Open Settings > Games > Add a game folder. Triangle jumps to drives. Once freed from the sandbox, USB/extended drives should be visible.
7. Browse to your /mnt/usb0/... Dolphin games folder and use Square to add the current folder. Do not move the library to internal storage.
8. If only app0/data/dev/download0 remain visible, enable [Debug] App Jailbreak Notification, fully close/reopen Porpoise, and watch for the jailbreak notification.
9. If it still fails, collect /data/homebrew/PPSA99764/trace.txt and /data/homebrew/PPSA99764/porpoise/core.log before making more changes.

# 10) شجرة تشخيص سريعة / Quick Troubleshooting Tree

| **Symptom** / العرض | **First action** / أول إجراء |
|---|---|
| App does not appear on Home | Verify the ready PPSA folder contains eboot.bin + sce_sys; run ShadowMountPlus; verify scan path. |
| App launches but cannot see USB | Check sandbox state first. For Porpoise + etaHEN: Legacy Jailbreak CMD Server. Do not rename/move game folders first. |
| Toolbox missing on FW 13.40 | Use the verified Unified etaHEN 11.00-13.60 build rather than relying on the older 2.5B setup that failed to expose Toolbox here. |
| Downloaded folder contains src/cmake/tools/Makefile | Wrong package: Source Code. Return to Releases and download the installable asset. |
| PS5SX2 shows no games | Make sure PS5SX2Helper is running; then verify official game paths and formats. |
| Large USB library needs a path change | Do not copy it to SSD. If a rename/move inside the same filesystem is truly required, use a same-volume move only after the official scan path is confirmed. |
| Config edit seems ignored | Check for exact syntax, duplicate key names, wrong daemon/build, and whether a reload is actually required. Keep a backup before editing. |
| New etaHEN build installed but old behavior remains | Avoid running two daemons. Confirm the intended build is actually active and Toolbox version/features match it. |

# 11) أشياء لا نكررها / Things Not to Repeat

- Giving a direct download link without checking the actual GitHub asset name.
- Treating a source archive as a ready PS5 title.
- Assuming internal SSD is required when the project officially supports USB.
- Telling the user to move a huge library before proving the emulator scan path.

- Using an etaHEN configuration format from a different fork/build without confirming compatibility.
- Assuming config.ini will regenerate after renaming/deleting it.
- Assuming a title-ID whitelist fixes Porpoise under etaHEN; Porpoise documentation says Legacy Command Server is the intended etaHEN path.
- Continuing to change multiple variables at once. Change one thing, verify, then continue.

## 12) برومبت عربي جاهز للاستمرار مع أي AI

انسخ النص التالي كما هو عند فتح محادثة جديدة:

أنت تكمل معي مشروع إعداد محاكيات Homebrew على PS5. لا تبدأ من الصفر ولا تخمن. استخدم المعلومات التالية

كحالة حالية ثابتة، وراجع التوثيق الرسمي قبل أي خطوة تتغير مع الوقت.

الجهاز والبيئة:

- PS5 على Firmware 13.40.

- Payload Manager v0.5.2.

- Web File Manager يعمل.

- USB ظاهر للنظام كـ /mnt/usb0.

- ShadowMountPlus وkstuff يعملان.

- استخدمنا etaHEN Unified غير رسمي يغطي 11.00-13.60، والملف الذي نجح معنا اسمه etaHEN-11.00-13.60.elf.

- etaHEN Toolbox أصبحت تفتح على 13.40.

- داخل Toolbox > Settings يوجد في أسفل الصفحة [Debug] Legacy Jailbreak CMD Server وكذلك [Debug] App

Jailbreak Notification.

قواعد العمل الإلزامية:

1) كلمني بالعربي وباختصار، خطوة واحدة واضحة في كل مرة.

2) لا تطلب Restart أو Reboot إلا إذا كان موثقًا ولا يوجد بديل.

3) لا تنقل مكتبات ألعاب ضخمة من USB إلى SSD الداخلي إلا إذا كان ذلك شرطًا رسميًا مثبتًا.

4) إذا طلبت رابط تحميل، أعطني رابط Asset مباشر بعد التحقق من اسم الملف الحقيقي؛ لا تعطيني صفحة عامة ولا تخمن اسم الملف.

5) لا تعطيني Source Code بدل النسخة الجاهزة. علامة السورس: src/cmake/tools/Makefile. النسخة الجاهزة غالبًا فيها PPSAxxxxx/eboot.bin أو ELF واضح.

6) لا تغيّر أكثر من متغير في نفس الوقت. نفذ خطوة، اختبر، ثم انتقل للي بعدها.

7) إذا التطبيق لا يرى /mnt/usb0 ويرى فقط app0/data/dev/download0، تعامل معها كمشكلة sandbox/jailbreak أولًا لا كمشكلة اسم مجلد.

8) حافظ على النسخ الاحتياطية واستخدم Copy to Internal للبيلود إذا كان الهدف إبقاء نسخة على USB.

المحاكيات والحالة:

- PS5SX2 / PS2: Title ID PPSA99203. عندي PS5SX2Installer.elf وPS5SX2Helper.elf. المحاكي مثبت ويعمل. الـHelper مهم للصلاحيات/JIT و/data، وفي إعدادنا ساعد على ظهور مكتبة USB. BIOS رسميًا في /data/PCSX2/bios، وUSB مدعوم في bios/ أو /PCSX2/bios أو /PS5SX2/bios. الألعاب USB مدعومة في games/ أو /PCSX2/games أو /PS5SX2/games.

- Porpoise / Dolphin: Title ID PPSA99764. المحاكي مثبت ويعمل. مطور Porpoise يذكر رسميًا أن USB مدعوم. مع etaHEN يجب تفعيل [Debug] Legacy Jailbreak CMD Server من Toolbox. قائمة app-jailbreak ليست البديل الصحيح لـPorpoise تحت etaHEN. بعد التفعيل يجب إغلاق Porpoise بالكامل وفتحه من جديد؛ إذا وقع التشغيل داخل sandbox مرة ثانية يمكن إعادة فتحه مرة أخرى لأن Porpoise يعيد طلب jailbreak لعدة ثوانٍ. في Add a game folder زر Triangle يذهب للأقراص وSquare يضيف المجلد الحالي. إذا استمرت المشكلة اجمع /data/homebrew/PPSA99764/trace.txt و/data/homebrew/PPSA99764/porpoise/core.log. هذه هي المهمة الحالية؛ لا تنتقل لمحاكي آخر قبل إنهائها.

- PS5CEMU-HAR: Title ID PPSA99360. مثبت. التوثيق الرسمي يطلب app jailbreak للحصول على /data وJIT؛ بدون JIT قد يعمل Cemu بالمفسر الأبطأ. الألعاب والـkeys مجهزة عندي، لكن لم ننته من الإعداد.

- PS5X360: Title ID PPSA50011. مثبت. لا يحتاج BIOS تقليديًا حسب دليل المشروع. الدليل الحالي يضع الألعاب تحت /PPSA50011/assets/roms.

- XPSemu: Title ID PPSA97358. مثبت. يحتاج XPSemu Tools أو Helper مكافئ (استخدم واحدًا فقط)، و MCPX ROM + Xbox BIOS + HDD image الخاصة بي. المسار الرسمي /data/xemu/ والألعاب /data/xemu/games/.

- RetroArch: Title ID PPSA99169. النسخة الرسمية الحالية التي تحققنا منها هي v0.6.0-alpha.6. الألعاب في /content والـBIOS في /system. يشمل PPSSPP/Dolphin/LRPS2 وغيرها، لكن RPCS3 غير مشمول في الـrelease الجاهز الحالي.

معلومات مفيدة:

- ShadowMountPlus يفحص /data/homebrew و/mnt/usb0/homebrew..usb7/homebrew وكذلك جذور USB، لذلك التطبيق يمكن تسجيله من USB إذا كانت بنيته صحيحة؛ لكن بياناته القابلة للكتابة قد تبقى في /data حسب المحاكي.

- إذا ظهر التطبيق على Home فهذا يثبت التسجيل، وليس بالضرورة أن صلاحيات USB أو JIT صحيحة.

ابدأ من المهمة الحالية: Porpoise لا يزال يحتاج تأكيد رؤية USB بعد تفعيل Legacy Jailbreak CMD Server. لا تعطني نظرية عامة؛ أعطني الخطوة التالية فقط، وإذا احتجت تشخيصًا اطلب لقطة/ملف واحد محدد.

# 13) Reusable English Prompt

**Copy/paste this into a new chat if needed:**

You are continuing an existing PS5 homebrew/emulator setup. Do not restart from zero and do not guess. Treat the following as the current state, and verify time-sensitive details against the official project documentation before giving instructions.

Environment:
- PS5 firmware 13.40.
- Payload Manager v0.5.2.
- Web File Manager works.
- External USB is visible to the system as /mnt/usb0.
- ShadowMountPlus and kstuff are active parts of the setup.
- We switched to an unofficial Unified etaHEN build covering 11.00-13.60; the working asset is etaHEN-11.00-13.60.elf.
- etaHEN Toolbox now opens on 13.40.
- At the bottom of Toolbox > Settings we can see [Debug] Legacy Jailbreak CMD Server and [Debug] App Jailbreak Notification.

Mandatory working rules:
1) Speak concisely and give one clear step at a time.
2) Do not request restart/reboot unless it is documented and there is no practical alternative.
3) Do not move large game libraries from USB to internal SSD unless the project explicitly requires it.
4) If I ask for a download link, verify the real current release asset and give the direct asset link. Do not guess the filename and do not give me only a generic releases page.
5) Never give me Source Code instead of the installable release. Source-code warning signs: src/cmake/tools/Makefile. A ready PS5 build usually has a PPSAxxxxx folder with eboot.bin or a clearly identified ELF payload.
6) Change one variable at a time, test it, then continue.
7) If an app cannot see /mnt/usb0 and only sees app0/data/dev/download0, treat it as a sandbox/jailbreak problem before changing game-folder names.
8) Preserve backups; use Copy to Internal for payloads when the USB copy should remain.

Emulators and status:
- PS5SX2 / PS2: Title ID PPSA99203. PS5SX2Installer.elf and PS5SX2Helper.elf are available. The emulator is installed and working. The Helper is important for permissions/JIT and /data; in this setup it was also important for USB library access. Official BIOS path: /data/PCSX2/bios. USB BIOS folders supported: bios/, PCSX2/bios/, PS5SX2/bios/. USB game folders supported: games/, PCSX2/games/, PS5SX2/games/.
- Porpoise / Dolphin: Title ID PPSA99764. Installed and launches. The developer explicitly documents USB support. Under etaHEN, enable [Debug] Legacy Jailbreak CMD Server in Toolbox. etaHEN app-jailbreak whitelisting is not the documented substitute for Porpoise. After enabling it, fully close and reopen Porpoise. If one launch still lands in the sandbox, open Porpoise once more because it retries its jailbreak request for a few seconds. In Add a game folder, Triangle jumps to drives and Square adds the current folder. If it still fails, collect /data/homebrew/PPSA99764/trace.txt and /data/homebrew/PPSA99764/porpoise/core.log. THIS is the current task; do not move to another emulator before it is finished.
- PS5CEMU-HAR: Title ID PPSA99360. Installed. Official docs require app jailbreak for /data + JIT; without JIT, Cemu can fall back to the slower interpreter. Games/keys are already prepared, but setup is not finished.
- PS5X360: Title ID PPSA50011. Installed. Project docs do not require a traditional BIOS. Current official guide places games under PPSA50011/assets/roms/.
- XPSemu: Title ID PPSA97358. Installed. Requires XPSemu Tools or one equivalent helper (use only one), plus my own MCPX ROM, Xbox BIOS and HDD image. Official data root is /data/xemu/ and games are /data/xemu/games/.
- RetroArch: Title ID PPSA99169. The current official release we verified is v0.6.0-alpha.6. Content goes in content/ and BIOS files in system/. It ships PPSSPP, Dolphin, LRPS2 and other cores, but RPCS3 is intentionally not part of the current ready release.

Useful infrastructure facts:
- ShadowMountPlus scans /data/homebrew and /mnt/usb0/homebrew through /mnt/usb7/homebrew, and also USB roots. Therefore titles can be registered from USB when their folder structure is valid, although writable emulator data may still live under /data.
- A tile appearing on Home proves registration, not that USB/JIT/sandbox permissions are correct.

Start from the current task: finish Porpoise USB access after enabling Legacy Jailbreak CMD Server. Give only the next concrete step. If diagnostics are needed, request one specific screenshot or log at a time.

# 14) مراجع رسمية تم الاعتماد عليها / Verified Project References

**Porpoise / Dolphin for PS5:** https://github.com/elripalda/Porpoise-Dolphin-Emulator-for-PS5

**PS5SX2:** https://github.com/Swordpdf/PS5SX2

**PS5CEMU-HAR:** https://github.com/premohq/PS5CEMU-HAR

**PS5X360:** https://github.com/BrinooTk/PS5X360

**XPSemu:** https://github.com/ZiZc3/XPSemu

**PS5 RetroArch:** https://github.com/mihawk-99/PS5_RetroArch

**ShadowMountPlus:** https://github.com/drakmor/ShadowMountPlus

**Payload Manager:** https://github.com/itsPLK/ps5-payload-manager

**etaHEN official:** https://github.com/etaHEN/etaHEN

**etaHEN Unified 11.00-13.60 (unofficial):** https://github.com/GronedWaffel/etahen-11.00-13.60

**PS5 Payloads Atlas:** https://github.com/lucaszhongsj/ps5-payloads-atlas

ملاحظة: أدوات الـPS5 Homebrew تتغير بسرعة. عند أي تنزيل جديد، راجع Releases الحالية ولا تعتمد على اسم إصدار قديم محفوظ في هذا الملف.

Note: PS5 homebrew changes quickly. For any new download, verify the current Releases page rather than relying on an old version string stored here.

End of knowledge base • نهاية قاعدة المعرفة