

CLAUDE.md

SECTION root TYPE document STATUS **active** OWNER Founder UPDATED 2026-08-17

Guidance for Claude Code when working in this repository.

What this is

FlyGACA/Office ("The Office") is the internal **documents repository** for Fly GACA — an independent, educational platform and open regulatory library for Saudi civil aviation. It holds every operating document that runs the company: strategy/OKRs, governance, legal, finance, KSA compliance, HR/people, operations/IT specs, GTM, customer success, investor relations, academy curriculum, and brand — **not** product code. Fly GACA's product code lives in separate repos, all under the `ay2m` GitHub account: the web monorepo `ay2m/FlyGACA-app`, the AI service `ay2m/Captain-Adel`, the native iOS family `ay2m/FlyGACA-ios`, plus the per-module App Store metadata repos (`ELPT` and `AIP` shipping; `PPL`, `CPL`, `IR`, `ATPL` **parked** since 2026-08 — their modules were removed from the iOS repo pending a strategic decision, while their **web** study packs keep selling). A Claude Code session here is almost always **drafting, editing, or reorganizing organizational documents**, not writing or reviewing application code.

[!IMPORTANT] Fly GACA is **not affiliated with GACA** (Saudi General Authority of Civil Aviation). This constraint is load-bearing across the whole document tree, not just user-facing product copy — legal, GTM, and investor materials must all state the relationship accurately.

This repo contains real operating material — signed/draft legal agreements, financial data, HR records, investor materials, strategic plans. Treat its contents as sensitive: don't summarize or quote its financial/legal/HR/investor content into other contexts (chat replies, other repos, external tools) beyond what the task actually requires, and never publish it. Security or data-isolation concerns go to the maintainer directly per `01-governance/SECURITY.md` — not a public issue.

Repository structure

Twelve numbered sections, each independently browsable:

#	Section	Contents
<code>00-strategy/</code>	Strategy	Annual plan & OKRs, master roadmap, CEO execution plan, Phase 0 tracker, numbered brainstorm
<code>01-governance/</code>	Governance	Founders' agreement, SHA, ESOP, Code of Conduct, board pack, decision log, <code>CLAUDE.md</code> (see below), <code>CONTRIBUTING.md</code> , <code>SECURITY.md</code>

#	Section	Contents
02-legal/	Legal	NDA templates, EULA, SLA, pilot agreement, PDPL policies, DPA, IP/takedown procedure
03-finance/	Finance	Banking policy, procurement, expense policy, budget-vs-actual tracker, KPI dashboard, ZATCA invoicing (HTML tax-invoice + VAT-return templates)
04-compliance-ksa/	Compliance (KSA)	MISA license, ZATCA e-invoicing, PDPL DPIA, BCP/DR, Nitaqat plan
05-people/	People	Employment contracts, employee handbook, offer letters, onboarding/offboarding, HR policies
06-operations-it/	Operations/IT	Digital office setup, product specs (CRM, Captain Adel, Instructor Dashboard), hosting/secrets placement facts, runbooks/ , diagrams/ , setup/
07-gtm/	Go-To-Market	Sales playbook, demo script, objection handling, cold outreach, B2B pipeline, seo/ strategy
08-customer-success/	Customer Success	Onboarding playbook, health scoring, NPS, QBR templates, at-risk/expansion playbooks
09-investor-relations/	Investor Relations	Pitch deck, FAQ, due-diligence questionnaire, investor update template, risk register
10-academy-curriculum/	Academy & Curriculum	Curriculum map, coverage matrix, PPL mock exams, B2C learner paths, instructor onboarding
11-brand/	Brand	Design system, design tokens, style guide (Falcon Theme), logos, print assets (EN + RTL AR)

Support directories:

- [templates/](#) — reusable `.md` starters ([tpl-fin-report.md](#), [tpl-hr-policy.md](#), [tpl-legal-memo.md](#), [tpl-ops-runbook.md](#), [tpl-strat-proposal.md](#) ; mirrored under [ar/templates/](#)). Base new docs on these.
- [ar/](#) — a parallel Arabic (Saudi MSA) mirror of the **Markdown layer** across all 12 sections — same folder structure and filenames, translated content. It currently holds 118 `.md` against the English tree's 124, so **six English docs have no Arabic counterpart yet** (the newest English additions run ahead of the mirror). The `.docx` / `.xlsx` / `.html` deliverables are EN-only. **English is authoritative** — on any conflict the English tree governs. Filenames stay ASCII kebab-case even under [ar/](#) for easy diffing.
- [tools/print/](#) — the Markdown → branded A4 PDF pipeline (see below).
- [_print/](#) — generated PDFs (254 today), mirroring the whole tree (including [ar/](#)). Generated output, but **is committed** (not gitignored) — the CI gate below checks it's present and fresh.
- [_INDEX.md](#) / [ar/_INDEX.md](#) — master index of the whole tree.
- [ar/_GLOSSARY.md](#) — the EN↔AR terminology glossary that keeps translations consistent.

- `drive-index-updates.csv` — a root-level `old_path,new_path` map recording the Drive→repo filename normalisation (Title Case + spaces → ASCII kebab-case). Reference it when an old filename turns up in a link or an external index; it is data, not a doc, and the doc-check gate ignores it.
- `.claude/agents/` — two subagents scoped to this repo: **doc-smith** (any `.md` / `.html` add/edit/rename, front-matter, and the print pipeline — use it when docs-check fails) and **ar-mirror** (translating a new/changed English doc into `ar/` against the glossary and rebuilding the Arabic PDFs). `agents/README.md` says when each applies.

Several document formats coexist: polished deliverables are committed binaries

(`.docx` / `.xlsx` / `.pptx` , plus source PDFs, investor-deck JPGs, and brand PSD/PNG assets — SVG logos/diagrams are committed as text — with `.gitattributes` declaring the binary set `.docx` / `.xlsx` / `.pptx` / `.pdf` / `.psd` / `.png` / `.jpg` / `.jpeg` / `.gsheet`); working notes, specs, drafts, and playbooks are `.md` — which is what the print pipeline and the doc-check CI both operate on.

16 pages are authored as HTML instead of Markdown and render through `build-html.mjs` (below): the four showcase pages (`00-strategy/brainstorms/00-strategic-brainstorms-dashboard.html` , `00-strategy/the-book-of-fly-gaca.html` , `11-brand/design-system.html` , `11-brand/tidal-reckoning.html`), the two ZATCA finance templates in `03-finance/` (`tax-invoice-template.html` , `vat-return-worksheet.html`), and the ten print-collateral sources in `11-brand/print/` (letterheads EN/AR, memo, press release, business cards, envelope, compliments slip, contract cover — these share `11-brand/print/brand-print.css` ; the showcase/finance pages are self-contained). `tools/print/build-png.mjs` additionally re-screenshots the `11-brand/print/` sources into the 300 dpi PNGs the brand catalogue references.

The doc convention (enforced by CI)

Every content `.md` file requires YAML front-matter with these exact keys:

```
---
title: <doc title>
section: <e.g. 03-finance>
doc_type: <document|readme|template|...>
status: <active|draft|scaffold>
owner: <e.g. Founder>
last_updated: <YYYY-MM-DD>
lang: <en|ar>
---
```

Exemptions: the root `README.md` skips only the **front-matter** check — its PDF must still exist under `_print/` and stay fresh, like any other `.md` ; the checker never descends into `tools/**` or `_print/**` at all; files under any `templates/` directory still need a front-matter block but only the `title` key inside it (they use their own authoring schema, not the full doc metadata). Every other `.md` , anywhere in the tree (including `ar/`), needs the full set.

`status: draft` or `status: scaffold` stamps an automatic DRAFT/SCAFFOLD watermark on the rendered PDF — set it deliberately. (No doc currently uses `scaffold` ; the tooling supports it.)

Every `.md` must have a matching, up-to-date PDF under `_print/`. After creating or editing any `.md` file (English or Arabic), regenerate its PDF before committing:

```
cd tools/print
npm ci                # once, or after a dependency change (no browser download –
uses the              # pre-installed Chromium the print pipeline auto-detects)
npm run build         # incremental – only content-changed docs re-render
npm run build:force   # rebuild every doc from scratch
node build.mjs <path/to/doc.md> # render one file
node build-html.mjs   # separately renders ALL 16 HTML pages to their _print/
PDFs
node build-png.mjs    # re-screenshots 11-brand/print/*.html to the 300dpi
catalogue PNGs
node check.mjs        # the CI gate itself – front-matter + Markdown-PDF
coverage +            # staleness + HTML-PDF coverage; no browser needed, safe
anytime
```

(`tools/print/package.json` also exposes `npm run build:html` and `npm run check` aliases.) Adding or renaming **any** `.html` in the tree without running `build-html.mjs` fails CI, same as an unrebuilt `.md`.

`node check.mjs` is cheap, dependency-free and the single best thing to run before you commit — it reports exactly which docs are missing or stale (currently: 239 markdown + 16 brand-HTML docs in scope). Forgetting the rebuild is the most common way this repo goes red; it has already happened once (four PDFs, fixed in `016f1b2`), so make the build part of the same commit as the doc edit rather than a follow-up.

`build.mjs` hashes each source file (folded with a hash of `theme.css` + `build.mjs` itself) into `tools/print/.buildcache.json`; `check.mjs` recomputes that hash and fails if it doesn't match the committed PDF, i.e. if you edited a doc but didn't rebuild its PDF. **Commit the regenerated PDF and the updated `.buildcache.json` together with the `.md` change** — a doc edit without a rebuilt PDF fails CI (`.github/workflows/docs-check.yml` — the only workflow — runs on push to `main` and on PRs touching `**/*.md`, `**/*.html`, `_print/**`, `tools/print/**`, or the workflow file itself; CI runs Node 20).

[!WARNING] Editing `build.mjs` marks every PDF in the repo stale, because its own bytes are folded into the shared `themeHash`. For a change that genuinely alters rendering, that's correct — rebuild. But for a change that *cannot* alter output (adding a `SKIP_DIRS` entry, a comment, a log line), re-rendering all 254 PDFs is pure churn: Chromium restamps `CreationDate` on every one, so all 254 show up as modified binaries. In that case re-stamp `.buildcache.json` with the new `themeHash` instead — recompute `sha256(themeHash + source)` per existing key and write it back with `JSON.stringify(cache, null, 1) + '\n'`. Verify with `node check.mjs` and a clean `git status _print/`.

Styling is the "Falcon Theme" documented in `11-brand/fly-gaca-document-style-guide.md`: Inter body · Cairo headings (and all Arabic text) · JetBrains Mono code, A4 page, 0.75in margins (0.9in bottom for the footer), footer page numbers, cover block generated from the front-matter. Fonts are vendored under `tools/print/fonts/` so the whole pipeline runs offline; it auto-detects Chromium via `$PLAYWRIGHT_BROWSERS_PATH` (default `/opt/pw-browsers`) or `$CHROMIUM_PATH`. Requires Node 18+ and **Chromium ≥ 131** (CSS `@page` margin boxes drive the footer page numbers).

Conventions

- **Bilingual, English-authoritative.** New or materially changed content docs should eventually get an `ar/` counterpart at the same path, translated per `ar/_GLOSSARY.md`'s terminology — but unlike the product repos, CI here does **not** hard-gate on EN/AR parity (only front-matter + PDF freshness are checked independently per file), so an EN-only doc won't fail CI. Still keep the mirror in sync as a matter of practice; don't let it drift silently for long.
- **Sensitive-content discipline.** Legal, financial, HR, and investor documents in this repo are real operating material, not samples — quote or restate the minimum necessary for the task.
- **Governance is the source of policy**, not this file. `01-governance/CONTRIBUTING.md` is now a repo-native guide (rewritten 2026-08-09 — it used to be a vendored copy of the application repo's guide; its `npm run check:*` commands never applied here). `01-governance/SECURITY.md` is filled in and current — for security or data-isolation concerns email the maintainer directly (address in `SECURITY.md`). `01-governance/CODE_OF_CONDUCT.md` is real. `01-governance/company-facts.md` is the canonical entity-facts doc the *product* repos consume — check it before restating company facts anywhere.
- `01-governance/CLAUDE.md` used to be a stale vendored copy of a *different* repo's Claude guidance (the product monorepo's, describing `functions/`, routing, etc. — none of which exists here); it has been replaced with a short pointer back to this file. If you find it drifting again, fix the pointer, don't restore old content.
- License: Apache 2.0 (`01-governance/LICENSE`) for the repo's own material; regulatory content quoted anywhere belongs to GACA and is not covered by that license.

Where to look

📖 **Family context:** [The Book of Fly GACA](#) is the whole-family reference — all ten repos, the shared tenets, and the glossary in one place.

- `_INDEX.md` — the readable master index across all 12 sections (and `ar/_INDEX.md` for the mirror). Note it defers to `00-strategy/00-master-office-paperwork-index.gsheet` as the authoritative master index.
- `00-strategy/roadmap.md` — current phase status and what's next.
- `tools/print/README.md` — full print-pipeline usage/config detail beyond the summary above.

- `01-governance/` — `company-facts.md`, `CODE_OF_CONDUCT.md`, `decision-log.md`, `CONTRIBUTING.md`, `SECURITY.md` .
- `ar/_GLOSSARY.md` — EN↔AR terminology, use it before translating anything.