

Secrets & keys — where each one goes (both products)

SECTION 06-operations-it TYPE document STATUS **active** OWNER Founder UPDATED 2026-07-29

One index for **where** every secret, key and price is configured across the two backends. **No secret values live here** — only names and locations. The step-by-step is in the authoritative runbooks (linked at the end); this page is the map on top of them.

Golden rules

- **Never** put a secret value in git, in chat, or in code. Secrets live only in the platform's secret store (Google Secret Manager); the code reads them at runtime.
- `VITE_*` variables are **public build-time** values shipped to the browser — **not secrets** (publishable keys, reCAPTCHA site key). Safe to expose.
- The IBAN never leaves this repo (see `01-governance/company-facts.md`).

A) **flygaca.com** — FlyGACA-app · Firebase Cloud Functions · project `flygaca-app` · region `me-central1`

Secrets → `firebase functions:secrets:set NAME` (prompts for the value, stores it in Secret Manager):

Secret	What / where to get it	Required
<code>GOOGLE_GENAI_API_KEY</code>	Gemini API key — Google AI Studio (aistudio.google.com)	☒ chat
<code>MOYASAR_SECRET_KEY</code>	Moyasar dashboard → Developers → API keys (<code>sk_live_...</code>)	☒ billing
<code>MOYASAR_WEBHOOK_SECRET</code>	Moyasar webhook shared secret	☐ backstop

Params (not secrets) → in `functions/.env.flygaca-app` (or the deploy prompt):

- `APP_ORIGIN=https://flygaca.com` (required — builds the Moyasar callback URL)
- Prices: `MOYASAR_PRICE_PRO_MONTHLY_SAR`, `_PRO_ANNUAL_SAR`, `_STUDENT_MONTHLY_SAR`, `_STUDENT_ANNUAL_SAR`, `_PASS_SAR`, `_CREDITS_SAR` (**no default — must set**), `_PREP_PACK_SAR`
- Optional: `ENFORCE_APP_CHECK`, `FREE_DAILY_LIMIT`, `RETRIEVE_K`, `REFUSE_SCORE`, `GROUNDED_SCORE`, `CORPUS_URL`

Public (not secrets) → root `.env` as `VITE_*`: `VITE_MOYASAR_PUBLISHABLE_KEY` (`pk_live_...`), `VITE_RECAPTCHA_ENTERPRISE_SITE_KEY`.

GitHub Actions (deploy/CI, in repo settings → Secrets): `FIREBASE_SERVICE_ACCOUNT`, `CLOUDFLARE_API_TOKEN`, `CLOUDFLARE_ACCOUNT_ID`.

B) [captadel.com](#) — Captain-Adel · Cloud Run · project `captadel-app` · region `me-central2` (fallback `me-central1`)

Secrets → Google Secret Manager, via `printf '%s' "VALUE" | gcloud secrets create NAME --data-file=-`, or the batch shortcut `export NAME=... && ./deploy/deploy.sh secrets`:

Secret	What / where to get it	Required
<code>GEMINI_API_KEY</code>	Gemini API key — Google AI Studio (same key as flygaca, different name)	✓
<code>MOYASAR_SECRET_KEY</code> · <code>MOYASAR_PUBLISHABLE_KEY</code> · <code>MOYASAR_WEBHOOK_SECRET</code>	Moyasar dashboard	✓ billing
<code>MOYASAR_PRICE_MONTHLY_SAR</code> (35) · <code>MOYASAR_PRICE_ANNUAL_SAR</code> (299)	you set	✓
<code>CRON_SECRET</code>	you generate (<code>openssl rand -hex 32</code>) — guards the renewals route	✓ renewals
<code>ADEL_API_KEY</code>	a shared secret you invent (trusted-tier API)	○
<code>ALLAM_*</code> , <code>EMBEDDINGS_*</code> , <code>RERANK_*</code>	in-Kingdom Arabic provider / dense retrieval	○ later

Non-secret env → `--set-env-vars` in `deploy.sh`: `SITE_URL=https://captadel.com`, `MODEL_PROVIDER`, `ARABIC_PROVIDER`, `ADEL_LAUNCH_MODE`, `ADEL_DAILY_*`.

GitHub Actions: `GCP_SA_KEY`.

Four things to watch

1. **One Gemini key, two names** — `GOOGLE_GENAI_API_KEY` (flygaca) vs `GEMINI_API_KEY` (captadel). Same value from Google AI Studio, set in each product's own store.
2. **One Moyasar account, two secret stores + two webhooks** — set the Moyasar keys in both stores, and register **two** webhook endpoints in the Moyasar dashboard: `https://flygaca.com/api/moyasar-webhook` and `https://captadel.com/v1/billing/webhook`.
3. **Publishable key** — public build var on flygaca (`VITE_MOYASAR_PUBLISHABLE_KEY`), but a stored secret on captadel (`MOYASAR_PUBLISHABLE_KEY` , served via `/v1/config`).
4. **No Stripe** — any "Stripe" mention in older docs is stale; both products use Moyasar.

Authoritative step-by-step

- [flygaca.com](#): `FlyGACA-app/docs/BILLING.md` (secret-setting), `docs/APP-CHECK-BACKEND.md`, `docs/RUNBOOK-deploy.md` (CI secrets).
- [captadel.com](#): `Captain-Adel/docs/RUNBOOK-captadel-saas.md` §3 (Moyasar keys, webhook, Apple Pay, renewals), `docs/RUNBOOK-captadel-deploy.md` (Gemini + project + deploy).