
P01 | REFERENCE-SPECIFIC REBUILD v2

Proposed length 14.588 m | 10 reference units | 0 added exterior piers

APPROVED REFERENCE



ACTUAL GEOMETRY RE-READ FROM EXPORTED SKP



Reference proportions preserved by uniform image-to-model scaling; site dimensions are proposed.

External columns are the requested addition. E00 raised fish removed per earlier feedback.

No millimetre reference-match certification or SketchUp Desktop test is claimed. See verification and README.


P02 | REFERENCE-SPECIFIC REBUILD v2

Proposed length 15.987 m | 11 reference units | 0 added exterior piers

APPROVED REFERENCE



ACTUAL GEOMETRY RE-READ FROM EXPORTED SKP



Reference proportions preserved by uniform image-to-model scaling; site dimensions are proposed.

External columns are the requested addition. E00 raised fish removed per earlier feedback.

No millimetre reference-match certification or SketchUp Desktop test is claimed. See verification and README.

E00 | REFERENCE-SPECIFIC REBUILD v2

Proposed length 40.627 m | 13 reference units | 14 added exterior piers

APPROVED REFERENCE



ACTUAL GEOMETRY RE-READ FROM EXPORTED SKP



Reference proportions preserved by uniform image-to-model scaling; site dimensions are proposed.

External columns are the requested addition. E00 raised fish removed per earlier feedback.

No millimetre reference-match certification or SketchUp Desktop test is claimed. See verification and README.


E01 | REFERENCE-SPECIFIC REBUILD v2

Proposed length 35.845 m | 12 reference units | 13 added exterior piers

APPROVED REFERENCE



ACTUAL GEOMETRY RE-READ FROM EXPORTED SKP



Reference proportions preserved by uniform image-to-model scaling; site dimensions are proposed.


External columns are the requested addition. E00 raised fish removed per earlier feedback.

No millimetre reference-match certification or SketchUp Desktop test is claimed. See verification and README.

E02 | REFERENCE-SPECIFIC REBUILD v2

Proposed length 46.111 m | 12 reference units | 13 added exterior piers

APPROVED REFERENCE



ACTUAL GEOMETRY RE-READ FROM EXPORTED SKP



Reference proportions preserved by uniform image-to-model scaling; site dimensions are proposed.

External columns are the requested addition. E00 raised fish removed per earlier feedback.

No millimetre reference-match certification or SketchUp Desktop test is claimed. See verification and README.

E03 | REFERENCE-SPECIFIC REBUILD v2

Proposed length 42.320 m | 12 reference units | 13 added exterior piers

APPROVED REFERENCE



ACTUAL GEOMETRY RE-READ FROM EXPORTED SKP



Reference proportions preserved by uniform image-to-model scaling; site dimensions are proposed.

External columns are the requested addition. E00 raised fish removed per earlier feedback.

No millimetre reference-match certification or SketchUp Desktop test is claimed. See verification and README.

P04 | REFERENCE-SPECIFIC REBUILD v2

Proposed length 22.411 m | 11 reference units | 0 added exterior piers

APPROVED REFERENCE



ACTUAL GEOMETRY RE-READ FROM EXPORTED SKP




Reference proportions preserved by uniform image-to-model scaling; site dimensions are proposed.


External columns are the requested addition. E00 raised fish removed per earlier feedback.

No millimetre reference-match certification or SketchUp Desktop test is claimed. See verification and README.

P01 | RECONSTRUCTED 3D DETAIL




P02 | RECONSTRUCTED 3D DETAIL



E01 | RECONSTRUCTED 3D DETAIL



E02 | RECONSTRUCTED 3D DETAIL



53 DISTINCT EXTERIOR PIERS | GEOMETRY SHEET

53 INDIVIDUAL EXTERIOR PIERS | FRONT GEOMETRY READ FROM SKP v2

