

F9: QA Check Summary

Test	Status	Details
Fixed Ratio Sched	PASS	OK: p99/mean CV=0.6268, cvar/mean CV=0.9800
Fixed Ratio Trials	PASS	OK: p99/mean CV=0.7999, cvar/mean CV=1.3353
Monotonicity Load P99	PASS	Monotonicity: 0/4 violations (0.00%)
Monotonicity Load Cvar99	PASS	Monotonicity: 0/4 violations (0.00%)
Monotonicity Load P99 Structured	PASS	Monotonicity: 0/4 violations (0.00%)
Monotonicity Load Cvar99 Structured	PASS	Monotonicity: 0/4 violations (0.00%)
Seed Reproducibility	PASS	Same seed produces identical samples
Seed Reproducibility Treatment	PASS	Treatment seed reproducible
Cvar Ge P99 Sched	PASS	CVaR99 >= p99 for all 52500 rows
Cvar Ge P99 Trials	PASS	CVaR99 >= p99 for all 1200000 trials
P99 Ge P95	PASS	p99 >= p95
Positive Mean	PASS	All mean > 0
Positive P95	PASS	All p95 > 0
Positive P99	PASS	All p99 > 0
Positive Cvar95	PASS	All cvar95 > 0
Positive Cvar99	PASS	All cvar99 > 0
Slo Viol Range	PASS	SLO viol rate in [0,1]
Sit Beats Random P99	PASS	SIT p99=532437 < Random p99=2659274
Sit Beats Random Cvar99	PASS	SIT CVaR=3871632 < Random CVaR=25644088
Cv Correlation	PASS	CV correlation r=0.970 (good)
Sparsity Significant	PASS	Mean top-3 share = 55.2% (sparse)
Irbs Reduces Bias	PASS	Naive bias =11255 > IRBS bias =1414
No Nan Sched	PASS	No NaN in scheduling results
Adversarial Worse	PASS	Adv p99=3239655 > Benign p99=271646
Mismatch Underprediction	PASS	Underprediction rate = 100.0% (significant)
TOTAL	25/25	Pass rate: 100%