



Date: 30/05/2026

To,
The Additional Director(s)
Regional Office (WCZ),
Ministry of Environment, Forest & Climate Change,
Ground Floor, East Wing, New Secretariate Building,
Civil Lines, Nagpur-440001, Maharashtra.


Sub: Submission of Environmental Clearance compliance for (June 2026) construction of
Proposed KSH Infra Park 4 Pvt Ltd Industrial shade located at Gat No. 31/2/1, 31/2/2,
31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13,
31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 at Mahalunge Road, Village Varale, Taluka
Khed, Chakan, Pune, Maharashtra by M/s. KSH Infra Park 4 Pvt Ltd

Ref: Environment Clearance No. SIA/MH/MIS/494245/2024, Dated 30/08/2024

Respected Sir,
We are submitting the current Status of our construction work, monitoring reports, datasheet,
and pointwise environmental clearance compliance status to various stipulations laid down by
the Ministry of Environment and Forest in its Environment Clearance No.
SIA/MH/MIS/494245/2024, Dated 30/08/2024 along with the necessary enclosure and
annexure.

This is for your kind consideration and records. Kindly acknowledge the same.

Thanking you,
Yours Sincerely,
KSH Infra Park 4 Pvt Ltd.


Authorized Signatory



Copy to:

The Member Secretary SEIAA, Environment Department, Room No.217, 2 nd floor, Mantralay, Annexe
Mumbai 400032

The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 2/3/4th floor, Sion Matunga
Scheme, Road No. 8, Opp. Sion Circle, Sion (East), Mumbai-400022.

The Regional Officer, Maharashtra Pollution Control Board, Jog Center, 3rd floor, Mumbai Pune Road,
Wakdewadi, Pune, Maharashtra 411003.

KSH Infra Park 4 Private Limited

Registered Office: 461/ 2, Sadashiv Peth, Tilak Road, Near New English School, Pune, Maharashtra, India 411030
CIN: U45300PN2019PTC182313 | Contact No. 020 66083504 | Email: legal@kshinfra.com

SIX MONTHLY COMPLIANCE REPORT
(June 2026)

M/s. KSH INFRA PARK 4 Pvt Ltd

AT

Gat no. 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8,
31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15,
31/2/16, 31/2/17, 31/2/18 at Mahalunga Road,
Village Varale, Taluka Khed, Chakan, Pune, Maharashtra

SUBMITTED BY

M/s. KSH INFRA PARK 4 Pvt Ltd

(461/2, Sadashiv Peth, Tilak Road, Near New English School, Pune 411030,
Maharashtra)

INDEX

Sr No	Item Description	Page No
1	PART A	
	Current Status of Work	4
2	PART B	
	Pointwise completion Status	6
3	PART C	
	Enclosure I	
	Part I	
	Data Sheet	
	Part I	16
	Part II	19
	Part III	25
	Enclosure II	
	Copy of Environmental Clearance	28
	Enclosure III	
	Copy of Consent to Establish	41
	Enclosure IV	
	Copy of Consent to Operate	59
4	PART D	
	Annexure 1	
	Monitoring Reports (Ambient Air, Water, Soil, Noise).....	77
	Annexure 2	
	Site Photographs.....	86
	Annexure 3	
	Form V.....	89
	Annexure 4	
	Copy of Newspaper Advertisement	94

PART A

CURRENT STATUS OF WORK

CURRENT STATUS OF WORK – June 2026**Current Status Work of the project:** Proposed KSH Infra Park 4 Pvt Ltd

Sr. No.	No. of Buildings	Configuration	Status	Status of the Environmental Management Facilities
1	Shed B1	Shed (ground floor) Office block G+1	Shed B1, B2 & B3 completed	Environmental facility provided (STP & OWC)
2	Shed B2	Shed (ground floor) Office block G+1		
3	Shed B3	Shed (ground floor) Office block G+1		
4	Shed B4	Shed (ground floor) Office block G+1	B4 Building completed, B5-work in progress	
5	Shed B5	Shed (ground floor) Office block G+1		

PART B

POINT WISE COMPLIANCE STATUS

PARTB:**2. Point wise compliance status to various stipulations laid down by the Ministry in its Clearance Letter No. SIA/MH/MIS/494245/2024. Dated 08.04.2025 are as follows:**

Sr. No.	Condition	Status
	Specific Conditions:	
A.	SEAC Conditions-	
1.	PP to submit NOC for water supply, Drainage and Garden	Noted for water supply and Garden NOC, Not Applicable for Drainage NOC
2.	PP to ensure that activities carried out in the sheds do not generate hazardous effluents and PP should submit undertaking mentioning that no activities listed in the schedule of EIA notification, 2006 will be carried out within the industrial sheds and the premises.	Noted
3.	PP to submit Architect's Certificate indicating constructed built-up area till date.	Noted and adhered.
4.	With reference to the directions given by Hon'ble National Green Tribunal, Central Zone Bench, Bhopal in Original Application No. 93/2024(CZ) vide order dt., 08.09.2024, PP and consultant to jointly submit undertaking that the project site is not located in whole or in part within 5 km km. of the protected area notified under the wildlife (Protection) Act, 1972, critically polluted areas and severely polluted areas as identified by the CPCB, eco-sensitive areas notified under section 3(2) of the Environmental (protection) Act, and the inter-state boundaries.	Noted
5.	PP to obtain IOD/IOA/Concession Document/plan Approval or any other form of documents as applicable clarifying its conformity with local planning authority and the planning authority shall not issue occupation certificate unless PP obtain the same.	Noted
6.	PP to Prepare and implement plan to make proposed project a plastic free zone.	We will try to minimize.
7.	PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water.	Noted
8.	PP and the planning authority shall ensure that, the construction and demolition waste (C & D waste) is collected and treated at designated places as per Construction and	Noted

	Demolition Waste Management Rules, 2016 amended from time to time.	
9.	PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021	Noted
10.	PP to ensure to achieve minimum 5% energy saving by using non-conventional energy sources..	Noted
B	SEIAA Conditions-	
1.	PP has provided mandatory RG area of 16046.59 m ² on mother earth without any construction. Local planning authority to ensure the compliance of the same.	Noted
2.	PP to keep open space unpaved so as to ensure permeability of water. However whenever paving is deem necessary, PP to provide grass pavers of suitable type and strength to increase the water permeability area as well as to allow effective fire tender movement.	Noted
3.	PP to achieve at least 5% of total energy requirement from solar/ other renewable sources.	Noted
4.	PP shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019.	Noted
5.	SEIAA after deliberation decided to grant EC for-FSI- 96441.25, Non-FSI 1054.54 m ² , Total BUA- 97495.79 m ² . (Plan approval-No 1857/24-25/8877, dated- 08/04/2025).	Noted
General Conditions		
a) Construction phase:-		
I.	The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	Noted. The solid waste generated during construction phase is segregated and handed over to authorized dealer for further disposal.
II	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Noted and Obeyed. All construction waste is collected & segregated properly. All of it is reused for the construction activity.
III.	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	No hazardous waste generation during construction phase.
IV.	Adequate drinking water and sanitary facilities should be provided for construction workers at	Yes, noted and we will provide

	the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	all the sanitation facility for construction workers. All required sanitary and hygienic measures like safe drinking water facility, Mobile toilets, First aid box will provide.
<u>V.</u>	Arrangement shall be made that waste water and storm water do not get mixed.	Separate waste water and storm water lines will be provided for the disposal of storm water and sewage water.
<u>VI.</u>	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.	Best practices to reduce water demand during construction phase will be adopted. We used pre-mixed concrete in the construction to reduce water demand.
<u>VII.</u>	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Noted
<u>VIII.</u>	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	Water requirement in construction phase is being supplied by Tanker Water supplier & water requirement during operation phase will be met through CGWA.
<u>IX.</u>	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.	We use water efficient technologies in the project to reduce water consumption. Low flow fixtures will be used for showers, toilet flushing.
<u>X.</u>	The Energy Conservation Building Code shall be strictly adhered to.	Noted.
<u>XI.</u>	All the topsoil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.	Top soil excavated during construction activities is stored and used for landscape development.
<u>XII.</u>	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	Noted
<u>XIII.</u>	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Noted
<u>XIV.</u>	PP shall strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975	Noted.

	as amended during the validity of Environment Clearance.	
<u>XV.</u>	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.	Noted
<u>XVI.</u>	Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/ leakage.	Noted
<u>XVII.</u>	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB	All the adequate measures will be implemented to keep ambient air & noise levels in and around construction premises within the permissible norms. Air & noise monitoring reports are attached. <u>Please refer the Annexure 1.</u>
<u>XVIII.</u>	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	Noted The proposed DG sets in the operation phase will be provided with acoustic enclosures, adequate stack height & sampling facility & also will use low Sulphur diesel.
<u>XIX</u>	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell/ designated person.	Noted & agreed. Regular supervision done by our site engineer to take care of the construction activity & of the surrounding.
<u>B)</u>	Operation Phase: -	
<u>I</u>	a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. C) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.	We provided organic waste converter (OWC) facility. dry waste disposed through approved agency.

<u>II.</u>	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.	Noted
<u>III.</u>	a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100% treatment to sewage/ Liquid waste and explore the possibility to recycle at least 50% of water, Local authority should ensure this.	Noted Existing 100 CMD STP provided & 170 CMD capacity STP will provide for waste water treatment. Treated water will be used for flushing and gardening. the STP treats black and grey water, the treatment is as per the MPCB norms.
<u>IV.</u>	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.	Noted We will take final BCC post completion of these activities
<u>V.</u>	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.	Noted
<u>VI.</u>	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	There is no traffic congestion near the entry and exit points from the roads. Parking is fully internalized and no public space is being utilized.
<u>VII.</u>	PP to provide adequate electric charging points for electric vehicles (EVs).	Noted.
<u>VIII.</u>	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Noted and agreed. 850 Nos of tree planted on site
<u>IX.</u>	A separate environment management cell with qualified staff shall be set up for	Noted

	implementation of the stipulated environmental safeguards.	
X.	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise break-up. This cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.	Separate funds are allocated for implementation of EMP during construction phase and Operation phase. the fund which is allocated for environmental protection measures will not be diverted for any purpose. Find attached EMP report in <u>Enclosure 1.</u>
XI.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in	Advertisement was published in Local News Paper English & Marathi (TIMES interact) Copy of News Paper Advertisement was attached. <u>Please refer the Annexure 4.</u>
XII.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Noted and adhered. The EC copy attached. <u>Please refer Enclosure II.</u>
XIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Noted We are submitting six monthly reports regularly along with necessarily documents. Ambient Air Quality monitoring at project site as well as various locations are attached. <u>Please refer the Annexure 1.</u>
c)	General EC Conditions: -	
I.	PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.	Noted.
II.	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a	PP has obtained "Consent to Establish" Certificate from

	copy shall be submitted to the Environment department before start of any construction work at the site.	Maharashtra Pollution Control Board Vide No.:Format 1.0/CC/UAN No. 00003547/CE/2206001651 dated 30/06/2022 PP has obtained "Consent to Establish for Expansion" Certificate from Maharashtra Pollution Control Board Vide No.: Format1.0/CC/UAN No.0000220235/CE/2501002775 Dated 29/ 01/2025 Please refer the Enclosure III & IV
III.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	Environmental clearance has been obtained from the MoEF asvide their ref. SIA/MH/INFRA2/494245/2024 Dated 08/04/2025 Please refer the Enclosure II.
IV.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	We are submitting six monthly reports along with necessary documents to the respective regional office of MOEF and the MPCB.
V.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Noted and Agreed Attached Form -V in Annexure 3
VI.	No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted & agreed. We shall not make any expansion or modification of the project without the prior approval of the Ministry of Environment, Forest and Climate Change (MoEF & CC).
VII.	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing	Not Applicable.

	committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.	
<u>3.</u>	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	Noted
<u>4.</u>	This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.	Noted
<u>5.</u>	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	Noted
<u>6.</u>	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.	Noted
<u>7.</u>	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Waste (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	Noted
<u>8.</u>	Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1 st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted

Please find the same enclosed along with this letter.

Please find all the above mentioned in order and kindly acknowledge the receipt of the same.

M/s. KSH Infra Park 4 Pvt Ltd

Located at Varale, Pune

Thanking you,

Yours Sincerely,

For M/s. KSH Infra Park 4 Pvt Ltd

PART C

**(Datasheet with Enclosure No I, Enclosure No II, Enclosure No
III and Enclosure No IV)**

ENCLOSURE NO. I

(Data Sheet in format with Part – I, Part – II
& Part – III)

Ministry of Environment & Forest
Western Region, Regional Office, Nagpur.

PART – I

DATA SHEET

1.	Project type: River - valley/ Mining / Industry / Thermal / Nuclear / Other (specify)	:	Proposed Industrial Shed Project	
2.	Name of the project	:	Proposed Industrial Shed Project by M/s. KSH Infra Park 4 Pvt Ltd.	
3.	Clearance letter (s) / OM No. and Date	:	Clearance Letter No. SIA/MH/INFRA2/494245/2024, Dated 08/04/2025	
4.	Location	:	Located at Gat No. 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 at Mahalunga Road, Village Varale, Taluka Khed, Chakan, pune, Maharashtra	
	a. District (S)	:	Pune	
	b. State (s)	:	Maharashtra	
5.	Address for correspondence			
	a. Address of Concerned Project Chief Engineer (with pin code & Telephone / telex / fax nnumbers)		Name	Mr. Rohit Kushal Hegde
			Regd. Office address	461/2, Sadashiv Peth, Tilak Road, Near New English School, Pune 411030, Maharashtra.
			Contact number	+020-66083557/551/504
			e-mail	rushid.domadia@kshinfra.com sunny.abraham@kshinfra.com prajakta.ponkshe@kshinfra.com
6.	Salient features			
	a. of the project	:	PART –I	
	b. of the environmental management plans	:	PART –II	
7.	Breakup of the project area	:	Total Plot Area – 170353.0 m ² Total Built-Up Area – 97500.0 m ²	
	a. Submergence area forest & non-forest	:	Not applicable	
	b. Others	:	PART –I	

8.	Breakup of the project affected Population with enumeration of Those losing houses / dwelling units Only agricultural land only, both Dwelling units & agricultural Land & landless laborers/artisan	:	Not Applicable.
	a.	SC, ST/Adivasis	: Not Applicable
	b.	Others (Please indicate whether these Figures are based on any scientific And systematic survey carried out Or only provisional figures, it a Survey is carried out give details And years of survey)	: Not Applicable
9.	Financial details	:	
	a.	Project cost as originally planned and subsequent revised estimates and the year of price reference:	
	1.	Total Cost of the Project	: Rs. 302 Cr.
	b.	Allocation made for environ-mental management plans with item wise and year wise Break-up.	: PART –III
	c.	Benefit cost ratio / Internal rate of Return and the year of assessment	: --
	d.	Whether (c) includes the Cost of environmental management as shown in the above.	: Yes
	e.	Actual expenditure incurred on the project so far	: PART III
	f.	Actual expenditure incurred on the environmental management plans so far	: PART III
10.	Forest land requirement	:	Not Applicable
	a.	The status of approval for diversion of forest land for non-forestry use	: Not Applicable
	b.	The status of clearing felling	: Not Applicable
	c.	The status of compensatory	: Not Applicable

		afforestation, if any		
	d.	Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	:	Not Applicable
11.		The status of clear felling in non-forest areas (such as submergence area of reservoir,	:	Not Applicable
12.		Status of construction	:	PART A Construction work started Shed B1, B2, B3, B4- completed Shed B5 – work in progress.
	a.	Date of commencement (Actual and/or planned)	:	--
	b.	Date of completion (Actual and/or planned)	:	----
13.		Reasons for the delay if the Project is yet to start	:	N. A.
14.		Dates of site visits	:	
	a.	The dates on which the project was monitored by the Regional Office on previous Occasions, if any	:	Not visited yet
	b.	Date of site visit for this monitoring report	:	-
15.		Details of correspondence with Project authorities for obtaining Action plans/information on Status of compliance to safeguards Other than the routine letters for Logistic support for site visits)	:	Not Applicable

PROJECT DETAILS

PART I

Name & Location	:	Proposed KSH Infra Park 4 Pvt Ltd Industrial shade located at Gat No. 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 at Mahalunga Road, Village Varale, Taluka Khed, Chakan, pune, Maharashtra by M/s. KSH Infra Park 4 Pvt Ltd
Total no. Of workers to be employed during the construction phase.	:	100 Nos
Total Project cost	:	Rs. 302 Cr only.
Project infrastructure	:	Proposed KSH Infra Park 4 Pvt Ltd Industrial shade located at Gat No. 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 at Mahalunga Road, Village Varale, Taluka Khed, Chakan, pune, Maharashtra by M/s. KSH Infra Park 4 Pvt Ltd
	:	Total Plot Area – 170353.0 m ² Total Built-Up Area – 97500.0 m ²
Water Requirement and Sources	:	During Construction Phase - From Tankers: 20 m ³ /day (depending upon the activity) During Operational Phase - Total Water Requirement- 442.60 CMD Recycled water- 232 CMD, Fresh Water- 195.0
Sewage generated	:	Waste water Generation: 263.22 CMD
Power	:	During Construction Phase - 1. From MSEDCL: 75 KW Operational Phase - From MSEDCL connected load During Operation Phase (Connected Load): 10108 KW During Operation Phase (Demand Load): 15582 KW D.G Set of Capacity: 1 Nos x 125 KVA, 3 Nos x 500 KVA & 10 Nos x 750 KVA Transformer: 1 No. 315 KVA, 2 No. 500 KVA, 1 No. 630 KVA, 2 No. 800 KVA, 1 No. 1600 KVA, 2 No. 3000 KVA, 2 No. 3750 KVA
Gaseous emissions	:	Pollutants like SPM, and SO ₂ may arise from emissions from DG Sets that will be connected to an appropriately designed vent.
Solid waste from: Garbage: Operation Phase 1. Dry 2. Wet 3. STP sludge	:	45 kg /day. (During Construction Phase) Industrial 1436 kg /day. 957 kg/day 22.75 kg/day

PART II ENVIRONMENTAL IMPACTS AND MANAGEMENT PLAN

No.	Environment al Issues/Impac ts	Mitigation measures	Responsibility	Legal &Other requirements
LOCATION SPECIFIC				
1.	Level difference inLand	- For minimum cutting and filling on site, parking level are planned along the contours and proposed formation levels shall be created by using ramp along thenatural slope. - Proper measures shall be adopted for noise and dust suppression on site and insurrounding areas	Project Proponents /Architects	--
2.	Loss of vegetation	Good Landscaping with good plantation	Contractor/ Project Manager	--
DESIGN SPECIFIC				
1.	Building Height	Height of the building is in accordance with the local planning permissions and aviation NOC	Architects	Guidelines of PMRDA
2.	Incremental runoffdue to Increase in paved areas	Planned RG area: 16046.59 m ² Minimizing the incremental runoff from the site with the help of rain water harvesting	Architects	--
CONSTRUCTION PHASE				
1.	Increase in water demand (15-20 KLD) due to water usage forconstruction, dust suppression and for workers	- Curing water shall be sprayed on concrete structures, free flow of water shall not be allowed for curing. (By use of curing compound) - Use of wet jute cloth/gunny bags instead of water spray for curing activity.	Contractor & Project Manager	--

2.	Sewage generation and disposal	- Disposal of sewage generated to sewerline - Daily watch on sanitation facilities, drains & good housekeeping	Contractor & Project Manager	Water (P & CP) Act 1974
3.	Municipal solid waste generation (45 kg/day) by workers	- Segregation of Biodegradable (27 kg/day) and non-biodegradable garbage (18 kg/day) - Disposal of segregated waste to local body.	Contractor & Project Manager	--
Construction activity				
a.	Dust generation	- Provision of compound wall of adequate height along the periphery of the site - Use of covering sheets while transporting the material	Contractor/ Proponents	--
b.	Noise & Vibration	- Regular noise monitoring to be scheduled to maintain the noise level within the levels prescribed by CPCB during day and night time - Provision of ear plugs to workers - No noise polluting work in night shifts - Provision of barricades along the periphery of the site		
c.	Disruption of soil & runoff	Sedimentary controls to be implemented		
d.	Oil leaks	- Regular maintenance of machineries to prevent and repair leaks - Contaminated soil (if any) disposed to authorized CHWTSDF		
e	Generation of construction waste - Debris/ Excavation material	- Quantity of the debris: - Rock - Used for plinth refilling & road formation - Disposal of hazardous waste to CHWTSDF - Construction waste (Empty Cement Bags, Paint container, other Barrels & Scrap metal) will be handed over/sold to Authorized recyclers	Contractor/ Proponents	--
6	Vehicular movement - Increase in traffic - Air emissions & Noise - Oil leaks	- Proper traffic management for the construction vehicle - Regular maintenance of vehicles with	Project Manager	--
		suitable enclosures and intake silencers Planning and ensuring effective implementation of the waste movement plan for loading and offsite movement in non-traffic hours		

7	Use of DG sets may leads to air and noise pollution	• DG sets with inbuilt acousticclosures • Site compound wall • Regular maintenance	Project Manager	--
8	Impact on health of workers Accidents, Hazards, injuries to workers	• Adequate drinking water, canteen, toilet and bathing facilities • First aid facility • Regular health checkup of workers • Risk assessment and preparation of disaster management plan • Provision of temporary water tank for firefighting and appropriate fire suppression measures • Safety educational and awareness programme • Proper security arrangements	Safety officer	--
OPERATION PHASE				
1.	Increase in water demand	• Use of treated sewage for flushing (97.0 CMD) and gardening (135.0 CMD) • Use of Treated Waste Water for flushing and gardening resulting in reduction of Net water demand by 54 %	Project Proponents/ Society/ Facility Management system	Water Act 1974 as amended
2.	Sewage generation	• Provision of STP of capacity 270(existing 100 and proposed 170 CMD)for treatment of sewage up to tertiary level. • Proper operation and maintenance of STP and Daily analysis of general parameters like pH, BOD, COD and TSS & O & G of the STP outlet to ensure good treatment of waste water with the help of sensors • Ventilation around the STP • Proper arrangements for sludge handling and disposal	Project Proponents/ Society/ Facility Management system	--
3.	Incremental Runoff from site	• Minimizing the incremental runoff from the site with the help of rain water harvesting pits • Proper management of channelization of storm water from site by using proper internal SWD system and two discharge points of having adequate Capacity	Project Proponents/ Society/ Facility Management system	

		• Use of screens and silt traps to SWD • Proper maintenance of storm water drainage to avoid choking of drains and flooding on site • Ensure discharge of storm water from the site is clear of sediment and pollution • Provision of sump pumps • External drain of adequate capacity		
4.	Power demand	Provision of energy saving measures: As per MSEDCL requirements, we are planned to use high efficiency Transformer & to reduce losses. Losses for Transformer will be as per IS standards & ECBC norms. Following is the Energy efficient fixtures should be used in our project for energy conservation: -	Project Proponents/ Society/ Facility Management system	
5.	Use of DG sets may lead to air and noise pollution	• Stack height as per CPCB norms • DG sets with inbuilt acoustic enclosures	Project Proponents/ Society/ Facility Management system	CPCB specification
6.	Vehicular movement • Increase in traffic • Air emissions & Noise • Contamination of soil (if any) leads to Oil leaks	• Provide adequate traffic signs and signage's to notify residents • Install safety mirrors to aid visibility in conflict points • Prevent parking near the Entry and Exit Gate • Provide speed humps to regulate speed of vehicles • Provide pedestrian crossings and dedicated footpath to cater to the walking population • Assign traffic wardens to regulate flow of project traffic during peak hours	Project Proponents/ Society/Facility Management system	--
7.	Odour and unsanitary conditions due to STP and Composting of biodegradable garbage	• Ventilation around STP and OWC area • Proper housekeeping and maintenance	Project Proponents/ Society/ Facility Management system	Air act 1981, as amended

8.	Municipal waste & other solid waste generation	- Informing and educating occupants for solid waste management - Provision of adequate space (OWC) for solid waste management. Proper	Project Proponents/ Society/ Facility	--
		segregation on site to biodegradable and non-biodegradable. - Non-recyclable waste (1436 kg/day): To - Biodegradable waste (957 kg/day) Treatment in Organic Waste Converter (OWC) - End product from OWC and sludge generated from STP shall be used as manure on site - Quarterly monitoring of manure	Management system	
9	Disasters like Fire, lightning, Earthquake etc.	- Preparation of Disaster Management Plan - Provision of Safety officer, Security and First aid team - Regular review of DMP and mock drill - Effective implementation of DMP	Safety Officer	CFO NOC

PART III**ALLOCATION MADE FOR ENVIRON-MENTAL MANAGEMENT PLANS****DURING OPERATION PHASE: CAPITAL INVESTMENT FOR ECOFRIENDLY FEATURES**

Sr. No	Project	Details	Capital Cost (Rs. Lakhs)	O & M Cost/Yea (Rs. Lakhs)
1	Sewage Treatment Plant	STP plant	69.85	7.59
2	Rain Water Harvesting	RWH pits & network	198.0	6.0
3	Solid Waste	OWC	21.75	5.45
4	Landscape	Plantation	425.72	34.05
6	Energy Savings	Energy Conservation	56.0	11.0
7	Environmental Monitoring	Through Lab	0	4.0
8	Disaster Management	Fire & LA	60.0	10.0
9	PPE Kits Health & Safety	Biomedical Waste Management	0	1

ENCLOSURE NO. II
(COPY OF ENVIRONMENTAL CLEARANCE)



File No: SIA/MH/INFRA2/494245/2024

Government of India

Ministry of Environment, Forest and Climate Change

(Issued by the State Environment Impact Assessment Authority (SEIAA),
MAHARASHTRA)



Dated 08/04/2025



To,

Mr Rohit Kushal Hegde
KSH INFRA PARK 4 PRIVATE LIMITED
461/2, Sadashiv Peth, Tilak Road, Near New English School, Pune 411030, Maharashtra, Pune, PUNE,
MAHARASHTRA, 411030
ksh4parivesh@gmail.com

Subject: Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project KSH Infra Park 4 Pvt Ltd Located At Gat No. 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra submitted to Ministry vide proposal number SIA/MH/INFRA2/494245/2024 dated 30/08/2024.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24C3806MH5224757N
(ii) File No.	SIA/MH/INFRA2/494245/2024
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction KSH Infra Park 4 Pvt Ltd Located At Gat No. 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra
(vii) Name of Project	
(viii) Name of Company/Organization	KSH INFRA PARK 4 PRIVATE LIMITED
(ix) Location of Project (District, State)	PUNE, MAHARASHTRA
(x) Issuing Authority	SEIAA
(xii) Applicability of General Conditions	no
(xiii) Applicability of Specific Conditions	no

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.
4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority (SEIAA) Appraisal Committee of SEIAA in the meeting held on 13/03/2025. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 13/03/2025, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. Mr Rohit Kushal Hegde under the provisions of EIA Notification, 2006 and as amended thereof.
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. This issues with the approval of the Competent Authority.

Annexure I

Specific EC Conditions for (Building / Construction)

1. Specific

S. No	EC Conditions
1.1	During discussion following points emerged: 7. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. 9. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021. Decision: - After deliberation, Committee decided to recommend the proposal for Environmental Clearance to SEIAA, subject to compliance of above points.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/494245/2024
 Environment & Climate Change
 Department
 Room No. 217, 2nd Floor,
 Mantralaya, Mumbai- 400032.

To,
 M/s. KSH Infra Park 4 Pvt Ltd.
 461/2, Sadashiv Peth, Tilak Road,
 Near New English School,
 Pune 411030, Maharashtra

Subject : Environmental Clearance for proposed industrial shade Located at Gat No. 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 at Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra by M/s. KSH Infra Park 4 Pvt Ltd.

Reference : Application no. SIA/MH/INFRA2/494245/2024.

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-III in its 200th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 288th (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 13th March, 2025.

2. Brief Information of the project submitted by you is as below: -

1.	Proposal Number	SIA/MH/INFRA2/494245/2024
2.	Name of Project	KSH Infra Park 4 Pvt Ltd Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra 410501
3.	Project category	8a (B2)
4.	Type of Institution	Private Limited
5.	Project Proponent	Name Mr. Rohit Kushal Hegde
		Regd. Office address 461/2, Sadashiv Peth, Tilak Road, Near New English School, Pune 411030, Maharashtra.
		Contact number +020-66083557/551/504
		e-mail rushid.domadia@kshinfra.com , sunny.abraham@kshinfra.com prajakta.ponkshe@kshinfra.com
6.	Consultant	Element Consultancy Services, Pune (NABET Certificate No. NABET/EIA/2326/IA 0127, Valid up to 11/08/2026)
7.	Applied for	New Project
8.	Details of previous EC	NA

9.	Location of the project	Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5,31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13,31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Varale, Tal. Khed, Chakan, Pune.						
10	Latitude and Longitude	Latitude:18°46'59.61"N, Longitude:73°47'52.33"E						
11	Total Plot Area (m ²)	170353.0 m ²						
12	Deductions (m ²)	9887.22 m ²						
13	Net Plot area (m ²)	160465.78 m ²						
14	Proposed FSI area (m ²)	96445.46						
15	Proposed non-FSI area (m ²)	1054.54						
16	Proposed TBUA (m ²)	97500.0 m ²						
17	TBUA (m ²) approved by Planning Authority till date			-				
18	Ground coverage (m ²) & %	92413.23 sq. m (57.59 %)						
19	Total Project Cost (Rs.)	302 Cr						
20	CER as per MoEF & CC circular dated 01/05/2018	Activity	Lo cati on	Cost (Rs.)	Duration			
		We will follow the conditions mentioned in OM						
21	Details of Building Configuration:				Reason for Modifi cation / Change			
	Previous EC / Existing Building		Proposed Configuration					
	Building Name	Confi gurati on	Height (m)	Buildin g Name		Configuration	Height (m)	
	-	-	-	Shed B1		Shed	Ground Floor	13.0
						Office Block	G+1	10.5
	-	-	-	Shed B2		Shed	Ground Floor	13.0
						Office Block	G+1	10.5
	-	-	-	Shed B3		Shed	Ground Floor	13.0
						Office Block	G+1	10.5
	-	-	-	Shed B4		Shed	Ground Floor	13.0
						Office Block	G+1	10.5

				Shed B5	Shed	Ground Floor	13.0	
					Office Block	G+1	10.5	
22	Total number of tenements			Total Tenements/ shops Total 5 Nos. of industrial shed Total Population 9574 Nos.				
23	Water Budget			Dry Season (CMD)		Wet Season (CMD)		
				Fresh Water	195.0	Fresh Water	195.0	
				Recycled (Gardening)	135.0	Recycled (Gardening)	54.0	
				Recycled Flushing	97.0	Recycled Flushing	97.0	
				Swimming Pool	NA	Swimming Pool	NA	
				Total	442.60	Total	427.60	
				Waste water generation	263.22	Waste water generation	263.22	
24	Water Storage Capacity for Firefighting / UGT			Domestic UG tank- 359 CMD (For Bldg. B1, B2, B3: 223 CMD+ Bldg. B4, B5: 69 CMD) Raw water tank- 120 CMD (For Bldg. B1, B2, B3: 74 CMD+ Bldg. B4, B5: 23 CMD) Flushing water tank- 232 CMD Fire UG tank – 1000 CMD				
25	Source of water			Local Body –CGWA/MJP/MIDC				
26	Rainwater Harvesting (RWH)			Level of the Ground water table		Pre-Monsoon: 8-9m Post Monsoon: 10-12m		
				Size and no of RWH tank(s) and Quantity:		NA		
				Quantity and size of recharge pits:		5 Nos of recharge pits Size: 2mX3mX2m 1500cum capacity RWH pond will provide		
				Details of UGT tanks if any:		NA		
27	Sewage and Wastewater			Sewage generation in CMD:		263.22		
				STP technology:		MBBR		
				Capacity of STP (CMD):		Total 270.0 KLD Existing 100 KLD Proposed 170 KLD		
28	Solid Waste Management during Construction Phase			Type	Quantity (kg/d)	Treatment / disposal		
				Dry Waste	18 Kg/day	Through authorized vendor		
				Wet waste	27 Kg/day	Organic waste composter		
				Construction waste	Steel, Tiles, Excavated material etc	Will be handed over to authorized recycler Top soil will be used for landscaping.		
29	Solid Waste Management during Operation Phase			Type	Quantity (kg/d)	Treatment / disposal		
				Dry waste:	1436 kg/day	Will be handed over to		

		Wet waste:	957 kg/day	authorized recycler	
		Hazardous waste:	Negligible	Will be treated in OWC	
		Biomedical waste	NA	Handed over to authorized recyclers	
		E-Waste	39 kg/day	NA	
		STP Sludge (dry)	22.75 kg/day	Will be handed over to authorized recycler	
				Will be used as manure for gardening purpose	
30	Green Belt Development	Total RG area (m ²):	16046.59 m ²		
		Existing trees on plot:	0		
		Number of trees to be planted:	2006 Nos		
		Number of trees to be cut:	00		
		Number of trees to be transplanted:	00		
31	Power requirement	Source of power supply:	MSEDCL		
		During Construction Phase (Demand Load):	100 KVA		
		During Operation phase (Connected load):	10108 KW		
		During Operation phase (Demand load):	15582 KW		
		Transformer	1 No of 315 kVA 2 Nos of 500 kVA 1 No of 630 kVA 2 Nos of 800 kVA 1 No of 1600 kVA 2 Nos of 3000 kVA 2 Nos of 3750 kVA		
		DG set:	1 No. of 125 kVA 3 Nos. of 500 kVA 10 Nos. of 750 kVA		
		Fuel used:	Diesel		
32	Details of Energy saving	• Auto Timer Control for external, common area and utility buildings lightings. • Use of LED lamps inside the building, external lighting of the buildings and utility areas • Solar PV Panel for powering common area lighting & utility is proposed • Detail calculations & % of saving: - 5.0 %			
33	Environmental Management plan budget during Construction phase	Type	Details	Cost	
		Capital	Air, water, land, biological environment	30 Lakh	
		O&M	Air, water and Noise Monitoring	10 Lakh/Annum	
34	Environmental Management plan Budget during	Component	Details	Capital (Rs.in Lacs)	O&M (Rs.in Lacs/Y)

	Operation phase	Storm water	-	-	-
		Sewage treatment	STP	69.85	7.59
		Water treatment	-	-	-
		RWH	Rain Water harvesting	198.0	6.0
		Swimming Pool	-	-	-
		Solid Waste	OWC	21.75	5.45
		Hazardous Waste	-	-	-
		E waste & Dry Waste	Handed over to Authorized Vendor	-	-
		Green Belt Development	---	425.72	34.05
		Energy saving	Renewable energy Solar PV panel	56.0	11.0
		Environmental Monitoring	From MoEF&CC approved lab	-	4.0
		Disaster Management	During operation phase	60.0	10.0
35	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m ²)
		4-Wheeler	485	485	12.50
		2-Wheeler	1451	1451	2.0
		Bicycles	1451	1451	0.50
		Trucks/containers	30.0	30.0	35.0
36	Details of Court cases / litigations w.r.t. the project and project location if any.				

Proposal is new industrial shed construction project. Proposal has been considered by SEIAA in its 288th (Day-3) meeting held on 13th March, 2025. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

SEAC Conditions-

1. PP to submit NOC for water supply, Drainage and Garden.
2. PP to ensure that activities carried out in the sheds do not generate hazardous effluents and PP should submit undertaking mentioning that no Activities listed in the schedule of EIA notification, 2006 will be carried out within the industrial sheds and the premises.
3. PP to submit Architect's certificate indicating constructed built-up area till date.
4. With reference to the directions given by Hon'ble National Green Tribunal, Central Zone Bench, Bhopal in Original Application No. 93/2024(CZ) vide order dt., 08.09.2024, PP and Consultant

to jointly submit undertaking that the project site is **not** located in whole or in part within 5 km. of the protected area notified under the Wildlife (Protection) Act, 1972, critically polluted areas and severely polluted areas as identified by the CPCB, eco-sensitive areas notified under Section 3(2) of the Environment (Protection) Act, and the inter-state boundaries.

5. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same.
6. PP to prepare and implement plan to make proposed project a plastic free zone.
7. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green Tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water.
8. PP and the planning authority shall ensure that, the construction and demolition waste (C & D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time.
9. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
10. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source..

SEIAA Conditions-

1. PP has provided mandatory RG area of 16891.47 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for- FSI area of 96441.25 m², Non FSI area of 1054.54 m² and total BUA of 97495.79 m². (Plan approval No. 1857/24-25/8877, dated 30.12.2024) (FSI restricted as per approval)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent

- authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
 - IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
 - V. Arrangement shall be made that waste water and storm water do not get mixed.
 - VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
 - VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
 - VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
 - XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
 - XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
 - XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
 - XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
 - XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
 - XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets

may be decided with in consultation with Maharashtra Pollution Control Board.

- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region, around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that


the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in

- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

3. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
4. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
6. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
7. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
8. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Vinita Vaid-Singal
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation.
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

Validity unknown

Digitally Signed by : Smt Vinita Vaid Singal
IAS
Member Secretary, SEIAA

Date: 09/04/2025

ENCLOSURE NO. III
(COPY OF CONSENT TO ESTABLISH)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
 4th floor, Opp. Cine Planet
 Cinema, Near Sion Circle,
 Sion (E), Mumbai-400022

Infrastructure/ORANGE/L.S.I

No:- Format1.0/CC/UAN No.0000133547/CE/2206001651

Date: 30/06/2022

To,
 M/s KSH INFRA PARK 4 PRIVATE LIMITED,
 GAT NO 31 TO 34 , 23/1, 23/2, 23/3, 30/1,
 30/2, 27/1, 27/2 ,VILLAGE VARALE, Tal
 KHED Dist Pune



Your Service is Our Duty

Sub: Consent to Establish for Industrial Logistics Park under Orange Category

- Ref:**
1. Application Submitted by SRO Pune-II
 2. Minutes of 5th Consent Committee Meeting held on 24.05.2022

Your application NO. MPCB-CONSENT-0000133547

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. The Consent to establish is granted for period up to Commissioning of the project or 5 Yrs whichever is earlier
2. The capital investment of the project is Rs.233 Cr. (As per undertaking submitted by pp).
3. The Consent to Establish is valid for industrial logistics park named as M/s KSH INFRA PARK 4 PRIVATE LIMITED, GAT NO 31 TO 34 , 23/1, 23/2, 23/3, 30/1, 30/2, 27/1, 27/2 ,VILLAGE VARALE, Tal KHED Dist Pune on Total Plot Area of 170353 SqMtrs for proposed total construction BUA of 91824 SqMtrs including utilities and services.
4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	88.689	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG SETS-125 kVA	01	As per Schedule -II

6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Bio degradable waste	160 Kg/Day	Organic waste Converter with composting facility / Biogas digester with composting facility	As Manure
2	Non Bio degradable waste	180 Kg/Day	Segregation	Hand over to Local Body for recycling
3	STP Sludge	8.8 Kg/Day	Dewatering	As Manure

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	50	Ltr/A	Reprocessing	To Authorized Reprocesser

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
10. Project Proponent shall install online monitoring system for the parameter pH, SS, BOD and flow at the outlet of STP.
11. Project Proponent shall provide Organic waste digester with composting facility or biodigester with composting facility.
12. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
13. The project proponent shall make provision of charging of electric vehicles in atleast 40 % of total available parking area.
14. The project proponent shall take adequate measures to control dust emission and noise level during construction phase.
15. The project proponent shall allow only non-polluting industrial/housing units and shall not allow any industry of category A & B mentioned in EIA Notification 2006
16. The project proponent shall allow the activity mainly involves housing units such as light engineering industries, automobile and automobile ancillary manufacturing industries, electronics and consumable durables, IT hardware, packaging industry, R & D facilities, industrial storage, industrial logistics and industrial assembling.
17. The project proponent shall obtain NOC from Central Ground Water Authority for extraction of ground water. PP shall not use ground water prior to obtain NOC.

18. PP shall submit an affidavit in Boards prescribed format within 15 days regarding compliance of C to E .



33fd0911
f51e42ce
2bdc9384
c4cee9ea
f6b85d92
19402ed0
2b998dde
a87fc94e

Signed by: Ashok Shingare
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2022-06-30 12:40:21 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	466000.00	TXN2203001270	09/03/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I**Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have proposed to provide Sewage Treatment Plant with the design capacity of 100 CMD based on MBBR Technology
- B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH ₄ N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	98.54
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II**Terms & conditions for compliance of Air Pollution Control:**

- 1) As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant Standard
S-1	DG SET-125 kVa	Acoustic Enclosure	3.00	DIESEL 27 Ltr/Hr	1	SO ₂ 12.96 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III**Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to E	Rs 10 Lakhs	15 Days	Compliance of Consent Conditions	upto Commissioning of the Project	upto Commissioning of the Project

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
 # Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV**Conditions during construction phase**

A	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
B	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
C	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.

- 6 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

This certificate is digitally & electronically signed.



ENCLOSURE NO. IV

(COPY OF EXPANSION OF CONSENT TO ESTABLISH)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
 and 4th floor, Opp. Cine
 Planet Cinema, Near Sion
 Circle, Sion (E),
 Mumbai-400022

Infrastructure/RED/L.S.I

No:- Format1.0/CC/UAN No.0000220235/CE/2501002775

Date: 29/01/2025

To,
KSH INFRA PARK 4 PRIVATE LIMITED
 Gat 31/2/1,31/2/2,31/2/3,31/2/4,31/2/5,31/2/6,
 31/2/7,31/2/8,31/2/9,31/2/10,31/2/11,31/2/12,
 31/2/13,31/2/14,31/2/15,31/2/16,31/2/17,31/2/18,
 Mahalunge Road, Village Varale,
 Tal-Khed,Dist-Pune.



Sub: Consent to Establish for expansion for Industrial Logistics Park under Red Category.

- Ref:**
1. Earlier Consent to establish granted by the Board dated 30/6/2022.
 2. Consent to operate (Part) granted by the Board dated 16/2/2024.
 3. The 13th CC minutes of meeting of 2024-25 held on 2/1/2025

Your application NO. MPCB-CONSENT-0000220235

For: Grant of Consent to Establish for expansion under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **The Consent to Establish is granted for period up to Commissioning of the project or upto period 29/6/2027 whichever is earlier.**
2. **The capital investment of the project is Rs.Total CI Rs. 302 Crs (Existing-Rs. 233 Crs + Expansion/Increase in C.I. - Rs. 69 Crs) Cr. (As per undertaking submitted by pp).**
3. **The Consent to Establish is valid for Industrial Logistics Park named as M/s KSH INFRA PARK 4 PRIVATE LIMITED, Gat 31/2/1,31/2/2,31/2/3,31/2/4,31/2/5,31/2/6, 31/2/7,31/2/8,31/2/9,31/2/10,31/2/11,31/2/12,31/2/13,31/2/14,31/2/15,31/2/16,31/2/17,31/2/18,Mahalunge Road, Village Varale,Tal-Khed,Dist-Pune. on Total Plot Area of 170353 SqMtrs for construction BUA of 97495.79 SqMtrs including utilities and services.**

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Consent to establish granted dated 30/6/2022	170353.00	91824.00
2	Consent to operate (Part) granted dated 16/2/2024	170353.00	46298.75

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	0	NA
2.	Domestic effluent	387.74	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S1	DG set 125 KVA	1	As per Schedule - II
S2,S3,S4	DG set 500 KVA	3	As per Schedule - II
S5,S6,S7,S8,S9,S10,S11,S12,S13,S14	DG set 750 KVA	10	As per Schedule - II

6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Dry waste	1436 Kg/Day	Segregation	To Local Body/To Authorized Recycler
2	Wet waste	957 Kg/Day	OWC with composting or Biodigestor with composting	USED AS MANURE
3	STP sludge	39 Kg/Day	Dewatering	USED AS MANURE

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	0.7	Ton/Y	HANDED OVER TO AUTHORIZED RECYLER	HANDED OVER TO AUTHORIZED RECYLER

8. Conditions under E-Waste Management:

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E waste	39.00	Kg/Day	Sale to authorized party

9. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

11. Project Proponent shall provide Organic waste digester with composting facility or biodigester with composting facility.
12. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
13. The project proponent shall make provision of charging of electric vehicles in atleast 30 % of total available parking area.
14. The project proponent shall take adequate measures to control dust emission and noise level during construction phase.
15. PP shall obtain Environmental Clearance from competent authority for the proposed activity. PP shall not take effective steps towards construction without obtaining Environmental Clearance.
16. PP shall submit an affidavit in Boards prescribed format within 15 days regarding compliance of C to E & Environmental Clearance/CRZ Clearance.
17. This consent is issued with overriding effect on earlier consent to establish granted by the Board vide No. Format1.0/CC/UAN No.0000133547/CE/2206001651 dated 30/6/2022.
18. This consent is issued without prejudice to an order passed or may be passed by Hon'ble Court.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.




40b501d7
fe3f3dff
84b60283
e2992fbc
d621c879
c7bbdad2
7fc2cf57
49bfe628

Signed by: Dr. Avinash Dhakne
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-01-29 14:20:37 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	MPCB-DR-29154	10/09/2024	NEFT
2	95014.00	TXN2501001331	09/01/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I**Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity **390 CMD for treatment of domestic effluent of 387.74 CMD.**
- B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	564.07
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Grandening/Other consumption	0

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II**Terms & conditions for compliance of Air Pollution Control:**

- 1) As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(In %)	Pollutant	Standard
S1	DG set 125 KVA	Acoustic Enclosure Stack	3.00	HSD 30.25 Ltr/Hr	1	SO ₂	23.35 Kg/Day
S2,S3,S4	DG set 500 KVA	Acoustic Enclosure Stack	4.50	HSD 322.5 Ltr/Hr	1	SO ₂	154 Kg/Day
S5,S6,S7,S8,S9,S10,S11,S12,S13,S14	DG set 750 KVA	Acoustic Enclosure Stack	4.50	HSD 1650 Ltr/Hr	1	SO ₂	792 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III**Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish for expansion	Rs 10 Lakhs	within 15 days	Towards compliance of consent conditions	Continuous	31/12/2029

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
 # Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV**Conditions during construction phase**

A	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
B	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
C	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
6. The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
7. Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
8. Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.

- 9 Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 10 Solid Waste – The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 11 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 12 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 13 The treated sewage shall be disinfected using suitable disinfection method.
- 14 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 15 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

This certificate is digitally & electronically signed.

ENCLOSURE NO. V

(COPY OF CONSENT TO OPERATE)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
 and 4th floor, Opp. Cine
 Planet Cinema, Near Sion
 Circle, Sion (E),
 Mumbai-400022

Infrastructure/ORANGE/L.S.I

No:- Format1.0/CC/UAN No.0000250335/CO/2508003555

Date: 27/08/2025

To,
KSH INFRA PARK 4 PRIVATE LIMITED
GAT NO 31/2/1 TO 31/2/18,VILLAGE
VARALE,
TAL-KHED,DIST-PUNE.



Sub: Consent to Operate(part) for Industrial logistic park under Orange Category

- Ref:**
1. The consent to operate (Part-I) granted dated 16/2/2024.
 2. Earlier consent to establish for expansion granted dated 29/1/2025.
 3. The 7th Consent Committee meeting of 2025-26 held on 19/8/2025.

Your application NO. MPCB-CONSENT-0000250335

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **The Consent to Operate(Part) is granted for period upto 31/7/2027.**
2. **The capital investment of the project is Rs.37.94 Cr. (As per C.A Certificate submitted by industry).**
3. **The Consent to Operate(Part-II) is valid for Industrial Logistics Park construction project named as KSH INFRA PARK 4 PRIVATE LIMITED, GAT NO 31/2/1 TO 31/2/18,,VILLAGE VARALE,KHED,Pune on Total Plot Area of 170353 SqMtrs for construction BUA of 25200.31 SqMtrs out of Total Construction BUA of 97495.79 SqMtrs as per EC granted dated 8/4/2025 including utilities and services**

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Consent to Establish for expansion dated 29/1/2025	170353.00	97495.00
2	Consent to operate(Part-I) granted dated 16/02/2024	170353.00	46298.75

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	0	NA
2.	Domestic effluent	13.5	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	DG SET 125 KVA	1	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Bio degradable waste	30 Kg/Day	OWC	USED AS MANURE
2	Non Bio degradable waste	40 Kg/Day	NA	Segregate and Hand over to Local body/ sale to scrap Merchant

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	50	Ltr/A	NA	sale to authorised party

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Project Proponent shall operate the Organic waste digester with composting facility or biodigester with composting facility effectively
11. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
12. The project proponent shall make provision of charging of electric vehicles in atleast 30 % of total available parking area.
13. The project proponent shall take adequate measures to control dust emission and noise level during construction phase.
14. The Project Proponent shall comply with the Environmental Clearance obtained vide No SIA/MH/INFRA2/494245/2024 dtd 8/4/2025 for construction project having total plot area of 170353 Sqm and total construction BUA of 97495.79 Sqm as per specific condition of EC.

15. PP shall submit an affidavit in Boards prescribed format within 15 days regarding compliance of C to E & Environmental Clearance/CRZ Clearance.
16. This consent is issued without prejudice to an order passed or may be passed by any Hon'ble Court.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



7029eea8
2b72d708
2cf10f59
0fa23e70
a73d1bc4
97f15926
f9c76975
7cefd898

Signed by: **Dr. Avinash Dhakne**
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-08-27 09:51:15 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	MPCB-DR-35042	01/07/2025	NEFT

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I**Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have provided MBBR based Sewage Treatment Plants (STPs) of combined capacity **100 CMD for treatment of domestic effluent of 13.5 CMD.**
- B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH ₄ N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	15.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Grandening/Other consumption	0

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II**Terms & conditions for compliance of Air Pollution Control:**

- 1) As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
1	DG SET (125 KVA)	Acoustic Enclosure Stack	3.50	DIESEL 27 Ltr/Hr	1	SO ₂	12.96 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III**Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	consent to operate (Part)	Rs:10 Lakhs	within 15 days	Towards compliance of consent conditions and EC conditions	Continuous	31/7/2028

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV**General Conditions:**

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 6 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.

- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

This certificate is digitally & electronically signed.



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
 and 4th floor, Opp. Cine
 Planet Cinema, Near Sion
 Circle, Sion (E),
 Mumbai-400022

Infrastructure/ORANGE/L.S.I

No:- Format1.0/CC/UAN No.0000258140/CO/2511001402

Date: 20/11/2025

To,
 KSH INFRA PARK 4 PRIVATE LIMITED
 GAT NO 31/2/1 TO 31/2/18, VARALE,
 TAL-KHED,DIST-PUNE.



Sub: Grant of Consent to Operate(Part) for Industrial logistic park under Orange Category.

- Ref:**
1. Application submitted by SRO-Pune-II
 2. The 10th Consent committee meeting of 2025-26 held on 30/10/2025.

Your application NO. MPCB-CONSENT-0000258140

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **The Consent to Operate(Part) is granted for period upto 30/9/2027**
2. **The capital investment of the project is Rs.29.44 Cr. (As per undertaking submitted by pp).**
3. **The Consent to Operate is valid for Industrial Logistics Park construction project named as KSH INFRA PARK 4 PRIVATE LIMITED,GAT NO 31/2/1 TO 31/2/18,VILLAGE VARALE,KHED,Pune on Total Plot Area of 170353 SqMtrs for construction BUA of 14758.00 SqMtrs out of Total Construction BUA of 97495.79 SqMtrs as per EC granted dated 8/4/2025 including utilities and services**

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Consent to Establish for expansion dated 29/1/2025	170353.00	97495.00
2	Consent to operate(Part-I) granted dated 16/02/2024	170353.00	46298.75
3	Consent to operate(Part) granted dated 27/08/2025	170353.00	25200.31
4	Environmental Clearance for expansion dtd 8/4/2025	170353.00	97495.79

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	0	0
2.	Domestic effluent	9	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be used on land for gardening in premises only.

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	DG SET 125 KVA	1	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Bio degradable waste	10 Kg/Day	OWC	USED AS MANURE
2	Non Bio degradable waste	15 Kg/Day	NA	Segregate and Hand over to Local body/ sale to scrap Merchant

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	50	Ltr/A	NA	sale to authorised party

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Project Proponent shall operate the Organic waste digester with composting facility or biodigester with composting facility effectively
11. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
12. The project proponent shall make provision of charging of electric vehicles in atleast 30 % of total available parking area.
13. The project proponent shall take adequate measures to control dust emission and noise level during construction phase.
14. The Project Proponent shall comply with the Environmental Clearance obtained vide No SIA/MH/INFRA2/494245/2024 dtd 8/4/2025 for construction project having total plot area of 170353 Sqm and total construction BUA of 97495.79 Sqm as per specific condition of EC.

15. PP shall submit an affidavit in Boards prescribed format within 15 days regarding compliance of C to E & Environmental Clearance/CRZ Clearance.
16. This consent is issued without prejudice to an order passed or may be passed by any Hon'ble Court.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



0fcf479f
835eab00
a538aaf0
9c3ff9e6
ac946661
50179d90
606bc55a
12a9332b

Signed by: **Shri. M. Devender Singh**
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-11-20 15:59:42 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	MPCB-DR-36242	26/08/2025	NEFT

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I**Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have provided MBBR based Sewage Treatment Plants (STPs) of combined capacity **100 CMD for treatment of domestic effluent of 9 CMD.**
- B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH ₄ N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening within premises only.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	10.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Grandening/Other consumption	0

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II**Terms & conditions for compliance of Air Pollution Control:**

- 1) As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
1	DG SET 125 KVA	Acoustic Enclosure Stack	5.00	DIESEL 27 Kg/Hr	1	SO2	12.96 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm3
-------------------------	---------------	------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III**Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to operate(Part)	Rs. 10 Lakh	within 15 days	Towards compliance of consent conditions and EC conditions	continuous	30/9/2028

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV**General Conditions:**

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011).
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 6 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.

- 11 The applicant shall make an application for renewal of the consent at least 120 days before date of the expiry of the consent.

This certificate is digitally & electronically signed.



PART D
ANNEXURES

ANNEXURE NO. 1
AMBIENT AIR, SOIL, NOISE
MONITORING REPORT



**EUROFINE ENVIRO
LAB PVT. LTD.**

Office Address: Gate No.1414, Near Ranjangaon Bus Stop
Ranjangaon, Tal. Shirur, Dist. Pune - 412209.
eurofinelab@gmail.com 9922474646 / 9637345858

TEST REPORT

TEST REPORT					
Report No:		EFEL/2026/05/102		Issue Date	18/05/2026
Name and Address of Customer		KSH Infra Park 4 Pvt Ltd. Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5,31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13,31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra 410501.			
Sample Name		Ambient Air	Sample Description		Ambient Air
Date of Sampling		12/05/2026	Sampling duration		1440 Min
Start Date of Analysis		13/05/2026	End Date of Analysis		18/05/2026
Sampling Location		Near B2 Area	Sampling Procedure		CPCB Guideline for measurement of Ambient Air pollutants Volume I
Dry bulb temperature		36 ⁰ C	Wet bulb temperature		31 ⁰ C
Relative Humidity		40 %	Sampling done by		Eurofine Enviro Lab Pvt. Ltd.
Results					
Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide(SO ₂)	21.4	µg/m ³	≤ 80	IS 5182(Part 2)
2	Oxides of Nitrogen(NO ₂)	27.1	µg/m ³	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM ₁₀	58.3	µg/m ³	≤ 100	CPCB Guideline for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM _{2.5}	32.8	µg/m ³	≤ 60	
5	Carbon Monoxide (CO)	1.06	mg/m ³	≤ 04	
6	Ozone(O ₃)	28.9	µg/m ³	≤ 180	
7	Lead (Pb)	BDL	µg/m ³	≤ 01	
8	Arsenic(As)	BDL	ng/m ³	≤ 06	
9	Nickel(Ni)	BDL	ng/m ³	≤ 20	
10	Ammonia(NH ₃)	BDL	µg/m ³	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	ng/ m ³	≤ 1.0	
12	Benzene(C ₆ H ₆)	BDL	µg/m ³	≤ 05	IS 5182 (Part 11)
Remark- All above results are within National Ambient Air Quality standards. BDL – Below Detectable Limit.					



Shelar

Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 45001 : 2018



**EUROFINE ENVIRO
LAB PVT. LTD.**

Office Address: Gate No.1414, Near Ranjangaon Bus Stop
Ranjangaon, Tal. Shirur, Dist. Pune - 412209.
eurofinelab@gmail.com 9922474646 / 9637345858

TEST REPORT

TEST REPORT					
Report No:		EFEL/2026/05/103		Issue Date	18/05/2026
Name and Address of Customer		KSH Infra Park 4 Pvt Ltd. Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5,31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13,31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra 410501.			
Sample Name		Ambient Air		Sample Description	Ambient Air
Date of Sampling		12/05/2026		Sampling duration	1440 Min
Start Date of Analysis		13/05/2026		End Date of Analysis	18/05/2026
Sampling Location		Near B4 Area		Sampling Procedure	CPCB Guideline for measurement of Ambient Air pollutants Volume I
Dry bulb temperature		36°C		Wet bulb temperature	31 °C
Relative Humidity		40 %		Sampling done by	Eurofine Enviro Lab Pvt. Ltd.
Results					
Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide(SO ₂)	17.7	µg/m ³	≤ 80	IS 5182(Part 2)
2	Oxides of Nitrogen(NO ₂)	23.4	µg/m ³	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM ₁₀	56.9	µg/m ³	≤ 100	CPCB Guideline for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM _{2.5}	27.3	µg/m ³	≤ 60	
5	Carbon Monoxide (CO)	0.90	mg/m ³	≤ 04	
6	Ozone(O ₃)	24.7	µg/m ³	≤ 180	
7	Lead (Pb)	BDL	µg/m ³	≤ 01	
8	Arsenic(As)	BDL	ng/m ³	≤ 06	
9	Nickel(Ni)	BDL	ng/m ³	≤ 20	
10	Ammonia(NH ₃)	BDL	µg/m ³	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	ng/ m ³	≤ 1.0	IS 5182 (Part 11)
12	Benzene(C ₆ H ₆)	BDL	µg/m ³	≤ 05	
Remark- All above results are within National Ambient Air Quality standards. BDL – Below Detectable Limit.					



Shelar

Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 45001 : 2018



**EUROFINE ENVIRO
LAB PVT. LTD.**

Office Address: Gate No.1414, Near Ranjangaon Bus Stop
Ranjangaon, Tal. Shirur, Dist. Pune - 412209.

eurofinelab@gmail.com 9922474646 / 9637345858

TEST REPORT

TEST REPORT					
Report No:	EFEL/2026/05/104		Issue Date	18/05/2026	
Name and Address of Customer	KSH Infra Park 4 Pvt Ltd. Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5,31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13,31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra 410501.				
Sample Name	Ambient Air	Sample Description		Ambient Air	
Date of Sampling	12/05/2026	Sampling duration		1440 Min	
Start Date of Analysis	13/05/2026	End Date of Analysis		18/05/2026	
Sampling Location	Near B5 Area	Sampling Procedure		CPCB Guideline for measurement of Ambient Air pollutants Volume I	
Dry bulb temperature	36 ⁰ C	Wet bulb temperature		31 ⁰ C	
Relative Humidity	40 %	Sampling done by		Eurofine Enviro Lab Pvt. Ltd.	
Results					
Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide(SO ₂)	19.3	µg/m ³	≤ 80	IS 5182(Part 2)
2	Oxides of Nitrogen(NO ₂)	26.8	µg/m ³	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM ₁₀	58.4	µg/m ³	≤ 100	CPCB Guideline for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM _{2.5}	29.6	µg/m ³	≤ 60	
5	Carbon Monoxide (CO)	0.98	mg/m ³	≤ 04	
6	Ozone(O ₃)	26.1	µg/m ³	≤ 180	
7	Lead (Pb)	BDL	µg/m ³	≤ 01	
8	Arsenic(As)	BDL	ng/m ³	≤ 06	
9	Nickel(Ni)	BDL	ng/m ³	≤ 20	
10	Ammonia(NH ₃)	BDL	µg/m ³	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	ng/ m ³	≤ 1.0	
12	Benzene(C ₆ H ₆)	BDL	µg/m ³	≤ 05	IS 5182 (Part 11)
Remark- All above results are within National Ambient Air Quality standards. BDL – Below Detectable Limit.					



Shelar

Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 45001 : 2018



**EUROFINE ENVIRO
LAB PVT. LTD.**

Office Address: Gate No.1414, Near Ranjangaon Bus Stop
Ranjangaon, Tal. Shirur, Dist. Pune - 412209.
eurofinelab@gmail.com 9922474646 / 9637345858

TEST REPORT					
Report No:	EFEL/2026/05/105		Issue Date	18/05/2026	
Name and Address of Customer	KSH Infra Park 4 Pvt Ltd. Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra 410501.				
Sample Name	Noise	Sample Description	Ambient Noise		
Date of Sampling	12/05/2026	Sampling duration	Spot Time		
Sampling done by	Eurofine Enviro Lab Pvt. Ltd.				
Results					
Sr. No.	Locations	12.30 Hrs Result dB(A) Day	22.00 Hrs Result dB(A) Night	Specifications (CPCB Standards dB(A))	Method
1.	Near B2 Area	60.8	54.7	75/70	CPCB Guideline
2.	Near B4 Area	56.9	52.3		
3.	Near B5 Area	62.4	56.1		
Remark- ➤ All above Noise level results are within Central Pollution Control Board Standards limit. ➤ Day/Night -75/70 dB.					



Shelar
Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 45001 : 2018



Office Address: Gate No.1414, Near Ranjangaon Bus Stop
Ranjangaon, Tal. Shirur, Dist. Pune - 412209.
eurofinelab@gmail.com 9922474646 / 9637345858

TEST REPORT					
Report No:	EFEL/2026/05/106		Issue Date	18/05/2026	
Name and Address of Customer	KSH Infra Park 4 Pvt Ltd. Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5,31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13,31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra 410501.				
Sample Name	Water		Sample Description	Drinking Water	
Date of Sampling	12/05/2026		Sampling duration	---	
Start Date of Analysis	13/05/2026		End Date of Analysis	18/05/2026	
Sampling Location	Near Office		Sampling Procedure	APHA 1060	
Sampling done by	Eurofine Enviro Lab Pvt. Ltd.		Sample Quantity	2 Ltr	
Results					
Sr. No.	Parameter4	Results	Unit(s)	Specifications (IS 10500)	Methods
1	pH at 25°C	7.34	--	6.5 to 8.5	APHA 4500 H+ A, 24 th Ed. 2023
2	Total Dissolved Solids TDS	48.0	mg/L	<500	IS 3025 (Part 16): 2023
3	Total Hardness (as CaCO ₃)	21.0	mg/L	<200	IS 3025 (Part 21)
4	Total Alkalinity	8.00	mg/L	<200	IS 3025 (Part 23)
5	Sulphate (as SO ₄)	6.57	mg/L	<200	APHA 4500 SO ₄ 2-,E,24th Ed.2023
6	Nitrate(as NO ₃)	0.26	mg/L	<45	APHA 4500 NO ₃ – B ,24 th Ed.2023
7	Fluoride (as F)	<0.05	mg/L	<1.0	APHA 4500-F- D, 24th Ed.2023
8	Residual Free Chlorine	<0.05	mg/L	<0.2	IS 3025 (Part-26) Reaff 2019
9	Chloride (as Cl)	11.3	mg/L	<250	IS 3025 (Part 32)
10	Calcium (as Ca)	4.68	mg/L	<75	IS 3025 (Part 40)
11	Magnesium (as Mg)	1.93	mg/L	<30	IS 3025 (Part 46)
12	Iron (as Fe)	<0.05	mg/L	<0.3	APHA 3111, 24th Ed. 2023
13	Total Coliform	<2	MPN/100ml	<2	IS 1622:1981
14	E.coli.	<2	MPN/100m	<2	IS 1622:1981
Remark-					
➤ The above water sample is Comply with required limit as per 10500:2012.					
➤ For Total Coliform &E.coli. <2 can be consider as Zero [Refer IS:1622 (R.A.1996), Table No.-4].					



Shelar
Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 45001 : 2018



Office Address: Gate No.1414, Near Ranjangaon Bus Stop
Ranjangaon, Tal. Shirur, Dist. Pune - 412209.
eurofinelab@gmail.com 9922474646 / 9637345858

TEST REPORT					
Report No:		EFEL/2026/05/107		Issue Date	18/05/2026
Name and Address of Customer		KSH Infra Park 4 Pvt Ltd. Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5,31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13,31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra 410501.			
Sample Name		Waste Water		Sample Description	STP Outlet
Date of Sampling		12/05/2026		Sampling duration	--
Start Date of Analysis		13/05/2026		End Date of Analysis	18/05/2026
Sampling Location		--		Sampling Procedure	APHA 1060
Sampling done by		Eurofine Enviro Lab Pvt. Ltd.		Sample Quantity	2 L
Results					
Sr. No.	Parameters	Results	Unit(s)	MPCB Limit	Methods
1	pH	7.29	--	5.5 - 9.0	APHA 4500 H+ A, 24 th Ed. 2023
2	Total Suspended Solids TSS	15.00	mg/L	≤100	APHA 2540 D, 24 th Ed. 2023
3	Total Dissolved Solids TDS	406.0	mg/L	≤2100	APHA 4500 H+ A, 24 th Ed. 2023
4	Chemical Oxygen Demand COD	28.0	mg/L	≤250	IS 3025 (Part 58)
5	Biochemical Oxygen Demand BOD at 27°C for 3 days	9.0	mg/L	≤100	IS 3025 (Part 44)
6	Oil & Grease	<5.0	mg/L	≤10	APHA 5520 B, 24 th Ed. 2023
7	Chloride (as Cl)	62.3	mg/L	<600	IS 3025 (Part 32): 1988
8	Sulphate (as SO4)	37.9	mg/L	<1000	APHA 4500 SO ₄ ²⁻ -E, 24 th Ed. 2023
Remark- All Parameters are Within MPCB Limit.					



Shelar

Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 45001 : 2018



**EUROFINE ENVIRO
LAB PVT. LTD.**

Office Address: Gate No.1414, Near Ranjangaon Bus Stop
Ranjangaon, Tal. Shirur, Dist. Pune - 412209.
eurofinelab@gmail.com 9922474646 / 9637345858

TEST REPORT

Report No:	EFEL/2026/05/108	Issue Date	18/05/2026
Name and Address of Customer	KSH Infra Park 4 Pvt Ltd. Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra 410501.		
Sample Name	Waste Water	Sample Description	STP Inlet
Date of Sampling	12/05/2026	Sampling duration	--
Start Date of Analysis	13/05/2026	End Date of Analysis	18/05/2026
Sampling Location	--	Sampling Procedure	APHA 1060
Sampling done by	Eurofine Enviro Lab Pvt. Ltd.	Sample Quantity	2 L

Results

Sr. No.	Parameters	Results	Unit(s)	Methods
1	pH	6.97	--	APHA 4500 H+ A, 24 th Ed. 2023
2	Total Dissolved Solids TDS	758.00	mg/L	APHA 4500 H+ A, 24 th Ed. 2023
3	Total Suspended Solids TSS	109.00	mg/L	APHA 2540 D, 24 th Ed. 2023
4	Chemical Oxygen Demand COD	68.0	mg/L	IS 3025 (Part 58)
5	Biochemical Oxygen Demand BOD at 27°C for 3 days	23.0	mg/L	IS 3025 (Part 44)
6	Oil & Grease	<5.0	mg/L	APHA 5520 B, 24 th Ed. 2023
7	Chloride (as Cl)	214.7	mg/L	IS 3025 (Part 32): 1988
8	Sulphate (as SO ₄)	109.2	mg/L	APHA 4500 SO ₄ ²⁻ E, 24 th Ed. 2023



Shelar
Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 45001 : 2018


**EUROFINE ENVIRO
LAB PVT. LTD.**

Office Address: Gate No.1414, Near Ranjangaon Bus Stop
Ranjangaon, Tal. Shirur, Dist. Pune - 412209.
eurofinelab@gmail.com 9922474646 / 9637345858

TEST REPORT

Report No:	EFEL/2026/05/109	Issue Date	18/05/2026
Name and Address of Customer	KSH Infra Park 4 Pvt Ltd. Located at Gat 31/2/1, 31/2/2, 31/2/3, 31/2/4, 31/2/5, 31/2/6, 31/2/7, 31/2/8, 31/2/9, 31/2/10, 31/2/11, 31/2/12, 31/2/13, 31/2/14, 31/2/15, 31/2/16, 31/2/17, 31/2/18 Mahalunge Road, Village Varale, Taluka Khed, Chakan, Pune, Maharashtra 410501.		
Sample Name	Soil	Sample Description	Soil
Date of Sampling	12/05/2026	Sampling duration	--
Start Date of Analysis	13/05/2026	End Date of Analysis	18/05/2026
Sampling Location	-	Sampling Procedure	--
Sampling done by	Eurofine Enviro Lab Pvt. Ltd.	Sample Quantity	01 kg

Results

Sr. No.	Parameters	Results	Unit(s)	Methods
1	Soil Texture	Sand, Silt, Clay		Manual Of Soil Testing
2	pH at 25°C	7.32	--	IS 2720(Part 26) 1987
3	EC at 25°C	1056	µS/cm	IS 14767 : 2000
4	Moisture Content	17.0	%	Manual Of Soil Testing
5	Organic Matter	1.48	%	IS 2720(Part 22) 1972
6	Cation Exchange Capacity	29.3	meq/100g	Manual Of Soil Testing
7	Total Soluble Sulphate	15.2	mg/Kg	Manual Of Soil Testing
8	Available Phosphorus	8.94	mg/Kg	Manual Of Soil Testing
9	Available Nitrogen	236.1	mg/Kg	Manual Of Soil Testing
10	Water Holding	34.7	%	Manual Of Soil Testing
11	Calcium as (Ca)	23.4	mg/Kg	Manual Of Soil Testing
12	Magnesium as (Mg)	13.9	mg/Kg	Manual Of Soil Testing
13	Lead (as Pb)	0.17	mg/Kg	Manual Of Soil Testing
14	Chlorides as Cl	24.3	mg/Kg	Manual Of Soil Testing
15	Zinc (as Zn)	1.46	mg/Kg	Manual Of Soil Testing
17	Iron (as Fe)	5.09	mg/Kg	Manual Of Soil Testing



Shelar
Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road,
Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

Certifications: ISO 9001 : 2015
• ISO 14001: 2015 • ISO 45001 : 2018

ANNEXURE NO. 2

Site Photographs





ANNEXURE NO. 3

Copy of Form V



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2025

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000084053

Submitted Date

18-09-2025

PART A

Company Information

Company Name

M/s KSH INFRA PARK 4 PRIVATE LIMITED

Application UAN number

MPCB-CONSENT-0000191413

Address

GAT NO 31 TO 34 23/1, 23/2, 23/3, 30/1,
30/2, 27/1, 27/2,VILLAGE VARALE ,KHED,
Pune

Plot no

GAT NO 31 TO 34 23/1, 23/2, 23/3, 30/1,
30/2, 27/1, 27/2

Taluka

Khed

Village

Varale

Capital Investment (In lakhs)

17601

Scale

LSI

City

Varale

Pincode

410501

Person Name

MR RUSHID DEVENDRA DOMADIA

Designation

CHIEF OPERATING OFFICER

Telephone Number

9763722454

Fax Number

0

Email

rushid.domadia@kshinfra.com

Region

SRO-Pune II

Industry Category

Orange

Industry Type

O21 Building and construction project more
than 20,000 sq. m built up area

**Last Environmental statement
submitted online**

yes

Consent Number

Format1.0/CC/UAN
No.0000191413/CO/2402001440

Consent Issue Date

2024-02-16

Consent Valid Upto

2026-01-31

Establishment Year

2024

**Date of last environment statement
submitted**

Feb 11 2025 12:00:00:000AM

**Industry Category Primary (STC
Code) & Secondary (STC Code)**

Product Information

Product Name

This is construction project

Consent Quantity

0

Actual Quantity

0

UOM

By-product Information

By Product Name

NA

Consent Quantity

0

Actual Quantity

0

UOM

CMD

NA

0

0

CMD

Part-B (Water & Raw Material Consumption)**1) Water Consumption in m3/day**

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
Cooling	0.00	0.00
Domestic	49.69	48.20
All others	0.00	0.00
Total	49.69	48.20

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Domestic effluent	44.72	44.72	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
NA	0	0	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
NA	0	0	CMD

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
HSD	27	27	Ltr/Hr

Part-C**Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)****[A] Water**

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour	Percentage of variation from prescribed standards with reasons	Standard	Reason
Monitoring Reports attached	0	0	%variation 0	0	Within MPCB Limit

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/NM3)	Percentage of variation from prescribed standards with reasons	Standard	Reason
DG SET 125 KVA (Monitoring reports attached)	0	0	%variation 0	NS	Within MPCB Limit

Part-D

HAZARDOUS WASTES**1) From Process**

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	00	00	Ltr/A

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	

Part-E**SOLID WASTES****1) From Process**

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Wet waste (Kg/day)	00	60	Kg
Dry waste (Kg/day)	00	80	Kg

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
STP sludge	00	00	Kg

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	00	00	Kl

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used or spent oil	50	Ltr/A	NA

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Bio-degradable Waste (kg/day)	60	Kg	OWC followed by composting facility
Non-Biodegradable Waste (kg/day)	80	Kg	Segregation
NA	00	Kg	NA

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
0	0	0	0	0	0	0

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection

Environmental Protection Measures

Capital Investment (Lacks)

STP, OWC, Solar Energy, Landscape,RWH

Environment monitoring

1

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection

Environmental Protection Measures

Capital Investment (Lacks)

STP, OWC, Solar Energy, Landscape,RWH

Environment monitoring

1

Part-I

Any other particulars for improving the quality of the environment.

Particulars

Environmental Monitoring & Analysis carried out on regular intervals.. All the domestic wastewater after treatment will be used for flushing and gardening.

Name & Designation

MR RUSHID DEVENDRA DOMADIA

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000084053

Submitted On:

18-09-2025

ANNEXURE NO. 4
Advertisement



TIMES *interact*
Connecting People. Connecting Needs.

To book your ad

Connecting People, Connecting Needs.

[illegible][illegible][illegible][illegible]

SHOPPING MART

BIG INDIA CRAFT EXPO 2025

EXHIBITION CUM SALE

१० अप्रैल से ३० अप्रैल २०२५

उप-बजार : २८ वीं एन सी ए स्थापना चौक



- पुरु शिल्पक कलाओं में नजरें वेगड़ें
- भारतीय शिल्प - बाँवत सार
- कलाई धरतें - नंदीन
- सारनी की कलियाँ हैं
- पुरानी कला - रामनाथजी चौक
- कलाकार - अजयनाथ
- पट्टिहार - कला कला
- सके कलाकार कोषागार

Wholesale Special Discount

Kala Premium Bada Rs. 150 to 500 per kg. Other bades Rs. 99 onwards

मुसोफा छापरड, दुम टावर,
विशेष प्रसंग जलक कलाकार बाजार, पुणे

Entry Free | Parking Free | All Debit & Credit Cards Accepted

माला

हैन्डलूम एक्सपोज़

ता. ५ ते २८ अप्रैल २०२५

• महिला शिल्पक • जेवर • कलाई • ओडीश •
• हस्तकला • कलाई की कला • ओडीश कला •
• महिला शिल्पक • पुणे • पुणे कलाई • ओडीश •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •

More than 50000+
Verity Under one roof

जुलैरी कला • पुणे • पुणे कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •

SPECIAL OFFER **BOOKS** **Rs. 180/-**
UP TO 80% OFF **ON** **KG** **Rs. 100/-**

जुलैरी कला • पुणे • पुणे कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •

ओपन हाउसिंग - मुंबई
कलाकार बाजार, पुणे • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •
• महिला शिल्पक • ओडीश कला • ओडीश कला •

[illegible][illegible][illegible]

TRAVEL DESTINATION

[illegible]

HEALTH & WELLNESS



DR. JOSHI'S
HORMONAL THERAPY & RESEARCH CENTRE



कैंसर च्या विरुद्ध यशस्वी लढा

हार्मोनाय्किक द्रुविकेनातून गंभीर विकार्या काळा

आय मुक्त जीवन जगा...

CA PECTUM (HISTOLOGY)
CA 125 Tumor Marker Test

Date : 12.08.2024
Before our treatment: 82.7

Date : 12.10.2024
After our treatment: 8.4



Happy 67%

Last Month's Patient: 88

- NO Chem
- NO Radiation
- NO Recurrence

- NO Side Effects
- Holistic Approach
- Plant Based Medicine



मराठीत, फार्म, मॅड, डॉक



www.drjoshis.in

मराठीत, फार्म, मॅड, डॉक

DR. PRASHANT JOSHI

DR. ANITA JOSHI

[illegible][illegible]

THANK YOU