Team Introduction

Role	Name
Project Manager	Syed Qasim Abbas
IT Developer	Sana Kashif Kainat
IT QA Analyst	Taimour Ahmed Ahmer
Designer	Neha

Version 1.0

Document Log:

	Name	Designation	Version Number	Date
Created By	Taimour Ahmed	QA Lead	1.0	18-10-2025
Reviewed By	Qasim Abbas	Project Manager	1.0	19-10-2025
Updated By	Taimour Ahmed	QA Lead	1.1	20-10-2025

1. Introduction:

1.1 Overview of FOODPAPA Mobile Application:

- **FoodPapa** is an online **food ordering and delivery platform** designed to connect customers with local restaurants and delivery riders.
- The website allows **customers** to browse nearby restaurants, explore menus, add items to the cart, and place food orders for home delivery or pickup.
- It provides **real-time order tracking**, so customers can monitor the status of their orders from preparation to delivery.
- **Restaurant partners** can register on the platform to manage their menus, prices, and incoming orders through a dedicated partner dashboard.
- **Delivery riders** can also register to receive and deliver customer orders, helping restaurants fulfill deliveries efficiently.
- The application includes **secure payment options**, **order history**, and **notification features** for updates and alerts.

- It is designed to be **responsive and user-friendly**, working smoothly across **desktop and mobile browsers**.
- The system supports **multiple cities and regions**, allowing users to select their delivery location for better service coverage.
- FoodPapa aims to ensure a **fast, convenient, and reliable experience** for customers, restaurants, and delivery riders by integrating all services on one unified platform.

2. Purpose of this Document:

- The purpose of this Test Plan document is to define the **strategy, objectives, scope, and approach** for testing the FoodPapa website.
- It provides a **clear understanding of what features will be tested**, how the testing will be performed, and the responsibilities of the QA team.
- This document ensures that **all key functionalities** of the FoodPapa platform including customer ordering, restaurant management, and rider operations are **verified for accuracy, performance, and reliability**.
- It serves as a **guide for testers and stakeholders**, helping to maintain consistency, traceability, and quality throughout the testing process.
- The Test Plan also helps in **identifying risks, required resources, testing environments, and deliverables** before the actual execution phase begins.
- Additionally, this document acts as a **reference guide for any new QA member** joining the team. In case an existing team member **resigns or leaves the project**, the new tester can easily understand what has already been tested, what remains pending, and how the overall testing process is managed ensuring a **smooth and uninterrupted workflow**.

3. Scope of Test Approach – Systems Functions:

3.1 In Scope:

The following functionalities and modules of the **FoodPapa website** are included within the scope of testing:

- User Registration & Login
- Restaurant Browsing & Menu Display
- Add to Cart & Checkout Process
- Order Placement & Tracking
- Restaurant Partner Module
- Rider Module
- Payment Integration
- Notifications & Alerts
- UI/UX and Responsiveness
- Basic Security Testing

QA Resource Allocated:

1. Taimour Ahmed
2. Ahmer

QA Backup Resource:

1. Sadia

3.2 Out of Scope:

- Development-related activities (code implementation and bug fixing)
- Third-party service maintenance or configuration (e.g., payment gateway setup by vendor)
- Content writing and UI design changes not related to QA validation
- Infrastructure setup and server-level configurations
- Business or marketing-related testing (like campaign or SEO testing)

4. Testing Types:

- Functional Testing
- Integration Testing
- System Testing
- Regression Testing
- Smoke Testing
- Sanity Testing
- User Interface (UI) Testing
- Compatibility Testing (Desktop, Mobile, Web)
- Cross-Browser Testing
- Performance Testing
- Load & Stress Testing
- Security Testing
- Usability Testing
- Acceptance Testing
- Automation Testing

5. System Test Entrance & Exit Criteria:

5.1 Entrance Criteria:

These are the conditions that must be met **before testing can begin**.
Testing will start only when the following criteria are satisfied:

- The FoodPapa website build is successfully deployed to the QA environment.
- All required modules and features for the current sprint/release are available and stable.
- **All developed code must be unit tested** before being delivered to QA.
- **All credentials are provided** (e.g., Test User Accounts, Access to Database, APIs, and Admin Panel).
- Test data and test environment are properly set up and verified.

- Functional requirements, user stories, and acceptance criteria are clearly defined and approved.
- Necessary testing tools and access credentials (for web, mobile, and backend) are available.
- QA team has reviewed relevant documents (SRS, design, or user stories).
- Any high-severity defects from previous builds are resolved or closed.

5.2 Exit Criteria:

These are the conditions that **must be met before testing can be considered complete**. Testing will be stopped or closed when the following criteria are met:

- All planned test cases have been executed (manual and automation).
- All critical and major defects have been fixed and verified.
- No open high-severity bugs remain in the system.
- Regression testing has been completed successfully.
- Test results, reports, and metrics have been documented and reviewed.
- The QA team has signed off after validating system stability and readiness for release.
- All deliverables (test cases, bug reports, test summary) are submitted and approved.

6. Deployment Test Plan:

The deployment of the FoodPapa application will be carried out in multiple environments to ensure smooth transition from development to production. Each environment serves a specific purpose in the testing and release cycle.

1. Local Machine Environment

- This is the **developer's environment**, where initial coding and unit testing take place.
- Developers verify that the new code works properly before committing changes to the shared repository.
- Basic validations and debugging are performed here.
- **Goal:** Ensure the code is stable enough to move to the test environment.

2. Test Environment

- This environment is used by the **QA team** for detailed testing.
- Functional, integration, and regression testing are performed here.
- QA verifies all core features such as registration, login, order placement, payment, and notifications.
- **Goal:** Identify and fix functional or integration issues before promoting to staging.

3. Staging Environment

- Staging is a **pre-production environment** that closely mirrors the live production setup.

- Final round of sanity, performance, and compatibility testing is performed here.
- It is used for **UAT (User Acceptance Testing)** and deployment rehearsals.
- **Goal:** Validate that the system is production-ready and all configurations are correct.

4. Production Environment

- This is the **live environment** accessible to real users.
- The deployment here happens only after QA sign-off from the staging environment.
- Post-deployment sanity testing is performed to ensure that all core functionalities work as expected.
- **Goal:** Deliver a stable, error-free experience to end users.

7. Deliverables:

7.1 Bug Status Summary:

- The QA team will maintain and update a **Bug Status Summary Report** to track all identified defects throughout the testing cycle.
- This report will include details such as **bug ID, description, severity, priority, module name, reported date, assigned developer, status, and resolution date.**
- The purpose of this report is to provide **clear visibility** of the current defect status, helping the project team monitor progress and prioritize fixes.
- **Bug reports/status updates will be provided weekly** at the Project Manager's discretion, or more frequently if critical issues arise.
- The QA team will also ensure that **all closed bugs are verified** before marking them as resolved in the final test summary.
- The final Bug Summary Report will be included as part of the **Test Closure Deliverables**.

8. Testing Process:

8.1 Testing:

- The QA team will execute all designed **test cases** according to the defined test plan.
- Each test case will be executed in both **manual and automated environments** (where applicable).
- The objective is to ensure that all system functionalities work as expected across **web, mobile, and desktop** platforms.

8.2 Reporting:

- Any defect or issue identified during testing will be **logged in JIRA** (or the assigned defect management tool).
- Each bug report will include **detailed steps to reproduce**, screenshots, severity, and environment details.
- QA will **assign the reported bug** to the respective **Developer** and **notify the Project Manager** for tracking and prioritization.

8.3 Fixing:

- The **Developer** will analyse and fix the assigned bugs as per their **priority and impact**.
- Once resolved, the developer will **update the bug status** in JIRA and **reassign it to QA** for verification.

8.4 Verification:

- The QA team will **verify the fixes** by re-executing the relevant test cases.
- If the issue is resolved, it will be marked as **"Fixed"** or **"Closed"** depending on the workflow.
- QA will also perform **regression testing** if necessary to ensure no new defects were introduced.

8.5 Closure:

- Once all high and medium severity bugs are verified as fixed, QA will mark them as **Closed** in JIRA.
- The QA lead will ensure that **closure comments and verification evidence** are properly documented.
- A summary of all closed defects will be included in the **final test report**.

8.6 Not Fixed:

- If a reported bug is **not fixed or reoccurs**, QA will **reopen or reassign** the bug to the developer for further investigation.
- Repeated or unresolved bugs will be **highlighted in the daily/weekly bug report** to ensure visibility to the Project Manager.

9. Error Management & Configuration Management:

During the **System Testing phase**, all detected errors will be **reported in JIRA** as soon as they are identified on the test environment.
If duplicate bugs are found, the **Project Manager (PM)** will close those duplicates to avoid rework.

Bugs that are confirmed as valid will be categorized by the **Error Review Team** as follows:

- **Priority 1:** Serious errors that prevent system testing of a particular function from continuing or serious data-type errors.
- **Priority 2:** Serious or missing data-related errors that do not prevent implementation.
- **Priority 3:** Minor errors that do not prevent or hinder functionality.

All testing activities, configurations, and environment changes will be **properly managed and documented** to ensure the correct version of the system is tested.

The QA team will coordinate with the **development and DevOps teams** to maintain environment consistency and version control throughout the testing process.

10. Issues, Risks & Assumptions:

10.1 Testing Needs:

- A properly configured **Test System for Desktop Application** must be available for executing desktop-specific test cases.
- A **Mobile Testing Environment** (Android and iOS devices or emulators) should be provided to validate responsiveness and mobile functionality.
- **Access to Database (DB)** is required to verify backend data integrity, perform validation checks, and confirm test results.
- QA team should have access to all **necessary credentials, APIs, and configuration files** for smooth testing.
- The latest **build version** and **deployment notes** must be shared with QA before each testing cycle.
- A stable **network and server environment** is essential to ensure uninterrupted testing.

10.2 Issues & Risks:

- **Delayed build delivery** may cause slippage in the overall testing schedule.
- **Environment instability** (server downtime, incorrect configuration, or deployment issues) can interrupt or delay test execution.
- **Incomplete or changing requirements** during testing may result in rework, missed coverage, and extended timelines.
- **No further changes or inclusions** will be considered for this release except:

1. Where there is **explicit approval** from the **Project Manager and Business Representative**, or
2. Where the changes/inclusions do **not require significant effort** from the QA team and **do not impact the schedule**.

- Any **major design changes** after test planning can cause additional delays, as they will require **re-planning, new test cases**, and **updated test data**.
- **Unavailability of QA or Development resources** can impact defect resolution and project timelines.
- **Lack of communication** among teams may lead to duplicate bug reporting or missed defect tracking.

10.3 Assumptions:

- The **project will be delivered on time** as per the defined schedule and milestones.
- The **system will meet the required quality standards** before it is released for production.

- All **required resources** (QA engineers, developers, test environments, and tools) will be available throughout the testing cycle.
- All **project documentation** (requirements, design specifications, user guides, release notes) will be **up to date** and provided to the QA team before testing begins.
- The **test environment** will remain stable and aligned with production configurations during the entire testing process.
- The QA team will receive **timely support** from developers, business analysts, and the project manager for issue resolution.
- All **approved changes or bug fixes** will be communicated clearly with proper documentation.
- Any new changes after test planning will follow the **formal change control process** and be approved before implementation.

11. Approval / Sign-Off:

This Test Plan document has been reviewed and approved by the stakeholders listed below.
Approval of this document indicates that all parties understand and agree with the scope, objectives, and approach outlined for the testing of this project.
Once approved, any changes to this plan will follow the **formal change control process** and must be re-approved by the Project Manager and QA Lead.

Name	Role	Signature	Date
Project Manager			
QA Lead			
Developer Lead			