PIT histograms with prerank: mean

Dataset 1: d=10, σ^2=1.0, τ=1.0, mean $= (-0.50)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: variance
Dataset 1: d=10, σ²=1.0, τ=1.0, mean$=(-0.50)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: dependency
Dataset 1: d=10, σ²=1.0, τ=1.0, mean = $(-0.50)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: mean
Dataset 2: d=10, σ²=1.0, τ=1.0, mean = $(0.50)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: variance

Dataset 2: d=10, σ^2=1.0, τ=1.0, mean = $(0.50)^{10}$



Number of true samples (y): 10000

Number of samples per y from model: 10000

Number of bins: 10

PIT histograms with prerank: dependency
Dataset 2: d=10, σ^2=1.0, τ=1.0, mean $= (0.50)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: mean
Dataset 3: d=10, σ^2=0.85, τ=1.0, mean $= (0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: variance

Dataset 3: d=10, σ²=0.85, τ=1.0, mean = $(0.00)^{10}$



Number of true samples (y): 10000

Number of samples per y from model: 10000

Number of bins: 10

PIT histograms with prerank: dependency
Dataset 3: d=10, σ^2=0.85, τ=1.0, mean $= (0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: mean
Dataset 4: d=10, σ^2=1.25, τ=1.0, mean $= (0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: variance

Dataset 4: d=10, σ^2=1.25, τ=1.0, mean = $(0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: dependency
Dataset 4: d=10, σ²=1.25, τ=1.0, mean$=(0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: mean
Dataset 5: d=10, σ²=1.0, τ=0.5, mean $= (0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: variance
Dataset 5: d=10, σ²=1.0, τ=0.5, mean $= (0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: dependency
Dataset 5: d=10, σ^2=1.0, τ=0.5, mean $= (0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: mean

Dataset 6: d=10, σ^2=1.0, τ=2.0, mean $= (0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: variance
Dataset 6: d=10, σ^2=1.0, τ=2.0, $\text{mean} = (0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10

PIT histograms with prerank: dependency
Dataset 6: d=10, σ²=1.0, τ=2.0, mean = $(0.00)^{10}$



Number of true samples (y): 10000
Number of samples per y from model: 10000
Number of bins: 10