



PIT histograms with prerank:PCA
Dataset 1: $d=10$, $\sigma^2=1.0$, $\tau=1.0$, $\text{mean} = (-0.50)^{10}$




PIT histograms with prerank:PCA
Dataset 2: $d=10$, $\sigma^2=1.0$, $\tau=1.0$, mean = $(0.50)^{10}$


PIT - Projection 1




PIT - Projection 2




PIT - Projection 3




PIT - Projection 4




PIT - Projection 5




PIT - Projection 6




PIT - Projection 7




PIT - Projection 8



PIT - Projection 9




PIT - Projection 10




Number of true samples (y): 10000
Number of samples per y from model: 100
Number of bins: 100

PIT histograms with prerank:PCA
Dataset 3: $d=10$, $\sigma^2=0.85$, $\tau=1.0$, mean = $(0.00)^{10}$




PIT histograms with prerank:PCA
Dataset 4: $d=10$, $\sigma^2=1.25$, $\tau=1.0$, $\text{mean} = (0.00)^{10}$




PIT histograms with prerank:PCA
Dataset 5: $d=10$, $\sigma^2=1.0$, $\tau=0.5$, mean = $(0.00)^{10}$


PIT - Projection 1




PIT - Projection 2




PIT - Projection 3




PIT - Projection 4




PIT - Projection 5




PIT - Projection 6




PIT - Projection 7




PIT - Projection 8



PIT - Projection 9



PIT - Projection 10



Number of true samples (y): 10000
Number of samples per y from model: 100
Number of bins: 100

PIT histograms with prerank:PCA
Dataset 6: $d=10$, $\sigma^2=1.0$, $\tau=2.0$, mean = $(0.00)^{10}$

