



TEMASEK JUNIOR COLLEGE
PRELIMINARY EXAMINATION
JC2 2021

CANDIDATE NAME

--

CIVICS GROUP

C	G			/	2	0
---	---	--	--	---	---	---

H2 BIOLOGY

Paper 4 Practical

9744/04

30 August 2021

2 hours 30 minutes

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Do not open this booklet until you are told to do so.

Write your name and civics group on all the work you hand in.

Give details of the practical shift and laboratory, where appropriate, in the boxes provided.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

Answer **all** questions in the spaces provided on the Question Paper.

The use of an approved scientific calculator is expected, where appropriate.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

Shift
Laboratory

For Examiner's use	
1	/ 27
2	/ 28
Total	/ 55

1 Antibiotics act on bacteria by killing the bacteria or preventing their growth.

Their effectiveness can be tested by setting a model. In this model, an acid represents the antibiotic solution and the blue stain in the agar block represents the bacteria.

You are to investigate the effect of the antibiotic solution on 'killing the bacteria'. This is shown by the colour of the stain changing from blue to yellow as the end-point.

You are required to:

- prepare different concentrations of antibiotic solution, **A**, using serial dilution.
- record the time taken to reach the end-point (yellow) for each of the concentrations of **A**.
- record the time taken to reach the end-point for an unknown concentration of antibiotic solution **X**.
- use the results to estimate the concentration of antibiotic in **X**.

You are provided with:

Labelled	Contents	Hazard level	Volume / cm ³
X	Unknown concentration of an antibiotic solution	Irritant	30.0
A	1% antibiotic solution	Irritant	50.0
W	Distilled water	None	100.0
B	Agar block containing a blue stain	None	-

You are advised to wear suitable eye protection. If antibiotic solution comes into contact with your skin, wash off with cold water.

- (a) You are required to make a serial dilution of the 1% antibiotic solution, **A**, which reduces the concentration **by half** between each successive dilution.

You need to prepare 20.0 cm³ of each concentration.

Fig. 1.1 shows the first two beakers you will use to make your serial dilution.

- (i) Complete Fig. 1.1 by drawing as many extra beakers as you need for your serial dilution.

For each beaker:

- state, under the beaker, the **volume** and **concentration** of the antibiotic solution available for use in the investigation.
- use one arrow, with a label above the beaker, to show the **volume** and **concentration** of antibiotic solution added to prepare the concentration.
- use another arrow, with a label above the beaker, to show the **volume** of **W** added to prepare the concentration.

40.0 cm³ of
1% antibiotic
solution, **A**




Fig. 1.1

[3]

L

[Turn over]

Proceed as follows:

1. Prepare the concentrations of **A** as shown in **(a)(i)**.
2. Label a beaker as **X** and put 20.0 cm^3 of **X** into this beaker.

You will need to cut the agar block, **B**, into smaller pieces as shown in Fig. 1.2.

To avoid staining your skin, minimise touching the agar with your bare hands. You may use the blunt forceps and paper towels to handle the agar.




Fig. 1.2

3. Place the agar block, **B**, onto a white tile and cut into identical pieces, each 5 mm x 5 mm as shown in Fig. 1.2. You do not need to adjust the height.
4. **(ii)** Calculate the total surface area of one agar piece.

Show all the steps in your calculation, including the appropriate units.

[2]

5. Put one piece of agar into each beaker containing the each concentration of **A** prepared in step 1 and start timing.
6. Gently stir the contents of each beaker at regular intervals.

7. Record in **(a)(iii)** the time taken for the pieces of agar to reach the end-point.

Note that the colour of the agar may change from blue to green and then to yellow.

If any piece of agar has not changed to yellow after 240 s, **stop timing** and record as 'more than 240'.

(iii) Record your results for the known concentrations of antibiotic solution.

[5]

8. Put one piece of agar into the beaker labelled **X** and start timing.

(iv) Record the time taken for the piece of agar in **X** to reach the end-point.

time taken [1]

(v) Use your results in **(a)(iii)** and **(a)(iv)** to estimate the concentration of antibiotic solution in **X**.

..... [1]



[Turn over]

1

[illegible]

Provide a suitable format for the recording of result in the space below.

- (c) A scientist carried out an experiment to investigate whether a chemical, **C**, extracted from a plant species, was able to inhibit the reproduction of bacteria.

The scientist prepared 5 Petri dishes containing agar (agar plates) which had each been inoculated with a different type of pathogenic bacterium.

A filter paper disc, soaked in chemical **C**, was put onto each agar plate. Chemical **C** diffused from the filter paper disc into the agar. The agar plates were incubated at 25°C to allow the bacteria in the agar to reproduce.

A clear zone, called a zone of inhibition, is observed around the filter paper disc if the chemical is effective at preventing bacteria from reproducing, as shown in Fig. 1.3.




Fig. 1.3

- (i) State one potential safety risk of this experiment and outline how the risk may be minimised.

.....
.....[1]

- (ii) Suggest a suitable control for this experiment.

.....
.....[1]

The scientist measured the diameter of the zone of inhibition produced in the agar for each of the 5 different types of pathogenic bacterium.


The results are shown in Table 1.1.

Table 1.1

Type of bacterium	Diameter of zone of inhibition / mm
P	7.0
Q	24.0
R	18.0
S	15.5
T	19.0

(iii) Draw a bar chart of the data in Table 1.1.

Use a sharp pencil for drawing bar charts.



[4]

- (iv) The scientist studied the results in Table 1.1 and decided to study the type of bacteria **most affected** by chemical **C**.

State the type of bacterium which was most affected by chemical **C**. Give a reason for your answer.

Bacterium **most affected**:

Reason:[1]

[Total: 27]



Question 2 starts on page 12

- 2 Some plant cells, for example in roots, store starch as grains.

Fig. 2.1 shows some different shapes of starch grains and patterns on the surface of the starch grains.




Fig. 2.1

You are required to:

- observe and draw the starch grains from potato cells
- observe the effect of iodine stain on starch grains.

You are provided with a piece of peeled potato tuber in a dish, labelled **T**; distilled water, labelled **W**; and iodine solution labelled **iodine solution**.

1. Put one **clean and dry** microscope slide on a piece of black card with a paper towel underneath as shown in Fig. 2.2.




Fig. 2.2

2. Using a sharp blade or scalpel, cut the piece of potato to show a fresh surface.
3. Scrape the fresh surface of the piece of potato to remove a small quantity of tissue.
4. Put this tissue onto the slide and use the flat surface of the blade to squash this tissue.
5. Use forceps to remove any larger bits of tissue so that a smear of cells can be seen on the slide.
6. Put a few drops of **W** onto the smear of cells.

7. Cover the cells with a coverslip and use a paper towel to remove any excess liquid that is outside the coverslip.
8. View the slide to observe the starch grains using the microscope. Select an area of starch grains on the slide.

You may need to reduce the amount of light entering the microscope to observe cells clearly.

You must adjust the fine focus to observe the patterns in the starch grains.

You are required to use a sharp pencil for drawings.

(a) Select 4 starch grains which show the different sizes and features of the grains.

(i) Make a large drawing of these 4 starch grains.

[4]

(ii) Use Fig. 2.1 to suggest which of the starch grains, **J**, **K**, **L** or **M** matches some of the grains observed on the slide.

answer [1]

9. Remove the slide from the microscope and place it on a paper towel.

You will now add **iodine solution** to the water on the slide without removing the coverslip.

10. Put a drop of **iodine solution** onto the slide so that the drop touches the edge of the coverslip. Wait a few seconds while the **iodine solution** moves under the coverslip. Use the paper towel to remove any excess liquid from the top of the coverslip.

11. Immediately use the microscope to observe the starch grains where there is **iodine solution** on the slide.

(iii) Suggest why using **iodine solution** as a stain may lead to inaccurate recording of the features of starch grains.

.....
 [1]



[Turn over]

A student calibrated the eyepiece graticule in a light microscope using a stage micrometer scale.

The calibration was:

length of 1 eyepiece graticule unit = $16\text{ }\mu\text{m}$

The student used the microscope to observe and draw three starch grains to the same scale. The student drew a line across the length of each drawing of a starch grain. The student's drawings are shown in Fig. 2.3.




Fig. 2.3

- (iv)** Find the mean **image** length of the three starch grains drawn by the student, along the lines shown in Fig. 2.3.

Show all the steps in your working and use appropriate units.

mean image length [2]

- (v)** When viewed using the microscope, the student found that starch grain **N1** measured 4 eyepiece graticule units along the position of the line drawn in Fig. 2.3.

Use this information and your answer to **(a)(iv)** to calculate the mean **actual** length of the three starch grains in Fig. 2.3.

Show all the steps in your working and use appropriate units.

mean actual length [2]

(b) You are provided with two samples of plant material.

A leaf in a vial, labelled **L**.

The same piece of peeled potato tuber in a dish provided earlier, labelled **T**.

1. Place a leaf onto a tile.
2. Discard any large veins and chop the rest of the leaf finely with a scalpel.
3. Put into a mortar and add a few drops of **W**.
4. Grind with a pestle for 1 minute to produce a green leaf extract (can still be known as **L**).
5. Label four slides, two with **L** and two with **T**.
6. Using a pipette, place one drop of **L** on each of the two slides labelled **L**.
7. Add one drop of **iodine solution** to one of the slides labelled **L**.
8. Using a sharp blade or scalpel, cut the potato piece to show a fresh surface.
9. Carefully scrape off some potato cells from the fresh surface and smear them onto the middle of each of the two slides labelled **T**.
10. Add one drop of **iodine solution** to one of the slides labelled **T**.
11. Add a coverslip to each slide and use a paper towel to absorb the excess liquid.
12. Use your microscope to search each slide carefully and record the observations of the cells you can find.

(i) Prepare the space below and record all your observations.

(ii) Explain your observations.

.....

.....

.....

.....

..... [2]

(c) Fig. 2.4 is a photomicrograph of a transverse section of a plant root containing starch grains. The section has been stained with iodine solution.

You are not expected to be familiar with this specimen.




Fig. 2.4

Use a sharp pencil for drawing.

You are expected to draw the correct shapes and proportions of the different tissues.

Draw a large plan diagram of the transverse section of the whole root shown in Fig. 2.4.

Use one ruled label line and label, with the letter **G**, the tissue that possibly contains most of the starch grains.

[5]

(d) Fig. 2.5 is a photomicrograph of a stained transverse section through a root of a different type of plant.

You are not expected to be familiar with this specimen.




Fig. 2.5

Fig. 2.6 is a photomicrograph of the same root section that is shown in Fig. 2.4.




Fig. 2.6

Prepare an appropriate table so that it is suitable for you to record the observable differences between the root in Fig. 2.5 and the root in Fig. 2.6.

Record the observable differences, other than differences in colour, in your table.

[3]

(e) Another student investigated the hydrolysis of starch by amylase.

The student decided to use a semi-quantitative method to measure the products.

These products are reducing sugars.

Suggest how the student would use a semi-quantitative method to measure the concentration of reducing sugars produced.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

[Total: 28]

