Name: Ayanda Mthiya

Surname: Mbatha

Student Number: ST10468914

Section B – API Endpoint Plan

The following table defines the API endpoints that the system will expose. The endpoints cover authentication, user profiles, events, categories, event enrolments, and results.

HTTP Method	Route	Description	Role Required	Request Body (if any)	Expected Response
AUTHENTICATION					
POST	`/api/auth/register`	Register a new user account.	None (public)	`{ firstName, lastName, email, password, role }`	**201 Created** – user registered. **409 Conflict** – email already exists.
POST	`/api/auth/login`	Authenticate a user and return an authentication token.	None (public)	`{ email, password }`	**200 OK** – token and user information returned. **401 Unauthorized** – invalid credentials.

POST	`/api/auth/logout`	Log out the currently authenticated user and invalidate the authentication token.	Any (logged in)	None	**200 OK** – user successfully logged out.
USER PROFILE					
GET	`/api/users/me`	Retrieve the profile information of the currently logged-in user.	Any (logged in)	None	**200 OK** – user profile returned.
PUT	`/api/users/me`	Update the profile information of the currently logged-in user.	Any (logged in)	`{ firstName, lastName, email, phone }`	**200 OK** – updated user profile. **400 Bad Request** – validation error.
PUT	`/api/users/me/password`	Change the password of the currently logged-in user.	Any (logged in)	`{ currentPassword, newPassword }`	**200 OK** – password updated. **400 Bad Request**

					– current password is incorrect.
EVENTS					
GET	`/api/events`	Retrieve a list of all available events.	None (public)	None	**200 OK** – list of events returned.
GET	`/api/events/{id}`	Retrieve detailed information about a specific event using its ID.	None (public)	None	**200 OK** – event details returned. **404 Not Found** – event does not exist.
POST	`/api/events`	Create a new event.	Organiser	`{ routeId, eventName, eventDate, location, description, status }`	**201 Created** – event created. **400 Bad Request** – validation error.
PUT	`/api/events/{id}`	Update an existing event.	Organiser (owner)	`{ eventName, eventDate, location, description, status }`	**200 OK** – event updated. **404 Not Found** – event

					does not exist.
DELETE	`/api/events/{id}`	Delete an existing event.	Organiser (owner)	None	**200 OK** – event deleted. **404 Not Found** – event does not exist.
CATEGORIES					
GET	`/api/events/{eventId}/categories`	Retrieve all categories belonging to a specific event.	None (public)	None	**200 OK** – list of categories returned.
POST	`/api/events/{eventId}/categories`	Create a new category for a specific event.	Organiser (owner)	`{ categoryName, distanceKm, entryFee, maximumParticipants }`	**201 Created** – category created. **400 Bad Request** – validation error.
PUT	`/api/categories/{id}`	Update an existing event category.	Organiser (owner)	`{ categoryName, distanceKm, entryFee, maximumParticipants }`	**200 OK** – category updated. **404 Not Found** – category

					does not exist.
DELETE	`/api/categories/{id}`	Delete an existing event category.	Organiser (owner)	None	**200 OK** – category deleted. **404 Not Found** – category does not exist.
ENROLMENTS					
GET	`/api/enrolments`	Retrieve all enrolments belonging to the logged-in participant.	Participant	None	**200 OK** – list of enrolments returned.
POST	`/api/enrolments`	Enrol the logged-in participant in an event category.	Participant	`{ categoryId }`	**201 Created** – enrolment created. **400 Bad Request** – category is full or request is invalid.

DELETE	`/api/enrolments/{id}`	Cancel an existing enrolment.	Participant	None	**200 OK** – enrolment cancelled. **404 Not Found** – enrolment does not exist.
RESULTS					
GET	`/api/results`	Retrieve results for an event category.	None (public)	Query parameter: `categoryId`	**200 OK** – list of results returned.
GET	`/api/results/{id}`	Retrieve detailed result information using the result ID.	None (public)	None	**200 OK** – result details returned. **404 Not Found** – result does not exist.
POST	`/api/results`	Record a race result for a participant's enrolment.	Organiser	`{ enrolmentId, finishTime, position, averagePace }`	**201 Created** – result recorded. **400 Bad Request** –

					enrolment not found or invalid.
PUT	`/api/results/{id}`	Update an existing race result.	Organiser	`{ finishTime, position, averagePace }`	**200 OK** – result updated. **404 Not Found** – result does not exist.
DELETE	`/api/results/{id}`	Delete an existing race result.	Organiser	None	**200 OK** – result deleted. **404 Not Found** – result does not exist.