

ARSENIC**ICSC: 0013 (June 2011)**

Grey arsenic

CAS #: 7440-38-2**UN #: 1558****EC Number: 231-148-6**

	ACUTE HAZARDS	PREVENTION	FIRE FIGHTING
FIRE & EXPLOSION	Combustible. Gives off irritating or toxic fumes (or gases) in a fire. Risk of fire and explosion on contact with incompatible substances. See Chemical Dangers.	NO open flames. NO contact with strong oxidizing agents. NO contact with hot surfaces. NO contact with incompatible materials: See Notes.	Use water spray, powder, foam, carbon dioxide.

PREVENT DISPERSION OF DUST! AVOID ALL CONTACT! IN ALL CASES CONSULT A DOCTOR!

	SYMPTOMS	PREVENTION	FIRST AID
Inhalation	See Ingestion.	Use closed system and ventilation.	Fresh air, rest. Seek medical attention if you feel unwell.
Skin		Protective gloves. Protective clothing.	Remove contaminated clothes. Rinse and then wash skin with water and soap.
Eyes		Wear face shield or eye protection in combination with breathing protection if powder.	Rinse with plenty of water (remove contact lenses if easily possible).
Ingestion	Abdominal pain. Diarrhoea. Nausea. Vomiting. Weakness. Shock or collapse. Unconsciousness.	Do not eat, drink, or smoke during work. Wash hands before eating.	Rinse mouth. Refer immediately for medical attention.

SPILLAGE DISPOSAL	CLASSIFICATION & LABELLING
Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into sealable containers. Carefully collect remainder. Then store and dispose of according to local regulations.	According to UN GHS Criteria  DANGER Toxic if swallowed May cause cancer Suspected of damaging fertility or the unborn child Causes damage to the gastrointestinal tract if swallowed Causes damage to organs through prolonged or repeated exposure Toxic to aquatic life with long lasting effects
STORAGE	
Separated from strong oxidants, acids, halogens and food and feedstuffs. Well closed. Provision to contain effluent from fire extinguishing. Store in an area without drain or sewer access.	
PACKAGING	
Do not transport with food and feedstuffs.	Transportation UN Classification UN Hazard Class: 6.1; UN Pack Group: II

International
Labour
OrganizationWorld Health
Organization

Prepared by an international group of experts on behalf of ILO and WHO, with the financial assistance of the European Commission.
 © ILO and WHO 2021

European
Commission

ARSENIC**ICSC: 0013****PHYSICAL & CHEMICAL INFORMATION****Physical State; Appearance**

BRITTLE GREY METALLIC-LOOKING CRYSTALS.

Physical dangers

No data.

Chemical dangers

Upon heating, toxic fumes are formed. Reacts violently with strong oxidants and halogens. This generates fire and explosion hazard. Reacts with reducing agents. This produces toxic and flammable arsine gas (See ICSC 0222).

Formula: As

Atomic mass: 74.9

Sublimation point: 613°C

Density: 5.7 g/cm³

Solubility in water: none

Auto-ignition temperature: 180°C

EXPOSURE & HEALTH EFFECTS**Routes of exposure**

The substance can be absorbed into the body by inhalation of its aerosol and by ingestion.

Effects of short-term exposure

The substance may cause effects on the gastrointestinal tract. This may result in severe gastroenteritis, loss of fluids and electrolytes, cardiac disorders, shock and convulsions. Exposure far above the OEL could cause death. The effects may be delayed. Medical observation is indicated.

Inhalation risk

A harmful concentration of airborne particles can be reached quickly when dispersed, especially if powdered.

Effects of long-term or repeated exposure

The substance may have effects on the skin, mucous membranes, peripheral nervous system, liver and bone marrow. This may result in pigmentation disorders, hyperkeratosis, perforation of the nasal septum, neuropathy, anaemia and liver impairment. This substance is carcinogenic to humans. Animal tests show that this substance possibly causes toxicity to human reproduction or development.

OCCUPATIONAL EXPOSURE LIMITS

MAK: skin absorption (H); carcinogen category: 1; germ cell mutagen group: 3A

ENVIRONMENT

The substance is toxic to aquatic organisms. It is strongly advised not to let the chemical enter into the environment.

NOTES

The substance is combustible but no flash point is available in literature. Depending on the degree of exposure, periodic medical examination is suggested. Do NOT take working clothes home.

ADDITIONAL INFORMATION**EC Classification**

Symbol: T, N; R: 23/25-50/53; S: (1/2)-20/21-28-45-60-61

All rights reserved. The published material is being distributed without warranty of any kind, either expressed or implied. Neither ILO nor WHO nor the European Commission shall be responsible for the interpretation and use of the information contained in this material.