

MERCURYQuicksilver
Liquid silver**ICSC: 0056 (November 2019)****CAS #: 7439-97-6****UN #: 2809****EC Number: 231-106-7**

	ACUTE HAZARDS	PREVENTION	FIRE FIGHTING
FIRE & EXPLOSION	Not combustible. Gives off irritating or toxic fumes (or gases) in a fire. Risk of fire and explosion.		In case of fire in the surroundings, use appropriate extinguishing media. In case of fire: keep drums, etc., cool by spraying with water.

AVOID ALL CONTACT! IN ALL CASES CONSULT A DOCTOR!

	SYMPTOMS	PREVENTION	FIRST AID
Inhalation	Cough. Sore throat. Shortness of breath. Fever. Vomiting. Diarrhoea. Abdominal pain. Headache. Weakness.	Use local exhaust or breathing protection.	Fresh air, rest. Artificial respiration may be needed. Refer immediately for medical attention.
Skin	MAY BE ABSORBED! Redness.	Protective gloves. Protective clothing.	Remove contaminated clothes. See Notes. Rinse and then wash skin with water and soap. Refer for medical attention .
Eyes		Wear face shield or eye protection in combination with breathing protection.	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.
Ingestion		Do not eat, drink, or smoke during work. Wash hands before eating.	Refer for medical attention .

SPILLAGE DISPOSAL	CLASSIFICATION & LABELLING
Evacuate danger area! Consult an expert! Personal protection: chemical protection suit and filter respirator for mercury adapted to the airborne concentration of the substance. Ventilation. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable non-metallic containers as far as possible. Then store and dispose of according to local regulations.	According to UN GHS Criteria  DANGER May be corrosive to metals Fatal if inhaled May damage fertility or the unborn child Causes damage to central nervous system and kidneys Causes damage to the central nervous system and the kidneys through prolonged or repeated exposure Very toxic to aquatic life with long lasting effects Transportation UN Classification UN Hazard Class: 8; UN Subsidiary Risks: 6.1; UN Pack Group: III
STORAGE	
Provision to contain effluent from fire extinguishing. Separated from food and feedstuffs. Well closed. Store in an area without drain or sewer access.	
PACKAGING	
Special material. Do not transport with food and feedstuffs. Marine pollutant.	

International
Labour
OrganizationWorld Health
Organization

Prepared by an international group of experts on behalf of ILO and WHO, with the financial assistance of the European Commission.
 © ILO and WHO 2021

European
Commission

MERCURY**ICSC: 0056****PHYSICAL & CHEMICAL INFORMATION****Physical State; Appearance**

ODOURLESS HEAVY MOBILE SILVERY LIQUID METAL.

Physical dangers**Chemical dangers**

Upon heating, toxic fumes are formed. Reacts violently with ammonia, halogens, acetylene and amines. This generates fire and explosion hazard. Attacks aluminium and many other metals. This produces amalgams.

Formula: Hg

Atomic mass: 200.6

Boiling point: 357°C

Melting point: -39°C

Density: 13.5 g/cm³

Solubility in water: none

Vapour pressure, Pa at 20°C: 0.26

Relative vapour density (air = 1): 6.93

Relative density of the vapour/air-mixture at 20°C (air = 1): 1.009

EXPOSURE & HEALTH EFFECTS**Routes of exposure**

The substance can be absorbed into the body by inhalation of its vapour and through the skin also as a vapour.

Effects of short-term exposure

The substance is irritating to the skin. Inhalation of high concentrations of the vapour may cause pneumonitis. This may result in death. The substance may cause effects on the central nervous system and kidneys. This may result in tremors and tissue lesions. The effects may be delayed. Medical observation is indicated.

Inhalation risk

A harmful contamination of the air can be reached very quickly on evaporation of this substance at 20°C.

Effects of long-term or repeated exposure

The substance may have effects on the central nervous system and kidneys. This may result in irritability, emotional instability, tremors, mental and memory disturbances and speech disorders. May cause inflammation and discoloration of gums. Cumulative effects are possible. Animal tests show that this substance possibly causes toxic effects upon human reproduction.

OCCUPATIONAL EXPOSURE LIMITS

TLV: 0.025 mg/m³, as TWA; (skin); A4 (not classifiable as a human carcinogen); BEI issued.

EU-OEL: 0,02 mg/m³ as TWA.

MAK: (inhalable fraction): 0.02 mg/m³; peak limitation category: II(8); skin absorption (H); sensitization of skin (SH); carcinogen category: 3; pregnancy risk group: D

ENVIRONMENT

The substance is very toxic to aquatic organisms. Bioaccumulation of this chemical may occur in fish and seafood.

NOTES

Depending on the degree of exposure, periodic medical examination is suggested.

There is no odour warning even when toxic concentrations are present.

Do NOT take working clothes home.

Isolate contaminated clothing by sealing in a bag or other container.

Other UN number: 3506 Mercury contained in manufactured articles.

ADDITIONAL INFORMATION**EC Classification**

H330; H372; H400; H410; H360D

All rights reserved. The published material is being distributed without warranty of any kind, either expressed or implied. Neither ILO nor WHO nor the European Commission shall be responsible for the interpretation and use of the information contained in this material.