

n-HEXANE**ICSC: 0279 (April 2024)**Hexane
Hexyl hydride**CAS #: 110-54-3****UN #: 1208****EC Number: 203-777-6**

	ACUTE HAZARDS	PREVENTION	FIRE FIGHTING
FIRE & EXPLOSION	Highly flammable. Vapour/air mixtures are explosive.	NO open flames, NO sparks and NO smoking. Closed system, ventilation, explosion-proof electrical equipment and lighting. Use non-sparking handtools. Do NOT use compressed air for filling, discharging, or handling.	Use powder, foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

	SYMPTOMS	PREVENTION	FIRST AID
Inhalation	Cough. Shortness of breath. Euphoria. Headache. Dizziness. Drowsiness. Unconsciousness.	Use ventilation, local exhaust or breathing protection.	Fresh air, rest. Refer for medical attention.
Skin	Redness. Dry skin.	Protective gloves.	Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention .
Eyes	Redness.	Wear safety goggles, face shield or eye protection in combination with breathing protection.	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.
Ingestion	Aspiration hazard! Sore throat. Nausea. Vomiting. Abdominal pain. Further see Inhalation. See Notes.	Do not eat, drink, or smoke during work.	Rinse mouth. Do NOT induce vomiting. Rest. Refer immediately for medical attention.

SPILLAGE DISPOSAL	CLASSIFICATION & LABELLING
Remove all ignition sources. Evacuate danger area! Consult an expert! Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Do NOT wash away into sewer. Do NOT let this chemical enter the environment. Collect leaking liquid in sealable containers. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.	According to UN GHS Criteria  DANGER Flammable liquid and vapour Causes skin irritation May cause drowsiness or dizziness Causes damage to the nervous system through prolonged or repeated exposure May damage fertility or the unborn child if inhaled May be fatal if swallowed and enters airways Toxic to aquatic life with long lasting effects Transportation UN Classification UN Hazard Class: 3; UN Pack Group: II
STORAGE	
Store only in original container. Fireproof. Separated from strong oxidants. Well closed. Ventilation along the floor. Provision to contain effluent from fire extinguishing. Store in an area without drain or sewer access.	
PACKAGING	

n-HEXANE

ICSC: 0279

PHYSICAL & CHEMICAL INFORMATION

Physical State; Appearance

VOLATILE COLOURLESS LIQUID WITH CHARACTERISTIC ODOUR.

Physical dangers

The vapour is heavier than air and may travel along the ground; distant ignition possible.

Chemical dangers

Reacts with strong oxidants. This generates fire and explosion hazard. Attacks some plastics, rubber and coatings.

Formula: C₆H₁₄

Molecular mass: 86.2

Boiling point: 69°C

Melting point: -95°C

Relative density (water = 1): 0.7

Solubility in water, g/100ml at 20°C: 0.0013 (practically insoluble)

Vapour pressure, kPa at 20°C: 17

Relative vapour density (air = 1): 3.0

Relative density of the vapour/air-mixture at 20°C (air = 1): 1.3

Flash point: -22°C c.c.

Auto-ignition temperature: 225°C

Explosive limits, vol% in air: 1.1-7.5

Octanol/water partition coefficient as log Pow: 3.9

Viscosity: 1.4 mm²/s

EXPOSURE & HEALTH EFFECTS

Routes of exposure

The substance can be absorbed into the body by inhalation of its vapour and by ingestion.

Effects of short-term exposure

The substance is irritating to the skin. The substance is mildly irritating to the eyes and respiratory tract. Exposure to high concentrations of vapour could cause unconsciousness. If this liquid is swallowed, aspiration into the lungs may result in chemical pneumonitis. See Notes.

Inhalation risk

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

Effects of long-term or repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the central nervous system and peripheral nervous system. This may result in polyneuropathy. Animal tests show that this substance possibly causes toxic effects upon human reproduction.

OCCUPATIONAL EXPOSURE LIMITS

TLV: 50 ppm as TWA; (skin); BEI issued.

EU-OEL: 72 mg/m³, 20 ppm as TWA

ENVIRONMENT

The substance is toxic to aquatic organisms.

NOTES

Depending on the degree of exposure, periodic medical examination is suggested.

Ingestion of this substance, regardless of the amount ingested, can cause aspiration and thus risk of chemical pneumonitis.

The symptoms of chemical pneumonitis do not become manifest until a few hours or even a few days have passed.

ADDITIONAL INFORMATION

EC Classification

All rights reserved. The published material is being distributed without warranty of any kind, either expressed or implied. Neither ILO nor WHO nor the European Commission shall be responsible for the interpretation and use of the information contained in this material.