Op. Dr. Murat Ayata
Kulak Burun Boğaz
Otolaryngology Head and Neck Surgery Specialist

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

INFORMED CONSENT FORM

PRP (Platelet-Rich Plasma) Treatment

Injection of plasma prepared from your own blood into the skin or scalp

Dear patient, this form has been prepared to explain, in **plain and clear language**, what you need to know about the procedure recommended to you. Its purpose is not to frighten you, but to help you make your decision **freely and on the basis of good information**.

Please read this form without rushing. Ask your doctor about anything you do not understand. Your doctor will also explain verbally any risks that are particular to your situation. Whether or not you give consent is entirely your right.

PATIENT AND PROCEDURE DETAILS

Full name: _____ Date of birth: _____

Passport / ID No: _____ File / Protocol No: _____

Telephone: _____ Date informed: _____

Planned procedure date: _____

Form first sent to patient (date / e-mail, WhatsApp, in person): _____

Doctor performing the procedure and providing information: **Op. Dr. Murat Ayata**

Place of treatment: _____

Kit used / LOT No: _____

Volume of blood drawn (mL): _____

Activator / additive: ☐ None ☐ Calcium chloride ☐ Other _____

Treatment area: ☐ Face ☐ Scalp ☐ Under-eye area ☐ Neck / décolletage ☐ Other _____

Session No / planned number of sessions: _____

1 Your condition and the aim of the procedure

PRP (Platelet-Rich Plasma) is plasma prepared **from your own blood** and enriched with platelets. Platelets contain natural growth factors that play a role in tissue repair.

PRP is used to support skin quality, radiance and elasticity, to reduce the appearance of fine lines and tired-looking under-eye areas, to help improve acne scars, or to support hair follicles in **hair loss**. Because it is prepared from your own blood, an allergy to the product itself or rejection by the body is not expected.

2 How is the procedure performed?

The treatment is carried out in our clinic under sterile conditions using **single-use, closed-system kits**. The name and LOT number of the kit are recorded in your file.

1. **Blood draw:** Usually 10–30 mL of blood is taken from a vein in your arm, just like a routine blood test.
2. **Preparation:** The blood is separated in a centrifuge in a special tube containing an anti-clotting agent, and the platelet-rich plasma fraction is removed under sterile conditions. At every stage it is checked that the tubes belong to you.
3. **Preparing the area:** The treatment area is cleaned with antiseptic; numbing cream can be applied if you wish.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

4. **Treatment:** The plasma is injected into the skin or scalp at many small points using a fine needle or cannula, or sometimes spread over the skin together with microneedling.
5. **Finishing:** The area is cleaned, a cold compress is applied if needed and aftercare advice is given.

A course of **3–4 sessions, 4–6 weeks apart**, is usually recommended, followed by maintenance sessions every 4–6 months.

ANAESTHESIA	APPROXIMATE DURATION	HOSPITAL STAY / DISCHARGE
Numbing cream (optional)	About 45–60 minutes (including preparation)	Same day; short observation after treatment

3 Expected benefits and likelihood of success

- Skin that looks fresher, more radiant and firmer, with less noticeable fine lines
- Less darkness and a less tired appearance under the eyes
- In hair loss, support in reducing shedding and increasing hair thickness
- No allergy to the plasma itself is expected, as your own blood is used

Results vary from person to person. The scientific evidence differs by purpose: there are many studies reporting positive results in **androgenetic (hereditary) hair loss**, whereas the evidence for skin rejuvenation is more limited. Techniques and kits also differ. The effect appears gradually and is not permanent; no specific result can be guaranteed.

4 Other treatment options

- **No treatment**, or continuing with regular skin care and sun protection
- **For hair loss:** investigation of an underlying cause (iron, thyroid, hormones); medicines such as minoxidil on medical advice; scalp mesotherapy; hair transplantation in advanced cases
- **For the skin:** topical products, mesotherapy, hyaluronic acid treatments for skin quality, chemical peels, laser or microneedling treatments

5 What happens if the procedure is not performed?

If PRP is not performed, your skin or hair will continue on its natural course. Depending on its cause, hair loss may progress; other treatment options can always be considered. Choosing not to have PRP carries no risk to your health.

You have the right to decline the recommended procedure, to postpone it, or to seek a second medical opinion. This decision will not affect any other healthcare offered to you in any way. You may withdraw your consent at any time before the procedure begins; please be aware, however, that once a procedure has started there may be stages at which stopping would be medically unsafe.

6 Preparing for the procedure

- **Situations in which PRP is not given:** low platelet count or platelet dysfunction, bleeding or clotting disorders, significant anaemia, active infection or fever, active cancer treatment or a history of blood cancer in recent years, pregnancy and breastfeeding. Please tell us if any of these apply to you.
- If you take blood thinners (warfarin, rivaroxaban, apixaban, clopidogrel, etc.), tell your doctor before the treatment; **do not stop these medicines on your own**.
- If possible, stop aspirin and anti-inflammatory painkillers (ibuprofen, naproxen, etc.) 1 week before treatment, after checking with your doctor; these medicines can reduce platelet function.
- Tell us if you have taken steroid (cortisone) tablets or injections in the last 2–3 weeks; they may reduce the effect of PRP and the treatment may need to be postponed.
- On the day of treatment, drink plenty of water and have a light meal; coming on an empty stomach increases the risk of feeling faint.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

- For scalp treatment, wash your hair the day before or on the morning of treatment and do not use gel, spray or similar products.
- Tell your doctor about **all medicines** you take (including blood thinners, aspirin, painkillers, weight-loss and hormone medicines) and any **herbal products and supplements** (such as omega-3, vitamin E, ginkgo, garlic, ginseng, fish oil). Do not stop any medicine on your own without your doctor's advice.
- Be sure to tell us about any **allergies**, bleeding or clotting problems, heart, lung, diabetes, blood pressure or thyroid conditions, previous operations and any problems you have had with anaesthesia.
- If there is any chance you may be pregnant, or if you are breastfeeding, tell us before the procedure.
- Smoking and nicotine products significantly impair wound healing. If possible, stop at least 2–4 weeks before the procedure and do not smoke during recovery.

7 Recovery: what to expect

First few hours	Redness, mild swelling, a feeling of tightness and small bumps at the needle points appear in the treated area. The blood-draw site may be slightly tender.
First 24 hours	Do not wear make-up; avoid saunas, Turkish baths, sunbeds, strenuous exercise and direct sun. After scalp treatment, wash your hair no earlier than the next day.
Days 2–7	Redness and swelling settle. If bruising **occurs** (especially under the eyes), it fades within 3–7 days.
During the course	Sessions are repeated every 4–6 weeks. Changes in the skin are usually noticed after the 2nd or 3rd session; changes in the hair within 3–6 months.
After the course	The effect gradually wears off; maintenance sessions every 4–6 months may be recommended to preserve it.

8 Possible risks and complications

As with any medical procedure, this procedure carries some risks. Below, **expected temporary effects** and **complications** are listed separately and grouped by how often they occur. The figures given are **approximate** values based on the medical literature; your personal risk may be lower or higher depending on your age, general health, smoking and previous operations.

The great majority of complications are **temporary** and improve with appropriate treatment. Very rare but serious events are also included; being on this list does not mean they will happen to you, but you need to know about them to make an informed decision.

Expected, temporary effects (not complications — a normal part of healing)

- Mild pain or stinging during the blood draw and injections
- Redness, mild swelling, tenderness and tightness in the treated area (a few hours to 2 days)
- Tiny spots of blood at the needle points

Common conditions (most are temporary or resolve with treatment)

- **Bruising** — May appear in the treated area or at the blood-draw site; it fades on its own within 3–7 days.
- **Headache or scalp tenderness** — May last 1–2 days after scalp treatment; it settles with simple painkillers (paracetamol is recommended rather than aspirin).
- **Less effect than expected** — Some people may notice no clear change, or the effect may be short-lived.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

Uncommon conditions

- **Feeling faint** — Dizziness, sweating and brief fainting may occur during the blood draw or injections; it passes quickly if you lie down.
- **Temporary increase in hair shedding** — A temporary increase in shedding may occur in the first few weeks after scalp treatment; it usually settles on its own.
- **Prolonged swelling** — Swelling, particularly under the eyes, may last a few days.
- **Colour change** — Temporary darkening at the needle points may occur in darker skin and with sun exposure.

Rare or very rare, but potentially serious conditions

- **Infection** — Very rare with sterile technique; if it occurs, antibiotic treatment and, rarely, drainage may be needed.
- **Allergy to substances in the kit** — An allergy to the plasma itself is not expected; however, very rarely an allergic reaction may develop to the anti-clotting agent or activator in the kit, the numbing cream or the antiseptic.
- **Blocked blood vessel (vascular occlusion)** — With deep injections in the face, **extremely rarely** the material may enter or compress a blood vessel, causing impaired skin blood supply and scarring and, even more rarely, visual disturbance. Early recognition and emergency treatment are very important.
- **Nerve irritation** — If a nerve is touched during the blood draw or injection, temporary numbness or tingling may occur; very rarely it may last longer.

General risks that apply to any surgical / medical procedure

- **Feeling faint (vasovagal reaction):** Dizziness, sweating and brief fainting may occur during an injection or blood draw; it passes quickly if you lie down.
- **Infection:** With skin disinfection and sterile materials the risk is very low; if it occurs it is usually treated with antibiotics.
- **Allergic reaction:** To the product, local anaesthetic or antiseptic used — ranging from mild redness to, very rarely, a severe allergic reaction (anaphylaxis). Our clinic is equipped with emergency equipment and medicines.
- **Cold sore (herpes) reactivation:** If you have had cold sores before, they may reappear in the treated area; please let us know.
- **Result not meeting expectations:** The degree and duration of the effect vary between individuals; additional sessions or touch-up treatment may be needed.

This list does not include every possible complication; other unforeseeable and very rare events may occur. If a complication develops, your doctor will plan the necessary treatment and follow-up; this may require additional treatment, medication, procedures or a further operation.

9 When to contact us immediately

- **Sudden severe pain, whitening of the skin or a purplish, net-like discolouration** during or after treatment
- **Blurred vision, loss of vision**, double vision or eye pain
- **Increasing redness, warmth, swelling or pus-like discharge** in the treated area, or a fever above 38 °C
- Swelling of the face, lips or tongue, **shortness of breath**, or a widespread itchy rash
- Increasing swelling, pain or numbness in the arm where blood was taken

If any of these occur, call your doctor without delay: +90 288 502 50 20 · WhatsApp +90 555 333 21 20. If you cannot reach us, go to the nearest emergency department or call 112 (the emergency number in Türkiye and across Europe).

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

10 Medication and everyday-life advice

- Do not wear make-up for the first 24 hours; avoid saunas, Turkish baths, sunbeds, intense exercise and swimming pools.
- For 3 days after treatment you are advised not to take anti-inflammatory painkillers (ibuprofen, naproxen, aspirin); if you have pain, you may take paracetamol.
- Use a high-factor sunscreen every day during the course; after scalp treatment wait at least 3 days before hair colouring or perming.
- Smoking reduces the effect of platelets and impairs healing; stopping is recommended if possible.
- Take the medicines prescribed for you (antibiotics, painkillers, etc.) at the recommended dose and for the recommended time. Do not take aspirin or similar medicines that may increase bleeding without asking your doctor.
- On flights or journeys longer than 4 hours after surgery, drink plenty of water, move around regularly and wear compression stockings if advised; this reduces the risk of leg clots.
- During recovery you are advised not to drink alcohol and to avoid smoking and nicotine products.
- Please attend all follow-up appointments. If you have travelled from abroad, follow-up after your return can continue by online consultation and photos/videos; if you need to see a local doctor, you will be given a written operation report and our recommendations.

11 Photographs, image records and your personal data

Photographs/videos may be taken before and after the procedure for planning, follow-up and assessment of the result. These records form part of your medical file and are kept confidential. Your images will **never be used for advertising, promotion or social media.**

Your images may be used for any other purpose **only with your separate and explicit permission**. Declining will not affect your treatment in any way, and you may withdraw your permission at any time:

☐ I agree that my images are used **only for medical records and treatment follow-up**.

☐ I permit my images to be used for scientific publication and medical education **in a way that does not identify me** (face/eye area covered).

☐ I permit my images to be used for scientific publication and medical education **in a way that may identify me**.

☐ I **do not permit** scientific/educational use.

Your personal and health data are processed under the Turkish Personal Data Protection Law No. 6698 (KVKK) and the relevant health legislation, for the purposes of diagnosis, treatment and legal obligations, by persons bound by professional confidentiality. You may consult our Data Protection Information Notice for details.

12 Information and notes specific to you (completed by the doctor)

Patient-specific additional risks (co-existing diseases, medicines, previous operations), details of the plan, the patient's expectations, questions asked and answers given. If there is nothing to add, write "none".

13 Patient declaration

☐ I have read and understood this form in my own language. I was given enough time to think; I had the opportunity to ask questions and received satisfactory answers.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

- ☐ My condition, the aim of the recommended procedure, how it will be done, by whom and where, its approximate duration, expected benefits, likelihood of success, alternatives and what may happen if it is not done have been explained to me verbally and in writing.
- ☐ The common and potentially serious risks, and the possible consequences of these complications (including that further treatment or a repeat procedure/operation may be needed), have been explained to me. I understand that the outcome of any medical procedure **cannot be 100% guaranteed**.
- ☐ I have given accurate and complete information about my health, the medicines I take, my allergies and past illnesses. I understand that incomplete or incorrect information may increase the risks.
- ☐ I understand that following the instructions given before and after the procedure plays a part in the result, and that attending follow-up appointments is important.
- ☐ I know that I can withdraw my consent at any time before the procedure begins. I understand that signing this form does not remove the doctor's duty of care.
- ☐ I am making this decision of my own free will, without pressure from anyone.
- ☐ I understand that the PRP will be prepared from my own blood, that the details of the kit used will be recorded in my file and that it will be checked at every stage that the tubes belong to me.
- ☐ I have given accurate information about conditions that could prevent PRP treatment: blood disorders, any history of cancer, use of blood thinners and pregnancy.
- ☐ I understand that the effect varies from person to person, that several sessions are needed and that the result is not permanent.
- ☐ I understand that this procedure is **cosmetic**, that it is not medically necessary and that I always have the option not to have it. I have discussed my expectations with my doctor, and the realistic result that can be achieved has been explained to me.
- ☐ I understand that perfect symmetry or an exact copy of the appearance in a photograph cannot be guaranteed, that the final result depends on how my tissues heal, and that in some cases a correction procedure may be needed.

- ☐ **I GIVE MY CONSENT to the procedure described above.**
- ☐ **I DO NOT ACCEPT the procedure described above. The possible consequences of refusing have been explained to me.**

We recommend the patient writes in their own handwriting: "I have read and understood this form and I give my consent."

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

14 Signatures

	FULL NAME	SIGNATURE	DATE / TIME
Patient			
Legal representative (parent / guardian) — relationship:			
Doctor providing information and performing the procedure			
Interpreter (if needed) — language:			
Witness (if needed)			

Interpreter's statement: I have translated this form and the doctor's verbal explanations to the patient / legal representative completely and accurately, in a language they understand.

FOR PATIENTS UNDER 18 OR WITH LIMITED DECISION-MAKING CAPACITY

For patients under 18, consent is given by a **parent or legal guardian**. The child is informed in a way appropriate to their age and maturity and their view is sought. For patients lacking capacity, consent is given by the legal representative.

☐ If we share parental responsibility, I declare that the other parent is aware of and agrees to this procedure.

☐ I declare that there is no court order or dispute concerning custody / guardianship (if there is, the relevant document has been shown to the doctor).

The child was informed in an age-appropriate way; the child's view: _____

This form has been prepared in two copies: one is kept in the patient's file and one is given to the patient / legal representative.

WITHDRAWAL OF CONSENT (COMPLETE ONLY IF YOU CHANGE YOUR MIND)

I withdraw the consent I gave above. The possible consequences of withdrawing have been explained to me.

Name, signature, date and time of patient/representative withdrawing consent: _____

This form has been prepared in accordance with the Turkish Patient Rights Regulation and the informed consent principles of the Turkish Medical Association. It complements, but does not replace, the verbal explanation given by your doctor.