Op. Dr. Murat Ayata
Kulak Burun Boğaz
Otolaryngology Head and Neck Surgery Specialist

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

INFORMED CONSENT FORM

Mesotherapy

Micro-injections of skin- or scalp-care products into the skin or scalp

Dear patient, this form has been prepared to explain, in **plain and clear language**, what you need to know about the procedure recommended to you. Its purpose is not to frighten you, but to help you make your decision **freely and on the basis of good information**.

Please read this form without rushing. Ask your doctor about anything you do not understand. Your doctor will also explain verbally any risks that are particular to your situation. Whether or not you give consent is entirely your right.

PATIENT AND PROCEDURE DETAILS

Full name: _____ Date of birth: _____

Passport / ID No: _____ File / Protocol No: _____

Telephone: _____ Date informed: _____

Planned procedure date: _____

Form first sent to patient (date / e-mail, WhatsApp, in person): _____

Doctor performing the procedure and providing information: **Op. Dr. Murat Ayata**

Place of treatment: _____

Product name / contents: _____

LOT No / expiry date: _____

Treatment area: ☐ Face ☐ Neck ☐ Scalp ☐ Under-eye area ☐ Other _____

Technique: ☐ Manual (needle) ☐ Mesotherapy injector gun ☐ Dermaroller / microneedling _____

Session No / planned number of sessions: _____

1 Your condition and the aim of the procedure

Mesotherapy involves injecting small amounts of products containing ingredients such as **hyaluronic acid, vitamins, minerals and amino acids** into the superficial layers of the skin or scalp using very fine needles. The aim is to improve the hydration and vitality of the skin, to reduce the appearance of fine lines, dullness and tired-looking under-eye areas, or to support scalp care in hair loss.

Skin and hair quality are affected by age, sun exposure, smoking, stress, hormones and genetics. Mesotherapy does not stop these processes; it is a **supportive** treatment. Which product and how many sessions are suitable for you will be decided together after your consultation.

2 How is the procedure performed?

The treatment is carried out in our clinic under sterile conditions. Only products that are **licensed/registered in Türkiye, sterile and opened from their original packaging** are used; the product name and LOT number are recorded in your file.

1. **Preparation:** The area is photographed, make-up is removed and the skin is cleaned with an antiseptic solution. If you wish, a numbing cream can be applied for 20–30 minutes.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

2. **Treatment:** The product is injected into the superficial layer of the skin as many tiny droplets, by hand with a very fine needle, with a mesotherapy injector gun or with a microneedling device.
3. **Finishing:** The area is cleaned and, if needed, a cold compress is applied for a short time. You will be given aftercare advice.

The effect usually becomes noticeable not after a single session but after **a course of several sessions**. Most protocols recommend 3–6 sessions 2–4 weeks apart, followed by maintenance sessions every few months.

ANAESTHESIA	APPROXIMATE DURATION	HOSPITAL STAY / DISCHARGE
Numbing cream (optional)	About 20–40 minutes	Same day; short observation after treatment

3 Expected benefits and likelihood of success

- Skin that looks more hydrated, radiant and fresh; fine lines that are less noticeable
- A less tired appearance under the eyes
- Support for scalp nourishment and hair quality in hair loss

Results vary considerably from person to person. The strength of the scientific evidence for mesotherapy depends on the product and the purpose: treatments with hyaluronic acid for skin quality have been studied more thoroughly, whereas the evidence for some product mixtures (“cocktails”) is limited. The effect is not permanent and regular repeat treatments are needed to maintain it. No specific result can be guaranteed.

4 Other treatment options

- **No treatment**, or continuing with regular skin care, sun protection and healthy-lifestyle measures only
- **Topical products:** creams containing retinoids, vitamin C or moisturising ingredients; for hair loss, medicines such as minoxidil on medical advice
- **Other treatments:** PRP, hyaluronic acid treatments designed for skin quality, chemical peels, laser or microneedling treatments
- For hair loss, investigation and treatment of any underlying cause (iron or thyroid deficiency, hormonal causes)

5 What happens if the procedure is not performed?

If mesotherapy is not performed, your skin or hair will continue on its natural course. As this is a purely cosmetic/supportive treatment, choosing not to have it carries no risk to your health.

You have the right to decline the recommended procedure, to postpone it, or to seek a second medical opinion. This decision will not affect any other healthcare offered to you in any way. You may withdraw your consent at any time before the procedure begins; please be aware, however, that once a procedure has started there may be stages at which stopping would be medically unsafe.

6 Preparing for the procedure

- If possible, stop products that can increase bruising — such as aspirin, painkillers (ibuprofen, etc.), omega-3 and vitamin E — for 1 week before treatment, after checking with your doctor.
- If you have active acne, a cold sore, eczema or an infection in the treatment area, the treatment will be postponed.
- Tell us if you have had fillers, botulinum toxin, laser or a peel in the same area within the last 2 weeks.
- Mesotherapy is not performed during pregnancy or breastfeeding.
- Tell your doctor about **all medicines** you take (including blood thinners, aspirin, painkillers, weight-loss and hormone medicines) and any **herbal products and supplements** (such as omega-3, vitamin E, ginkgo, garlic, ginseng, fish oil). Do not stop any medicine on your own without your doctor's advice.
- Be sure to tell us about any **allergies**, bleeding or clotting problems, heart, lung, diabetes, blood pressure or thyroid conditions, previous operations and any problems you have had with anaesthesia.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

- If there is any chance you may be pregnant, or if you are breastfeeding, tell us before the procedure.
- Smoking and nicotine products significantly impair wound healing. If possible, stop at least 2–4 weeks before the procedure and do not smoke during recovery.

7 Recovery: what to expect

First few hours	Small raised bumps (papules), redness and mild swelling appear at the injection points; these usually settle within a few hours. Tiny spots of blood may be visible at the needle points.
First 24 hours	Do not wear make-up or rub the area. Avoid saunas, Turkish baths, sunbeds, strenuous exercise and direct sun. After scalp treatment you may wash your hair the next day.
Days 2–7	If bruising **occurs**, it fades within 3–7 days. Mild bumps and tenderness settle completely. Keep using sun protection.
During the course	Sessions are usually repeated every 2–4 weeks. The effect is most often noticed after the 2nd or 3rd session.
After the course	The effect gradually wears off; maintenance sessions every few months can be planned to preserve it.

8 Possible risks and complications

As with any medical procedure, this procedure carries some risks. Below, **expected temporary effects** and **complications** are listed separately and grouped by how often they occur. The figures given are **approximate** values based on the medical literature; your personal risk may be lower or higher depending on your age, general health, smoking and previous operations.

The great majority of complications are **temporary** and improve with appropriate treatment. Very rare but serious events are also included; being on this list does not mean they will happen to you, but you need to know about them to make an informed decision.

Expected, temporary effects (not complications — a normal part of healing)

- Mild pain or stinging from the needle
- Small bumps, redness and mild swelling at the injection points (a few hours to 1 day)
- Tiny spots of blood and tenderness at the needle points

Common conditions (most are temporary or resolve with treatment)

- **Bruising** — Common, especially in thin-skinned areas such as under the eyes; it fades on its own within 3–7 days and can be covered with make-up.
- **Prolonged swelling or redness** — Swelling under the eyes can last a few days. Cold compresses and sleeping with your head raised help.
- **Less effect than expected** — Some people may notice no clear change, or the effect may be short-lived.

Uncommon conditions

- **Temporary increase in hair shedding** — After scalp treatment, a temporary increase in shedding may occur in the first few weeks; it usually settles on its own.
- **Allergic or inflammatory reaction** — Itching, redness, hives or prolonged swelling may develop in response to an ingredient of the product. This is usually treated with medication.
- **Skin darkening (hyperpigmentation)** — Darkening at the needle points may occur, particularly in darker skin and with sun exposure; it usually fades over months.
- **Small lumps (nodules)** — Small lumps that can be felt may form; most disappear within a few weeks.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

Rare or very rare, but potentially serious conditions

- **Infection** — Bacterial infection is rare. **Atypical mycobacterial infection**, reported mainly in connection with non-sterile or unlicensed products, can appear weeks after treatment as painful, red, discharging lumps; it may require long-term antibiotic treatment and sometimes surgical drainage, and can leave scars. To reduce this risk, only licensed, sterile products are used.
- **Inflammation of the fatty tissue (panniculitis) or granuloma** — A rare reaction with painful hardening or redness in the deeper tissue, which can be long-lasting and require treatment.
- **Permanent scarring or colour change** — Very rarely, after an infection or severe reaction, a permanent scar, dent or difference in skin colour may remain.
- **Blocked blood vessel** — Particularly with products containing hyaluronic acid, the material entering or pressing on a blood vessel has **extremely rarely** been reported to impair the blood supply to the skin and leave a permanent scar. If you notice sudden severe pain, whitening of the skin or a purplish, net-like discolouration, tell us immediately; early treatment is very important.
- **Severe allergic reaction (anaphylaxis)** — Very rare; it causes shortness of breath, a widespread rash and a drop in blood pressure, and needs emergency treatment.

General risks that apply to any surgical / medical procedure

- **Feeling faint (vasovagal reaction):** Dizziness, sweating and brief fainting may occur during an injection or blood draw; it passes quickly if you lie down.
- **Infection:** With skin disinfection and sterile materials the risk is very low; if it occurs it is usually treated with antibiotics.
- **Allergic reaction:** To the product, local anaesthetic or antiseptic used — ranging from mild redness to, very rarely, a severe allergic reaction (anaphylaxis). Our clinic is equipped with emergency equipment and medicines.
- **Cold sore (herpes) reactivation:** If you have had cold sores before, they may reappear in the treated area; please let us know.
- **Result not meeting expectations:** The degree and duration of the effect vary between individuals; additional sessions or touch-up treatment may be needed.

This list does not include every possible complication; other unforeseeable and very rare events may occur. If a complication develops, your doctor will plan the necessary treatment and follow-up; this may require additional treatment, medication, procedures or a further operation.

9 When to contact us immediately

- **Increasing pain, redness, warmth, swelling or pus-like discharge** in the treated area
- **Fever above 38 °C**
- Painful, red or discharging lumps appearing **days or weeks after** treatment
- Swelling of the face, lips or tongue, **shortness of breath**, or a widespread itchy rash
- Whitening of the skin, a purplish, net-like discolouration, or severe pain

If any of these occur, call your doctor without delay: +90 288 502 50 20 · WhatsApp +90 555 333 21 20. If you cannot reach us, go to the nearest emergency department or call 112 (the emergency number in Türkiye and across Europe).

10 Medication and everyday-life advice

- Do not wear make-up for the first 24 hours; avoid saunas, Turkish baths, sunbeds, intense exercise and swimming pools.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

- Use a high-factor sunscreen every day during the course.
- Do not apply peels, retinol or acid-containing products to the area for the first 2–3 days.
- If you later have another treatment in the same area (filler, laser, etc.), tell the treating doctor that you have had mesotherapy.
- Take the medicines prescribed for you (antibiotics, painkillers, etc.) at the recommended dose and for the recommended time. Do not take aspirin or similar medicines that may increase bleeding without asking your doctor.
- On flights or journeys longer than 4 hours after surgery, drink plenty of water, move around regularly and wear compression stockings if advised; this reduces the risk of leg clots.
- During recovery you are advised not to drink alcohol and to avoid smoking and nicotine products.
- Please attend all follow-up appointments. If you have travelled from abroad, follow-up after your return can continue by online consultation and photos/videos; if you need to see a local doctor, you will be given a written operation report and our recommendations.

11 Photographs, image records and your personal data

Photographs/videos may be taken before and after the procedure for planning, follow-up and assessment of the result. These records form part of your medical file and are kept confidential. Your images will **never be used for advertising, promotion or social media.**

Your images may be used for any other purpose **only with your separate and explicit permission**. Declining will not affect your treatment in any way, and you may withdraw your permission at any time:

☐ I agree that my images are used **only for medical records and treatment follow-up**.

☐ I permit my images to be used for scientific publication and medical education **in a way that does not identify me** (face/eye area covered).

☐ I permit my images to be used for scientific publication and medical education **in a way that may identify me**.

☐ I **do not permit** scientific/educational use.

Your personal and health data are processed under the Turkish Personal Data Protection Law No. 6698 (KVKK) and the relevant health legislation, for the purposes of diagnosis, treatment and legal obligations, by persons bound by professional confidentiality. You may consult our Data Protection Information Notice for details.

12 Information and notes specific to you (completed by the doctor)

Patient-specific additional risks (co-existing diseases, medicines, previous operations), details of the plan, the patient's expectations, questions asked and answers given. If there is nothing to add, write "none".

13 Patient declaration

☐ I have read and understood this form in my own language. I was given enough time to think; I had the opportunity to ask questions and received satisfactory answers.

☐ My condition, the aim of the recommended procedure, how it will be done, by whom and where, its approximate duration, expected benefits, likelihood of success, alternatives and what may happen if it is not done have been explained to me verbally and in writing.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

- ☐ The common and potentially serious risks, and the possible consequences of these complications (including that further treatment or a repeat procedure/operation may be needed), have been explained to me. I understand that the outcome of any medical procedure **cannot be 100% guaranteed**.
- ☐ I have given accurate and complete information about my health, the medicines I take, my allergies and past illnesses. I understand that incomplete or incorrect information may increase the risks.
- ☐ I understand that following the instructions given before and after the procedure plays a part in the result, and that attending follow-up appointments is important.
- ☐ I know that I can withdraw my consent at any time before the procedure begins. I understand that signing this form does not remove the doctor's duty of care.
- ☐ I am making this decision of my own free will, without pressure from anyone.
- ☐ I have been told the name and contents of the product to be used; it has been explained to me that only licensed and sterile products will be used and that the product details will be recorded in my file.
- ☐ I understand that the effect varies from person to person, that several sessions may be needed and that the result is not permanent.
- ☐ I understand that this procedure is **cosmetic**, that it is not medically necessary and that I always have the option not to have it. I have discussed my expectations with my doctor, and the realistic result that can be achieved has been explained to me.
- ☐ I understand that perfect symmetry or an exact copy of the appearance in a photograph cannot be guaranteed, that the final result depends on how my tissues heal, and that in some cases a correction procedure may be needed.

- ☐ **I GIVE MY CONSENT to the procedure described above.**
- ☐ **I DO NOT ACCEPT the procedure described above. The possible consequences of refusing have been explained to me.**

We recommend the patient writes in their own handwriting: "I have read and understood this form and I give my consent."

14 Signatures

	FULL NAME	SIGNATURE	DATE / TIME
Patient			
Legal representative (parent / guardian) — relationship:			
Doctor providing information and performing the procedure			
Interpreter (if needed) — language:			
Witness (if needed)			

Interpreter's statement: I have translated this form and the doctor's verbal explanations to the patient / legal representative completely and accurately, in a language they understand.

Op. Dr. Murat Ayata Private Clinic
Karacaibrahim Mah. Dereüstü Sk., Merkez, Kırklareli, Türkiye
Tel: +90 288 502 50 20 · WhatsApp: +90 555 333 21 20
info@muratayata.com · www.muratayata.com

FOR PATIENTS UNDER 18 OR WITH LIMITED DECISION-MAKING CAPACITY

For patients under 18, consent is given by a **parent or legal guardian**. The child is informed in a way appropriate to their age and maturity and their view is sought. For patients lacking capacity, consent is given by the legal representative.

☐ If we share parental responsibility, I declare that the other parent is aware of and agrees to this procedure.

☐ I declare that there is no court order or dispute concerning custody / guardianship (if there is, the relevant document has been shown to the doctor).

The child was informed in an age-appropriate way; the child's view: _____

This form has been prepared in two copies: one is kept in the patient's file and one is given to the patient / legal representative.

WITHDRAWAL OF CONSENT (COMPLETE ONLY IF YOU CHANGE YOUR MIND)

I withdraw the consent I gave above. The possible consequences of withdrawing have been explained to me.

Name, signature, date and time of patient/representative withdrawing consent: _____

This form has been prepared in accordance with the Turkish Patient Rights Regulation and the informed consent principles of the Turkish Medical Association. It complements, but does not replace, the verbal explanation given by your doctor.