TOURVAA PLATFORM: API & DATABASE TECHNICAL REFERENCE (CANONICAL EDITION)

07 — API Design, Standards & Endpoint Catalog

1. RESTful Design Conventions

Tourvaa's API adheres to strict REST conventions:

- **Base Prefix**: All application endpoints are mounted under `/api` (e.g. `/api/bookings`, `/api/tours`).
- **Affiliate Short Redirects**: Served directly under `/r/{code}` to facilitate clean, shareable referral URLs.
- **Resource Naming**: Plural nouns represent collections (`/api/tours`, `/api/suppliers`).
- **HTTP Verbs**:
- `GET`: Safe, idempotent data retrieval.
- `POST`: Resource creation or state-changing commands.
- `PUT`: Complete resource replacement.
- `PATCH`: Partial resource updates.
- `DELETE`: Resource removal or soft-deletion.

---

2. API Metrics & Scale

Based on live OpenAPI inspection of the production codebase:

- **Total Registered Paths**: **594 distinct API paths**
- **Total API Operations**: **785 operations** across all HTTP methods
- **Functional Module Tags**: **61 unique operational categories**

The complete endpoint-by-endpoint inventory is cataloged in `inventories/api-inventory.md`.

---

3. Standard Response Format & Error Codes

Successful Response Format

```
{
  "success": true,
  "data": { ... },
  "message": "Operation completed successfully"
}
```

Standard Error Response Format

```
{
  "success": false,
  "code": "SUPPLIER_APPROVAL_REQUIRED",
  "message": "Your supplier account must be approved before using this feature.",
  "detail": null
}
```

Common HTTP Status Codes

- `200 OK`: Successful retrieval or synchronous update.
- `201 Created`: Successful creation of an entity.

- `400 Bad Request` : Validation failure or business constraint violation.
- `401 Unauthorized` : Missing, expired, or cryptographically invalid session token.
- `403 Forbidden` : Insufficient RBAC permissions or account pending approval.
- `404 Not Found` : Requested resource does not exist.
- `409 Conflict` : Unique constraint violation (e.g. duplicate email or slug).
- `422 Unprocessable Entity` : Schema validation failure by Pydantic.
- `500 Internal Server Error` : Unhandled server exception.

Backend API Endpoint Inventory

Total Verified Operations: 785

Total Functional Modules / Tags: 62

Base Path Prefix: `/api`

Method	Endpoint	Module Tag	Summary	Request Body	Status Codes
GET	`/`	Other	Home	No	200
GET	`/api/activity-logs`	Activity Logs	Activity Logs	No	200, 422
GET	`/api/activity-logs/`	Activity Logs	Activity Logs	No	200, 422
GET	`/api/activity-logs/export`	Activity Logs	Export Logs	No	200
GET	`/api/admin/affiliate-payouts`	Affiliate Payouts	Admin List Payouts	No	200, 422
GET	`/api/admin/messages/booking-conversations/{booking_id}`	Admin Messaging	Booking Conversations For Admin	No	200, 422
POST	`/api/admin/messages/booking-conversations/{conversation_id}/messages`	Admin Messaging	Booking Conversation Reply As Admin	Yes	200, 422
GET	`/api/admin/messages/conversations`	Admin Messaging	Conversations	No	200, 422
GET	`/api/admin/messages/conversations/{conversation_id}`	Admin Messaging	Conversation Thread	No	200, 422
POST	`/api/admin/messages/conversations/{conversation_id}/messages`	Admin Messaging	Reply	Yes	200, 422
GET	`/api/admin/messages/unread-summary`	Admin Messaging	Unread Summary	No	200
GET	`/api/admin/permissions/`	Permissions	List Permissions	No	200, 422
POST	`/api/admin/permissions/`	Permissions	Add Permission	Yes	200, 422
DELETE	`/api/admin/permissions/{permission_id}`	Permissions	Remove Permission	No	200, 422
GET	`/api/admin/permissions/{permission_id}`	Permissions	Detail Permission	No	200, 422
PUT	`/api/admin/permissions/{permission_id}`	Permissions	Edit Permission	Yes	200, 422
GET	`/api/admin/reviews`	Reviews	List Reviews	No	200, 422
PATCH	`/api/admin/reviews/{review_id}/approve`	Reviews	Approve Review	No	200, 422
PATCH	`/api/admin/reviews/{review_id}/reject`	Reviews	Reject Review	No	200, 422
GET	`/api/admin/roles/`	Roles	List Roles	No	200, 422
POST	`/api/admin/roles/`	Roles	Add Role	Yes	200, 422
GET	`/api/admin/roles/public/options`	Roles	Public Role Options	No	200
DELETE	`/api/admin/roles/{role_id}`	Roles	Remove Role	No	200, 422

GET	`/api/admin/roles/{role_id}`	Roles	Detail Role	No	200, 422
PUT	`/api/admin/roles/{role_id}`	Roles	Edit Role	Yes	200, 422
GET	`/api/admin/roles/{role_id}/permissions`	Roles	Role Permissions	No	200, 422
POST	`/api/admin/roles/{role_id}/permissions`	Roles	Assign Permissions	Yes	200, 422
POST	`/api/admin/seed/geo`	Geo Seed	Trigger Geo Seed	No	200, 422
GET	`/api/admin/seed/geo/status`	Geo Seed	Geo Seed Status	No	200
GET	`/api/affiliate-commission-rules`	Affiliate Commission Rules	List Rules	No	200, 422
POST	`/api/affiliate-commission-rules`	Affiliate Commission Rules	Create Rule	Yes	200, 422
GET	`/api/affiliate-commission-rules/`	Affiliate Commission Rules	List Rules	No	200, 422
POST	`/api/affiliate-commission-rules/`	Affiliate Commission Rules	Create Rule	Yes	200, 422
DELETE	`/api/affiliate-commission-rules/{rule_id}`	Affiliate Commission Rules	Delete Rule	No	200, 422
GET	`/api/affiliate-commission-rules/{rule_id}`	Affiliate Commission Rules	Rule Detail	No	200, 422
PUT	`/api/affiliate-commission-rules/{rule_id}`	Affiliate Commission Rules	Update Rule	Yes	200, 422
GET	`/api/affiliate-links`	Affiliate Links (Admin)	List Links	No	200, 422
POST	`/api/affiliate-links`	Affiliate Links (Admin)	Create Link	Yes	200, 422
GET	`/api/affiliate-links/`	Affiliate Links (Admin)	List Links	No	200, 422
POST	`/api/affiliate-links/`	Affiliate Links (Admin)	Create Link	Yes	200, 422
DELETE	`/api/affiliate-links/{link_id}`	Affiliate Links (Admin)	Delete Link	No	200, 422
GET	`/api/affiliate-links/{link_id}`	Affiliate Links (Admin)	Link Detail	No	200, 422
PUT	`/api/affiliate-links/{link_id}`	Affiliate Links (Admin)	Update Link	Yes	200, 422
POST	`/api/affiliate-links/{link_id}/activate`	Affiliate Links (Admin)	Activate Link	No	200, 422
POST	`/api/affiliate-links/{link_id}/disable`	Affiliate Links (Admin)	Disable Link	No	200, 422

POST	`/api/affiliate-links/{link_id}/duplicate`	Affiliate Links (Admin)	Duplicate Link	No	200, 422
GET	`/api/affiliate-payouts`	Affiliate Tracking	List Payouts	No	200, 422
POST	`/api/affiliate-payouts`	Affiliate Tracking	Create Payout	Yes	200, 422
POST	`/api/affiliate-payouts/{payout_id}/approve`	Affiliate Payouts	Approve Payout	No	200, 422
POST	`/api/affiliate-payouts/{payout_id}/mark-paid`	Affiliate Payouts	Mark Paid	Yes	200, 422
POST	`/api/affiliate-payouts/{payout_id}/processing`	Affiliate Payouts	Mark Processing	No	200, 422
POST	`/api/affiliate-payouts/{payout_id}/reject`	Affiliate Payouts	Reject Payout	Yes	200, 422
GET	`/api/affiliate/messages`	Affiliate Tracking	Affiliate Messages	No	200
POST	`/api/affiliate/messages`	Affiliate Tracking	Send Affiliate Message	Yes	200, 422
GET	`/api/affiliate/payout-methods`	Affiliate Payouts	List Payout Methods	No	200
POST	`/api/affiliate/payout-methods`	Affiliate Payouts	Create Payout Method	Yes	200, 422
DELETE	`/api/affiliate/payout-methods/{method_id}`	Affiliate Payouts	Delete Payout Method	No	200, 422
PUT	`/api/affiliate/payout-methods/{method_id}`	Affiliate Payouts	Update Payout Method	Yes	200, 422
POST	`/api/affiliate/payout-requests`	Affiliate Payouts	Request Payout	Yes	200, 422
GET	`/api/affiliate/wallet`	Affiliate Payouts	Wallet Summary	No	200
GET	`/api/affiliate/wallet/transactions`	Affiliate Payouts	Wallet Transactions	No	200, 422
GET	`/api/affiliates`	Affiliates	Affiliates	No	200, 422
POST	`/api/affiliates`	Affiliates	Add Affiliate	Yes	200, 422
GET	`/api/affiliates/`	Affiliates	Affiliates	No	200, 422
POST	`/api/affiliates/`	Affiliates	Add Affiliate	Yes	200, 422
GET	`/api/affiliates/document-requirements`	Affiliates	Affiliate Document Requirements	No	200
GET	`/api/affiliates/me`	Affiliates	My Affiliate	No	200
PATCH	`/api/affiliates/me`	Affiliates	Edit My Affiliate	Yes	200, 422
PUT	`/api/affiliates/me`	Affiliates	Edit My Affiliate	Yes	200, 422

POST	`/api/affiliates/me/accept-commission`	Affiliates	Accept My Commission	No	200
POST	`/api/affiliates/me/bank-details/edit-request`	Affiliates	Request My Bank Detail Edit	No	200
POST	`/api/affiliates/submit-verification`	Affiliates	Submit My Verification	No	200
GET	`/api/affiliates/track/{ref_code}`	Affiliate Tracking	Track Click	No	200, 422
GET	`/api/affiliates/{affiliate_id}`	Affiliates	Affiliate Detail	No	200, 422
PUT	`/api/affiliates/{affiliate_id}`	Affiliates	Edit Affiliate	Yes	200, 422
POST	`/api/affiliates/{affiliate_id}/activate`	Affiliates	Activate	No	200, 422
PATCH	`/api/affiliates/{affiliate_id}/api-link`	Affiliates	Api Link	Yes	200, 422
PATCH	`/api/affiliates/{affiliate_id}/approve`	Affiliates	Approve	No	200, 422
POST	`/api/affiliates/{affiliate_id}/bank-details/reject`	Affiliates	Reject Bank Detail Edit	Yes	200, 422
POST	`/api/affiliates/{affiliate_id}/bank-details/unlock`	Affiliates	Unlock Bank Detail Edit	No	200, 422
GET	`/api/affiliates/{affiliate_id}/clicks`	Affiliate Tracking	List Clicks	No	200, 422
GET	`/api/affiliates/{affiliate_id}/commission-calculator`	Affiliates	Affiliate Commission Calculator	No	200, 422
GET	`/api/affiliates/{affiliate_id}/commissions`	Affiliate Tracking	Get Commissions	No	200, 422
GET	`/api/affiliates/{affiliate_id}/conversions`	Affiliate Tracking	List Conversions	No	200, 422
GET	`/api/affiliates/{affiliate_id}/documents`	Affiliates	Get Affiliate Documents	No	200, 422
POST	`/api/affiliates/{affiliate_id}/documents`	Affiliates	Upload Affiliate Document	Yes	200, 422
PATCH	`/api/affiliates/{affiliate_id}/documents/{document_id}/review`	Affiliates	Review Document	Yes	200, 422
GET	`/api/affiliates/{affiliate_id}/links`	Affiliate Tracking	List Links	No	200, 422
POST	`/api/affiliates/{affiliate_id}/links`	Affiliate Tracking	Create Link	Yes	200, 422
GET	`/api/affiliates/{affiliate_id}/links/{link_id}`	Affiliate Tracking	Link Detail	No	200, 422
PUT	`/api/affiliates/{affiliate_id}/links/{link_id}`	Affiliate Tracking	Update Own Link	Yes	200, 422
PATCH	`/api/affiliates/{affiliate_id}/reject`	Affiliates	Reject	Yes	200, 422

POST	`/api/affiliates/{affiliate_id}/suspend`	Affiliates	Suspend	Yes	200, 422
GET	`/api/agent-ledgers`	Agent Ledger	List Ledgers	No	200, 422
GET	`/api/agent-payouts`	Agent Ledger	List Payouts	No	200, 422
POST	`/api/agent-payouts`	Agent Ledger	Create Payout	Yes	200, 422
POST	`/api/agent-payouts/{payout_id}/approve`	Agent Ledger	Approve Payout	No	200, 422
PATCH	`/api/agent-payouts/{payout_id}/mark-paid`	Agent Ledger	Mark Paid	Yes	200, 422
POST	`/api/agent-payouts/{payout_id}/mark-paid`	Agent Ledger	Mark Paid Post	No	200, 422
POST	`/api/agent-payouts/{payout_id}/reject`	Agent Ledger	Reject Payout	Yes	200, 422
GET	`/api/agent-statements/{agent_id}`	Agent Ledger	Agent Statement	No	200, 422
GET	`/api/agent/messages`	Agent Portal	Agent Messages	No	200
POST	`/api/agent/messages`	Agent Portal	Send Agent Message	Yes	200, 422
GET	`/api/agents`	Agents	Agents	No	200, 422
POST	`/api/agents`	Agents	Add Agent	Yes	200, 422
GET	`/api/agents/`	Agents	Agents	No	200, 422
POST	`/api/agents/`	Agents	Add Agent	Yes	200, 422
POST	`/api/agents/bulk-approve`	Agents	Bulk Approve	Yes	200, 422
POST	`/api/agents/bulk-reject`	Agents	Bulk Reject	Yes	200, 422
GET	`/api/agents/document-requirements`	Agents	Document Requirements	No	200
GET	`/api/agents/export`	Agents	Export Agents Endpoint	No	200
GET	`/api/agents/me`	Agents	My Agent	No	200
PATCH	`/api/agents/me`	Agents	Edit My Agent	Yes	200, 422
PUT	`/api/agents/me`	Agents	Edit My Agent	Yes	200, 422
POST	`/api/agents/me/accept-commission`	Agents	Accept My Commission	No	200
POST	`/api/agents/me/bank-details/edit-request`	Agents	Request My Bank Detail Edit	No	200

GET	`/api/agents/me/commission-calculator`	Agents	My Commission Calculator	No	200, 422
POST	`/api/agents/me/commission-request`	Agents	Request My Commission	Yes	200, 422
GET	`/api/agents/pending`	Agents	Pending Agents	No	200, 422
POST	`/api/agents/register`	Agents	Register Agent	Yes	200, 422
POST	`/api/agents/submit-verification`	Agents	Submit Verification	No	200
POST	`/api/agents/verify-email`	Agents	Verify Agent Email	Yes	200, 422
GET	`/api/agents/{agent_id}`	Agents	Agent Detail	No	200, 422
PATCH	`/api/agents/{agent_id}`	Agents	Edit Agent	Yes	200, 422
PUT	`/api/agents/{agent_id}`	Agents	Edit Agent	Yes	200, 422
PATCH	`/api/agents/{agent_id}/approve`	Agents	Approve	No	200, 422
POST	`/api/agents/{agent_id}/approve`	Agents	Approve	No	200, 422
POST	`/api/agents/{agent_id}/bank-details/reject`	Agents	Reject Bank Detail Edit	Yes	200, 422
POST	`/api/agents/{agent_id}/bank-details/unlock`	Agents	Unlock Bank Detail Edit	No	200, 422
POST	`/api/agents/{agent_id}/commission-request/reject`	Agents	Reject Commission Request	No	200, 422
PATCH	`/api/agents/{agent_id}/discount`	Agents	Discount	Yes	200, 422
POST	`/api/agents/{agent_id}/discount`	Agents	Discount	Yes	200, 422
GET	`/api/agents/{agent_id}/documents`	Agents	Get Agent Documents	No	200, 422
POST	`/api/agents/{agent_id}/documents`	Agents	Upload Agent Document	Yes	200, 422
PATCH	`/api/agents/{agent_id}/documents/{document_id}/review`	Agents	Review Document	Yes	200, 422
GET	`/api/agents/{agent_id}/ledger`	Agent Ledger	Agent Ledger	No	200, 422
PATCH	`/api/agents/{agent_id}/partial-approve`	Agents	Partial Approve	Yes	200, 422
POST	`/api/agents/{agent_id}/partial-approve`	Agents	Partial Approve	Yes	200, 422
PATCH	`/api/agents/{agent_id}/reject`	Agents	Reject	Yes	200, 422

POST	`/api/agents/{agent_id}/reject`	Agents	Reject	Yes	200, 422
POST	`/api/agents/{agent_id}/request-correction`	Agents	Request Correction	Yes	200, 422
GET	`/api/audit-logs`	Activity Logs	Activity Logs	No	200, 422
GET	`/api/audit-logs/`	Activity Logs	Activity Logs	No	200, 422
GET	`/api/audit-logs/export`	Activity Logs	Export Logs	No	200
POST	`/api/auth/2fa/disable`	Authentication	Two Factor Disable	Yes	200, 422
POST	`/api/auth/2fa/enable`	Authentication	Two Factor Enable	Yes	200, 422
POST	`/api/auth/2fa/login-verify`	Authentication	Two Factor Login Verify	Yes	200, 422
POST	`/api/auth/2fa/setup`	Authentication	Two Factor Setup	No	200
GET	`/api/auth/account-status`	Authentication	Account Status	No	200
POST	`/api/auth/change-registration-email`	Authentication	Change Email	Yes	200, 422
POST	`/api/auth/complete-registration`	Authentication	Complete Registration Request	Yes	200, 422
POST	`/api/auth/create-password`	Authentication	Create Registration Password	Yes	200, 422
POST	`/api/auth/force-logout`	Authentication	Force Logout	Yes	200, 422
POST	`/api/auth/forgot-password`	Authentication	Forgot Password Request	Yes	200, 422
GET	`/api/auth/google`	Google Authentication	Google Login	No	200, 422
GET	`/api/auth/google/callback`	Google Authentication	Google Callback	No	200, 422
POST	`/api/auth/login`	Authentication	Login	Yes	200, 422
GET	`/api/auth/login-history`	Authentication	Login History	No	200, 422
POST	`/api/auth/logout`	Authentication	Logout	No	200
POST	`/api/auth/logout-all`	Authentication	Logout All	No	200
GET	`/api/auth/me`	Authentication	Current Session	No	200
GET	`/api/auth/oauth/providers`	Social Authentication	Provider Status	No	200
GET	`/api/auth/oauth/{provider}/start`	Social Authentication	Start Social Auth	No	200, 422
POST	`/api/auth/otp/request`	Authentication	Otp Request	Yes	200, 422

POST	`/api/auth/otp/verify`	Authentication	Otp Verify	Yes	200, 422
POST	`/api/auth/refresh`	Authentication	Refresh	Yes	200, 422
POST	`/api/auth/refresh-token`	Authentication	Refresh Token	Yes	200, 422
POST	`/api/auth/register`	Authentication	Register	Yes	200, 422
POST	`/api/auth/register/agent`	Authentication	Register Agent	Yes	200, 422
POST	`/api/auth/register/customer`	Authentication	Register Customer	Yes	200, 422
POST	`/api/auth/register/supplier`	Authentication	Register Supplier	Yes	200, 422
POST	`/api/auth/resend-verification`	Authentication	Resend Verification	Yes	200, 422
POST	`/api/auth/reset-password`	Authentication	Reset Password Request	Yes	200, 422
GET	`/api/auth/reset-password/validate`	Authentication	Validate Reset Password Link	No	200, 422
GET	`/api/auth/verify-email`	Authentication	Verify Email Link	No	200, 422
POST	`/api/auth/verify-email`	Authentication	Verify Email Request	Yes	200, 422
GET	`/api/auth/verify-email/validate`	Authentication	Validate Verification Link	No	200, 422
GET	`/api/bookings`	Bookings	List Bookings	No	200, 422
POST	`/api/bookings`	Bookings	Add Booking	Yes	200, 422
GET	`/api/bookings/`	Bookings	List Bookings	No	200, 422
POST	`/api/bookings/`	Bookings	Add Booking	Yes	200, 422
POST	`/api/bookings/calculate-price`	Bookings	Calculate Price	Yes	200, 422
POST	`/api/bookings/communications/{communication_id}/replies`	Bookings	Reply Booking Communication	Yes	200, 422
POST	`/api/bookings/expire-stale`	Bookings	Expire Stale Bookings Endpoint	No	200, 422
GET	`/api/bookings/export`	Bookings	Export Bookings Endpoint	No	200
GET	`/api/bookings/upcoming`	Bookings	Upcoming Bookings	No	200
GET	`/api/bookings/{booking_id}`	Bookings	Booking Detail	No	200, 422

PUT	`/api/bookings/{booking_id}`	Bookings	Edit Booking	Yes	200, 422
POST	`/api/bookings/{booking_id}/assign-supplier`	Bookings	Assign Supplier Endpoint	Yes	200, 422
GET	`/api/bookings/{booking_id}/calendar-event`	Booking Calendar	Get Calendar Event	No	200, 422
GET	`/api/bookings/{booking_id}/calendar-event/download`	Booking Calendar	Download Ics	No	200, 422
POST	`/api/bookings/{booking_id}/calendar-sync`	Booking Calendar	Sync Calendar	No	200, 422
PATCH	`/api/bookings/{booking_id}/cancel`	Bookings	Cancel Booking Endpoint	Yes	200, 422
POST	`/api/bookings/{booking_id}/cancel-request`	Cancellations	Customer Cancel Request	Yes	200, 422
PATCH	`/api/bookings/{booking_id}/cancellation-request/approve`	Cancellations	Approve Booking Cancellation	Yes	200, 422
PATCH	`/api/bookings/{booking_id}/cancellation-request/reject`	Cancellations	Reject Booking Cancellation	Yes	200, 422
POST	`/api/bookings/{booking_id}/communications`	Bookings	Create Booking Communication	Yes	200, 422
GET	`/api/bookings/{booking_id}/conversation`	Booking Messaging	Booking Conversation Thread	No	200, 422
POST	`/api/bookings/{booking_id}/conversation/messages`	Booking Messaging	Send Booking Conversation Message	Yes	200, 422
POST	`/api/bookings/{booking_id}/hide-from-agent`	Bookings	Hide From Agent Bookings	No	200, 422
GET	`/api/bookings/{booking_id}/modifications`	Bookings	Booking Modifications	No	200, 422
POST	`/api/bookings/{booking_id}/modifications`	Bookings	Request Booking Modification	Yes	200, 422
POST	`/api/bookings/{booking_id}/modifications/{modification_id}/approve`	Bookings	Approve Booking Modification	Yes	200, 422
POST	`/api/bookings/{booking_id}/modifications/{modification_id}/reject`	Bookings	Reject Booking Modification	Yes	200, 422
GET	`/api/bookings/{booking_id}/payment-link`	Bookings	Booking Payment Link	No	200, 422
PATCH	`/api/bookings/{booking_id}/status`	Bookings	Change Booking Status	Yes	200, 422
GET	`/api/bookings/{booking_id}/status-history`	Bookings	Booking Status History	No	200, 422
PATCH	`/api/bookings/{booking_id}/travel-date`	Bookings	Change Booking Travel Date	Yes	200, 422
GET	`/api/cancellations`	Cancellations	List Cancellations	No	200, 422
PATCH	`/api/cancellations/{request_id}/approve`	Cancellations	Approve Cancellation	Yes	200, 422

POST	`/api/cancellations/{request_id}/process-refund`	Cancellations	Process Refund	Yes	200, 422
PATCH	`/api/cancellations/{request_id}/reject`	Cancellations	Reject Cancellation	Yes	200, 422
GET	`/api/chatbot/admin/analytics`	Chatbot	Admin Analytics	No	200, 422
GET	`/api/chatbot/admin/faqs`	Chatbot	Admin List Faqs	No	200, 422
POST	`/api/chatbot/admin/faqs`	Chatbot	Admin Create Faq	Yes	201, 422
DELETE	`/api/chatbot/admin/faqs/{faq_id}`	Chatbot	Admin Delete Faq	No	204, 422
PUT	`/api/chatbot/admin/faqs/{faq_id}`	Chatbot	Admin Update Faq	Yes	200, 422
POST	`/api/chatbot/admin/reindex`	Chatbot	Admin Reindex	No	200
GET	`/api/chatbot/admin/sessions`	Chatbot	Admin List Sessions	No	200, 422
GET	`/api/chatbot/admin/sessions/{session_id}/messages`	Chatbot	Admin Session Messages	No	200, 422
POST	`/api/chatbot/chat`	Chatbot	Chat	Yes	200, 422
GET	`/api/chatbot/faqs`	Chatbot	Public Faqs	No	200
POST	`/api/chatbot/feedback`	Chatbot	Submit Chat Feedback	Yes	200, 422
GET	`/api/chatbot/health`	Chatbot	Chatbot Health	No	200
GET	`/api/checkout/admin/sessions`	Checkout	Admin List Checkout Sessions	No	200, 422
GET	`/api/checkout/session/{session_key}`	Checkout	Get Checkout Session	No	200, 422
PATCH	`/api/checkout/session/{session_key}`	Checkout	Update Checkout Session	Yes	200, 422
POST	`/api/checkout/session/{session_key}/confirm`	Checkout	Confirm Checkout	Yes	200, 422
POST	`/api/checkout/start`	Checkout	Start Checkout	Yes	200, 422
GET	`/api/cities`	CMS	Cities	No	200, 422
POST	`/api/cities`	CMS	Add City	Yes	200, 422
GET	`/api/cities/{city_id}`	CMS	City Detail	No	200, 422
PUT	`/api/cities/{city_id}`	CMS	Edit City	Yes	200, 422
PATCH	`/api/cities/{city_id}/status`	CMS	City Status	Yes	200, 422
GET	`/api/client/config`	Client	Client Config	No	200

GET	`/api/client/tours`	Client	Public Tours	No	200, 422
GET	`/api/client/tours/{tour_id}`	Client	Public Tour Detail	No	200, 422
GET	`/api/client/tours/{tour_id}/calendar`	Client	Public Tour Calendar	No	200, 422
GET	`/api/client/tours/{tour_id}/exclusions`	Client	Public Tour Exclusions	No	200, 422
GET	`/api/client/tours/{tour_id}/gallery`	Client	Public Tour Gallery	No	200, 422
GET	`/api/client/tours/{tour_id}/highlights`	Client	Public Tour Highlights	No	200, 422
GET	`/api/client/tours/{tour_id}/inclusions`	Client	Public Tour Inclusions	No	200, 422
GET	`/api/client/tours/{tour_id}/itineraries`	Client	Public Tour Itineraries	No	200, 422
GET	`/api/client/tours/{tour_id}/optional-activities`	Client	Public Tour Activities	No	200, 422
GET	`/api/client/tours/{tour_id}/overview`	Client	Public Tour Overview	No	200, 422
GET	`/api/client/tours/{tour_id}/pricing`	Client	Public Tour Pricing	No	200, 422
GET	`/api/client/tours/{tour_id}/similar-tours`	Client	Public Tour Similar Tours	No	200, 422
GET	`/api/cms/blogs`	Website CMS	List Blogs	No	200, 422
POST	`/api/cms/blogs`	Website CMS	Create Blog	Yes	200, 422
DELETE	`/api/cms/blogs/{item_id}`	Website CMS	Delete Blog	No	200, 422
GET	`/api/cms/blogs/{item_id}`	Website CMS	Get Blog	No	200, 422
PUT	`/api/cms/blogs/{item_id}`	Website CMS	Update Blog	Yes	200, 422
GET	`/api/cms/content-blocks/{key}`	Website CMS	Get Content Block	No	200, 422
PUT	`/api/cms/content-blocks/{key}`	Website CMS	Upsert Content Block	Yes	200, 422
GET	`/api/cms/country-pages`	Website CMS	List Country Pages	No	200, 422
POST	`/api/cms/country-pages`	Website CMS	Create Country Page	Yes	200, 422
DELETE	`/api/cms/country-pages/{item_id}`	Website CMS	Delete Country Page	No	200, 422
PUT	`/api/cms/country-pages/{item_id}`	Website CMS	Update Country Page	Yes	200, 422
GET	`/api/cms/customer-reviews`	Website CMS	List Reviews	No	200, 422

POST	`/api/cms/customer-reviews`	Website CMS	Create Review	Yes	200, 422
DELETE	`/api/cms/customer-reviews/{item_id}`	Website CMS	Delete Review	No	200, 422
PUT	`/api/cms/customer-reviews/{item_id}`	Website CMS	Update Review	Yes	200, 422
GET	`/api/cms/external-links`	Website CMS	List Links	No	200, 422
POST	`/api/cms/external-links`	Website CMS	Create Link	Yes	200, 422
DELETE	`/api/cms/external-links/{item_id}`	Website CMS	Delete Link	No	200, 422
PUT	`/api/cms/external-links/{item_id}`	Website CMS	Update Link	Yes	200, 422
GET	`/api/cms/favourite-countries`	Website CMS	List Favourite Countries	No	200, 422
POST	`/api/cms/favourite-countries`	Website CMS	Create Favourite Country	Yes	200, 422
DELETE	`/api/cms/favourite-countries/{item_id}`	Website CMS	Delete Favourite Country	No	200, 422
PUT	`/api/cms/favourite-countries/{item_id}`	Website CMS	Update Favourite Country	Yes	200, 422
GET	`/api/cms/footer`	Website CMS	Public Footer	No	200
GET	`/api/cms/footer-links`	Website CMS	List Footer Links	No	200, 422
POST	`/api/cms/footer-links`	Website CMS	Create Footer Link	Yes	200, 422
DELETE	`/api/cms/footer-links/{item_id}`	Website CMS	Delete Footer Link	No	200, 422
PUT	`/api/cms/footer-links/{item_id}`	Website CMS	Update Footer Link	Yes	200, 422
GET	`/api/cms/footer-sections`	Website CMS	List Footer Sections	No	200, 422
POST	`/api/cms/footer-sections`	Website CMS	Create Footer Section	Yes	200, 422
DELETE	`/api/cms/footer-sections/{item_id}`	Website CMS	Delete Footer Section	No	200, 422
PUT	`/api/cms/footer-sections/{item_id}`	Website CMS	Update Footer Section	Yes	200, 422
GET	`/api/cms/handpicked-tours`	Website CMS	List Handpicked Tours	No	200, 422
POST	`/api/cms/handpicked-tours`	Website CMS	Create Handpicked Tour	Yes	200, 422
DELETE	`/api/cms/handpicked-tours/{item_id}`	Website CMS	Delete Handpicked Tour	No	200, 422
PUT	`/api/cms/handpicked-tours/{item_id}`	Website CMS	Update Handpicked Tour	Yes	200, 422

GET	`/api/cms/help-centre`	Website CMS	List Help	No	200, 422
POST	`/api/cms/help-centre`	Website CMS	Create Help	Yes	200, 422
DELETE	`/api/cms/help-centre/{item_id}`	Website CMS	Delete Help	No	200, 422
PUT	`/api/cms/help-centre/{item_id}`	Website CMS	Update Help	Yes	200, 422
GET	`/api/cms/homepage-banners`	Website CMS	List Banners	No	200, 422
POST	`/api/cms/homepage-banners`	Website CMS	Create Banner	Yes	200, 422
DELETE	`/api/cms/homepage-banners/{item_id}`	Website CMS	Delete Banner	No	200, 422
PUT	`/api/cms/homepage-banners/{item_id}`	Website CMS	Update Banner	Yes	200, 422
GET	`/api/cms/pages`	Website CMS	List Cms Pages	No	200, 422
POST	`/api/cms/pages`	Website CMS	Create Cms Page	Yes	200, 422
GET	`/api/cms/pages/by-slug/{slug}`	Website CMS	Public Cms Page	No	200, 422
DELETE	`/api/cms/pages/{item_id}`	Website CMS	Delete Cms Page	No	200, 422
PUT	`/api/cms/pages/{item_id}`	Website CMS	Update Cms Page	Yes	200, 422
GET	`/api/cms/policies`	Website CMS	List Policies	No	200, 422
PUT	`/api/cms/policies`	Website CMS	Upsert Policy	Yes	200, 422
GET	`/api/cms/policies/{slug}`	Website CMS	Get Policy	No	200, 422
GET	`/api/cms/popular-destinations`	Website CMS	List Destinations	No	200, 422
POST	`/api/cms/popular-destinations`	Website CMS	Create Destination	Yes	200, 422
DELETE	`/api/cms/popular-destinations/{item_id}`	Website CMS	Delete Destination	No	200, 422
PUT	`/api/cms/popular-destinations/{item_id}`	Website CMS	Update Destination	Yes	200, 422
GET	`/api/cms/popular-tours`	Website CMS	List Popular Tours	No	200, 422
POST	`/api/cms/popular-tours`	Website CMS	Create Popular Tour	Yes	200, 422
DELETE	`/api/cms/popular-tours/{item_id}`	Website CMS	Delete Popular Tour	No	200, 422
PUT	`/api/cms/popular-tours/{item_id}`	Website CMS	Update Popular Tour	Yes	200, 422

GET	`/api/cms/promotional-popups`	Website CMS	List Popups	No	200, 422
POST	`/api/cms/promotional-popups`	Website CMS	Create Popup	Yes	200, 422
DELETE	`/api/cms/promotional-popups/{item_id}`	Website CMS	Delete Popup	No	200, 422
PUT	`/api/cms/promotional-popups/{item_id}`	Website CMS	Update Popup	Yes	200, 422
GET	`/api/cms/sitemap`	Website CMS	List Sitemap Entries	No	200, 422
POST	`/api/cms/sitemap`	Website CMS	Create Sitemap Entry	Yes	200, 422
GET	`/api/cms/sitemap.xml`	Website CMS	Get Sitemap Xml	No	200
DELETE	`/api/cms/sitemap/{item_id}`	Website CMS	Delete Sitemap Entry	No	200, 422
PUT	`/api/cms/sitemap/{item_id}`	Website CMS	Update Sitemap Entry	Yes	200, 422
GET	`/api/cms/tours-on-deals`	Website CMS	List Deals	No	200, 422
POST	`/api/cms/tours-on-deals`	Website CMS	Create Deal	Yes	200, 422
DELETE	`/api/cms/tours-on-deals/{item_id}`	Website CMS	Delete Deal	No	200, 422
PUT	`/api/cms/tours-on-deals/{item_id}`	Website CMS	Update Deal	Yes	200, 422
GET	`/api/countries`	CMS	Countries	No	200, 422
POST	`/api/countries`	CMS	Add Country	Yes	200, 422
PATCH	`/api/countries/bulk-disable`	CMS	Bulk Disable Countries	No	200, 422
GET	`/api/countries/{country_id}`	CMS	Country Detail	No	200, 422
PUT	`/api/countries/{country_id}`	CMS	Edit Country	Yes	200, 422
PATCH	`/api/countries/{country_id}/status`	CMS	Country Status	Yes	200, 422
GET	`/api/currencies`	CMS	Currencies	No	200, 422
POST	`/api/currencies`	CMS	Add Currency	Yes	200, 422
GET	`/api/currencies/{currency_id}`	CMS	Currency Detail	No	200, 422
PUT	`/api/currencies/{currency_id}`	CMS	Edit Currency	Yes	200, 422
PATCH	`/api/currencies/{currency_id}/status`	CMS	Currency Status	Yes	200, 422

GET	`/api/currency/admin/rates`	Currency	Admin Currency Rates	No	200
POST	`/api/currency/admin/refresh`	Currency	Admin Refresh Currency Rates	No	200
GET	`/api/currency/context`	Currency	Currency Context	No	200, 422
GET	`/api/currency/convert`	Currency	Currency Convert	No	200, 422
GET	`/api/currency/rates`	Currency	Currency Rates	No	200, 422
GET	`/api/customer/bookings`	Customer Portal	Customer Bookings	No	200, 422
POST	`/api/customer/bookings`	Customer Portal	Create Customer Booking	Yes	200, 422
POST	`/api/customer/bookings/calculate-price`	Customer Portal	Customer Calculate Price	Yes	200, 422
GET	`/api/customer/bookings/{booking_id}`	Customer Portal	Customer Booking Detail	No	200, 422
POST	`/api/customer/bookings/{booking_id}/cancel`	Customer Portal	Request Booking Cancellation	Yes	200, 422
GET	`/api/customer/bookings/{booking_id}/confirmation-receipt`	Customer Portal	Customer Booking Confirmation Receipt	No	200, 422
GET	`/api/customer/bookings/{booking_id}/itinerary`	Customer Portal	Customer Booking Itinerary	No	200, 422
POST	`/api/customer/bookings/{booking_id}/pay`	Customer Portal	Record Customer Manual Payment	Yes	200, 422
POST	`/api/customer/bookings/{booking_id}/remove-unpaid`	Customer Portal	Remove Unpaid Booking	No	200, 422
GET	`/api/customer/cancellations`	Customer Portal	Customer Cancellations	No	200, 422
POST	`/api/customer/change-password`	Customer Portal	Change Customer Password	Yes	200, 422
GET	`/api/customer/invoices`	Customer Portal	Customer Invoices	No	200, 422
GET	`/api/customer/invoices/{invoice_id}/download`	Customer Portal	Customer Invoice Download	No	200, 422
GET	`/api/customer/messages`	Customer Portal	Customer Messages	No	200
POST	`/api/customer/messages`	Customer Portal	Send Customer Portal Message	Yes	200, 422
GET	`/api/customer/payments`	Customer Portal	Customer Payments	No	200, 422
GET	`/api/customer/profile`	Customer Portal	Customer Profile	No	200
PUT	`/api/customer/profile`	Customer Portal	Update Customer Profile	Yes	200, 422

POST	`/api/customer/reviews`	Reviews	Submit Review	Yes	200, 422
GET	`/api/customer/reviews/eligibility/{booking_id}`	Reviews	Get Review Eligibility	No	200, 422
PATCH	`/api/customer/reviews/{review_id}`	Reviews	Update Review	Yes	200, 422
GET	`/api/customer/travellers`	Customer Portal	Customer Saved Travellers	No	200
POST	`/api/customer/travellers`	Customer Portal	Add Saved Traveller	Yes	200, 422
DELETE	`/api/customer/travellers/{traveller_id}`	Customer Portal	Delete Saved Traveller	No	200, 422
PUT	`/api/customer/travellers/{traveller_id}`	Customer Portal	Update Saved Traveller	Yes	200, 422
GET	`/api/customers`	Customers	List Customers	No	200, 422
POST	`/api/customers`	Customers	Add Customer	Yes	200, 422
GET	`/api/customers/`	Customers	List Customers	No	200, 422
POST	`/api/customers/`	Customers	Add Customer	Yes	200, 422
POST	`/api/customers/link`	Customers	Link Existing Customer	Yes	200, 422
GET	`/api/customers/me`	Customers	My Customer	No	200
PATCH	`/api/customers/me`	Customers	Edit My Customer	Yes	200, 422
PUT	`/api/customers/me`	Customers	Edit My Customer	Yes	200, 422
POST	`/api/customers/me/bookings`	Customers	Self Create Booking	Yes	200, 422
GET	`/api/customers/{customer_id}`	Customers	Customer Detail	No	200, 422
PUT	`/api/customers/{customer_id}`	Customers	Edit Customer	Yes	200, 422
PATCH	`/api/customers/{customer_id}/block`	Customers	Block Customer Account	Yes	200, 422
POST	`/api/customers/{customer_id}/block`	Customers	Block Customer Account Compat	Yes	200, 422
GET	`/api/customers/{customer_id}/bookings`	Customers	Customer Booking History	No	200, 422
GET	`/api/customers/{customer_id}/communications`	Customers	Customer Communication History	No	200, 422
POST	`/api/customers/{customer_id}/communications`	Customers	Send Customer Communication	Yes	200, 422
GET	`/api/customers/{customer_id}/payments`	Customers	Customer Payment History	No	200, 422

POST	`/api/customers/{customer_id}/reset-password`	Customers	Reset Customer Login Password	No	200, 422
PATCH	`/api/customers/{customer_id}/status`	Customers	Change Customer Status	Yes	200, 422
PATCH	`/api/customers/{customer_id}/unblock`	Customers	Unblock Customer Account	No	200, 422
POST	`/api/customers/{customer_id}/unblock`	Customers	Unblock Customer Account Compat	No	200, 422
GET	`/api/dashboard/alerts`	Dashboard	Dashboard Alerts	No	200
GET	`/api/dashboard/bookings`	Dashboard	Booking Analytics	No	200, 422
GET	`/api/dashboard/charts`	Dashboard	Dashboard Charts	No	200, 422
GET	`/api/dashboard/me`	Dashboard	My Dashboard	No	200
GET	`/api/dashboard/payments`	Dashboard	Payment Summary	No	200, 422
GET	`/api/dashboard/recent-activities`	Dashboard	Recent Activities	No	200, 422
GET	`/api/dashboard/revenue`	Dashboard	Revenue Analytics	No	200, 422
GET	`/api/dashboard/summary`	Dashboard	Dashboard Summary	No	200, 422
GET	`/api/discounts`	Discounts	All Discounts	No	200, 422
POST	`/api/discounts`	Discounts	Add Global Discount	Yes	200, 422
GET	`/api/discounts/`	Discounts	All Discounts	No	200, 422
POST	`/api/discounts/`	Discounts	Add Global Discount	Yes	200, 422
PUT	`/api/discounts/{discount_id}`	Discounts	Edit Global Discount Route	Yes	200, 422
PATCH	`/api/discounts/{discount_id}/amend`	Discounts	Amend Global Discount Route	Yes	200, 422
PATCH	`/api/discounts/{discount_id}/deactivate`	Discounts	Deactivate Global Discount Route	Yes	200, 422
GET	`/api/discounts/{discount_id}/history`	Discounts	Global Discount History	No	200, 422
GET	`/api/discounts/{discount_id}/usage`	Discounts	Global Discount Usage	No	200, 422
GET	`/api/email-logs`	Email Logs	List Email Logs	No	200, 422
GET	`/api/email-logs/`	Email Logs	List Email Logs	No	200, 422

GET	`/api/email-logs/deliveries`	Email Logs	List Email Deliveries	No	200, 422
POST	`/api/email-logs/deliveries/{delivery_id}/retry`	Email Logs	Retry Email Delivery	No	200, 422
GET	`/api/email-templates/`	Email Templates	List Templates	No	200, 422
POST	`/api/email-templates/`	Email Templates	Add Template	Yes	200, 422
DELETE	`/api/email-templates/{template_id}`	Email Templates	Remove Template	No	200, 422
GET	`/api/email-templates/{template_id}`	Email Templates	Detail Template	No	200, 422
PUT	`/api/email-templates/{template_id}`	Email Templates	Edit Template	Yes	200, 422
GET	`/api/email-templates/{template_id}/preview`	Email Templates	Preview	No	200, 422
POST	`/api/email-templates/{template_id}/test`	Email Templates	Send Test	Yes	200, 422
GET	`/api/geo/cities`	Geo Reference	Geo Cities	No	200, 422
GET	`/api/geo/countries`	Geo Reference	Geo Countries	No	200
GET	`/api/geo/states`	Geo Reference	Geo States	No	200, 422
GET	`/api/health`	Other	Health	No	200
GET	`/api/integrations/external-tours/viator/clicks/summary`	External Tours (Admin)	Viator Click Summary	No	200, 422
GET	`/api/integrations/external-tours/viator/mappings`	External Tours (Admin)	Viator Mappings	No	200, 422
PUT	`/api/integrations/external-tours/viator/mappings/{mapping_id}`	External Tours (Admin)	Viator Update Mapping	Yes	200, 422
PUT	`/api/integrations/external-tours/viator/settings`	External Tours (Admin)	Viator Update Settings	Yes	200, 422
GET	`/api/integrations/external-tours/viator/status`	External Tours (Admin)	Viator Status	No	200
POST	`/api/integrations/external-tours/viator/sync-destinations`	External Tours (Admin)	Viator Sync Destinations	No	200
POST	`/api/integrations/external-tours/viator/test-connection`	External Tours (Admin)	Viator Test Connection	No	200
GET	`/api/invoices`	Invoices	Invoices	No	200, 422
GET	`/api/invoices/`	Invoices	Invoices	No	200, 422
POST	`/api/invoices/generate`	Invoices	Generate	Yes	200, 422
GET	`/api/invoices/sample-pdf`	Invoices	Sample Pdf	No	200, 422

GET	`/api/invoices/{invoice_id}`	Invoices	Detail	No	200, 422
GET	`/api/invoices/{invoice_id}/download`	Invoices	Download	No	200, 422
POST	`/api/invoices/{invoice_id}/email`	Invoices	Email Invoice	Yes	200, 422
POST	`/api/invoices/{invoice_id}/generate-pdf`	Invoices	Generate Pdf	No	200, 422
DELETE	`/api/messages/booking/{message_id}`	Messaging	Delete Own Booking Message	No	200, 422
POST	`/api/messages/mail-reply`	Messaging	Mail Reply	Yes	200, 422
POST	`/api/messages/ws-ticket`	Messaging	Issue Ws Ticket	No	200
DELETE	`/api/messages/{message_id}`	Messaging	Delete Own Message	No	200, 422
GET	`/api/modules`	Admin Modules	List Admin Modules	No	200
GET	`/api/modules/`	Admin Modules	List Admin Modules	No	200
GET	`/api/modules/all`	Admin Modules	List All Modules	No	200
PATCH	`/api/modules/{module_id}`	Admin Modules	Update Module Status	Yes	200, 422
GET	`/api/notifications`	Notifications	Notifications	No	200, 422
POST	`/api/notifications`	Notifications	Create	Yes	200, 422
GET	`/api/notifications/`	Notifications	Notifications	No	200, 422
PATCH	`/api/notifications/mark-all-read`	Notifications	Mark All Read Route	No	200, 422
POST	`/api/notifications/push/broadcast`	Notifications	Push Broadcast	Yes	200, 422
GET	`/api/notifications/push/public-key`	Notifications	Push Public Key	No	200
DELETE	`/api/notifications/push/subscribe`	Notifications	Push Unsubscribe	Yes	200, 422
POST	`/api/notifications/push/subscribe`	Notifications	Push Subscribe	Yes	200, 422
PATCH	`/api/notifications/{notification_id}/read`	Notifications	Read	No	200, 422
POST	`/api/notifications/{notification_id}/retry`	Notifications	Retry	No	200, 422
GET	`/api/payments`	Payments	List Payments	No	200, 422
GET	`/api/payments/`	Payments	List Payments	No	200, 422

POST	`/api/payments/`	Payments	Add Payment	Yes	200, 422
POST	`/api/payments/abandon-pending`	Payment Gateways	Abandon Pending Gateway Payment	Yes	200, 422
POST	`/api/payments/authorize`	Payments	Authorize	Yes	200, 422
GET	`/api/payments/customer/{customer_id}`	Payments	Customer Payment List	No	200, 422
GET	`/api/payments/gateways/status`	Payment Gateways	Gateways Status	No	200
POST	`/api/payments/paypal/capture`	Payment Gateways	Paypal Capture	Yes	200, 422
POST	`/api/payments/paypal/create-order`	Payment Gateways	Paypal Create Order	Yes	200, 422
POST	`/api/payments/paypal/webhook`	Payment Gateways	Paypal Webhook	No	200
POST	`/api/payments/stripe/confirm-return`	Payment Gateways	Stripe Confirm Return	Yes	200, 422
POST	`/api/payments/stripe/create-session`	Payment Gateways	Stripe Create Session	Yes	200, 422
POST	`/api/payments/stripe/webhook`	Payment Gateways	Stripe Webhook	No	200, 422
POST	`/api/payments/test/simulate`	Payment Gateways	Test Simulate Payment	Yes	200, 422
GET	`/api/payments/{payment_id}`	Payments	Payment Detail	No	200, 422
PUT	`/api/payments/{payment_id}`	Payments	Edit Payment	Yes	200, 422
POST	`/api/payments/{payment_id}/capture`	Payments	Capture	Yes	200, 422
POST	`/api/payments/{payment_id}/refund`	Payments	Refund Payment	Yes	200, 422
PATCH	`/api/payments/{payment_id}/status`	Payments	Change Payment Status	Yes	200, 422
POST	`/api/payments/{payment_id}/void`	Payments	Void	Yes	200, 422
GET	`/api/permissions/`	Permissions	List Permissions	No	200, 422
POST	`/api/permissions/`	Permissions	Add Permission	Yes	200, 422
DELETE	`/api/permissions/{permission_id}`	Permissions	Remove Permission	No	200, 422
GET	`/api/permissions/{permission_id}`	Permissions	Detail Permission	No	200, 422
PUT	`/api/permissions/{permission_id}`	Permissions	Edit Permission	Yes	200, 422
GET	`/api/portal/reviews`	Reviews	Portal Reviews	No	200

GET	`/api/private-documents/affiliate/{doc_id}`	Private Documents	Get Affiliate Document	No	200, 422
GET	`/api/private-documents/agent/{doc_id}`	Private Documents	Get Agent Document	No	200, 422
GET	`/api/private-documents/supplier/{doc_id}`	Private Documents	Get Supplier Document	No	200, 422
GET	`/api/private-documents/vehicle/{vehicle_id}/photo/{index}`	Private Documents	Get Vehicle Photo	No	200, 422
GET	`/api/private-documents/vehicle/{vehicle_id}/{field}`	Private Documents	Get Vehicle Document	No	200, 422
GET	`/api/profile/me`	Profile	My Profile	No	200
PUT	`/api/profile/me`	Profile	Update Profile	Yes	200, 422
PUT	`/api/profile/password`	Profile	Update Password	Yes	200, 422
GET	`/api/public-leads/contact-enquiries`	Public Leads	List Contact Enquiries	No	200, 422
GET	`/api/public-leads/newsletter-subscribers`	Public Leads	List Newsletter Subscribers	No	200, 422
GET	`/api/public/categories`	Public	Public Categories	No	200, 422
GET	`/api/public/cities`	Public	Public Cities	No	200, 422
POST	`/api/public/contact`	Public	Submit Contact Message	Yes	200, 422
GET	`/api/public/countries`	Public	Public Countries	No	200
GET	`/api/public/country-pages`	Public	Public Country Pages	No	200
GET	`/api/public/country-pages/{slug}`	Public	Public Country Page By Slug	No	200, 422
GET	`/api/public/destination-guides`	Public	Public Destination Guides	No	200
GET	`/api/public/destination-guides/{slug}`	Public	Public Destination Guide	No	200, 422
GET	`/api/public/external-day-trips`	Public	Public External Day Trips	No	200
GET	`/api/public/external-tours/categories`	External Tours	External Categories	No	200
POST	`/api/public/external-tours/click`	External Tours	External Click	Yes	200, 422
GET	`/api/public/external-tours/config`	External Tours	External Tours Config	No	200
GET	`/api/public/external-tours/destinations`	External Tours	External Destinations	No	200, 422
GET	`/api/public/external-tours/destinations/{slug}`	External Tours	External Destination	No	200, 422

POST	`/api/public/external-tours/redirect`	External Tours	External Redirect	Yes	200, 422
POST	`/api/public/external-tours/search`	External Tours	External Search	Yes	200, 422
POST	`/api/public/newsletter/subscribe`	Public	Subscribe Newsletter	Yes	200, 422
GET	`/api/public/subcategories`	Public	Public Subcategories	No	200, 422
GET	`/api/public/tours`	Public	Public Tours	No	200, 422
GET	`/api/public/tours/featured`	Public	Featured Tours	No	200, 422
GET	`/api/public/tours/{country_slug}/{tour_slug}`	Public	Public Tour Detail By Slug	No	200, 422
GET	`/api/public/tours/{tour_id}`	Public	Public Tour Detail	No	200, 422
GET	`/api/public/tours/{tour_id}/brochure`	Public	Public Tour Brochure Download	No	200, 422
GET	`/api/public/tours/{tour_id}/deposit-options`	Public	Public Tour Deposit Options	No	200, 422
GET	`/api/public/tours/{tour_id}/itinerary`	Public	Public Tour Itinerary	No	200, 422
POST	`/api/public/tours/{tour_id}/price-quote`	Public	Public Tour Price Quote	Yes	200, 422
GET	`/api/public/tours/{tour_id}/review-summary`	Reviews	Public Tour Review Summary	No	200, 422
GET	`/api/public/tours/{tour_id}/reviews`	Reviews	Public Tour Reviews	No	200, 422
GET	`/api/public/viator/redirect-url`	Public	Public Viator Redirect Url	No	200
GET	`/api/refund-rules`	Cancellations	List Rules	No	200, 422
POST	`/api/refund-rules`	Cancellations	Create Rule	Yes	200, 422
DELETE	`/api/refund-rules/{rule_id}`	Cancellations	Delete Rule	No	200, 422
PUT	`/api/refund-rules/{rule_id}`	Cancellations	Update Rule	Yes	200, 422
GET	`/api/reports/agents`	Reports	Agent Report	No	200, 422
GET	`/api/reports/audience`	Reports	Audience Report	No	200, 422
GET	`/api/reports/audience-detail`	Reports	Audience Report Detail	No	200, 422
GET	`/api/reports/audience-export`	Reports	Audience Report Export	No	200, 422

GET	`/api/reports/audience-options`	Reports	Audience Options	No	200, 422
GET	`/api/reports/booking-report`	Reports	Booking Detail Report	No	200, 422
GET	`/api/reports/bookings`	Reports	Booking Report	No	200, 422
GET	`/api/reports/cancellation-refund-report`	Reports	Cancellation Refund Report	No	200, 422
GET	`/api/reports/cancellations`	Reports	Cancellations	No	200, 422
GET	`/api/reports/country-wise`	Reports	Country Wise	No	200, 422
GET	`/api/reports/customers`	Reports	Customer Report	No	200, 422
GET	`/api/reports/exports`	Reports	Exports	No	200, 422
GET	`/api/reports/my-bookings`	Reports	My Bookings Report	No	200, 422
GET	`/api/reports/my-bookings-summary`	Reports	My Bookings Summary	No	200, 422
GET	`/api/reports/my-earnings`	Reports	My Earnings Report	No	200
GET	`/api/reports/my-travellers`	Reports	My Travellers Report	No	200
GET	`/api/reports/overdue-payments`	Reports	Overdue Payments	No	200
GET	`/api/reports/payment-report`	Reports	Payment Detail Report	No	200, 422
GET	`/api/reports/payments`	Reports	Payment Report	No	200, 422
GET	`/api/reports/pending-payments`	Reports	Pending Payments	No	200
GET	`/api/reports/sales-revenue-report`	Reports	Sales Revenue Report	No	200, 422
GET	`/api/reports/schedule`	Reports	List Report Schedules	No	200
POST	`/api/reports/schedule`	Reports	Create Report Schedule	Yes	200, 422
DELETE	`/api/reports/schedule/{schedule_id}`	Reports	Delete Report Schedule	No	200, 422
GET	`/api/reports/snapshot`	Reports	Snapshot	No	200
GET	`/api/reports/summary`	Reports	Summary	No	200, 422
GET	`/api/reports/supplier-payout-report`	Reports	Supplier Payout Report	No	200, 422
GET	`/api/reports/supplier-report`	Reports	Supplier Detail Report	No	200, 422

GET	`/api/reports/suppliers`	Reports	Supplier Report	No	200, 422
GET	`/api/reports/tour-performance-report`	Reports	Tour Performance Report	No	200, 422
GET	`/api/roles/`	Roles	List Roles	No	200, 422
POST	`/api/roles/`	Roles	Add Role	Yes	200, 422
GET	`/api/roles/public/options`	Roles	Public Role Options	No	200
DELETE	`/api/roles/{role_id}`	Roles	Remove Role	No	200, 422
GET	`/api/roles/{role_id}`	Roles	Detail Role	No	200, 422
PUT	`/api/roles/{role_id}`	Roles	Edit Role	Yes	200, 422
GET	`/api/roles/{role_id}/permissions`	Roles	Role Permissions	No	200, 422
POST	`/api/roles/{role_id}/permissions`	Roles	Assign Permissions	Yes	200, 422
GET	`/api/sessions`	Sessions	Sessions	No	200, 422
GET	`/api/sessions/`	Sessions	Sessions	No	200, 422
POST	`/api/sessions/expire-inactive`	Sessions	Expire Inactive	No	200, 422
GET	`/api/sessions/login-history`	Sessions	Login History	No	200, 422
POST	`/api/sessions/users/{user_id}/force-logout`	Sessions	Force Logout	No	200, 422
POST	`/api/sessions/{session_id}/revoke`	Sessions	Revoke	No	200, 422
GET	`/api/settings/`	Settings	List Settings	No	200
PUT	`/api/settings/`	Settings	Save Settings	Yes	200, 422
GET	`/api/settings/api`	Settings	List Api Settings	No	200
PUT	`/api/settings/api`	Settings	Save Api Settings	Yes	200, 422
GET	`/api/settings/api/summary`	Settings	Api Settings Summary	No	200
PUT	`/api/settings/api/{api_name}`	Settings	Save Api Setting	Yes	200, 422
GET	`/api/settings/cities`	Settings	Settings Cities	No	200, 422
GET	`/api/settings/countries`	Settings	Settings Countries	No	200, 422

GET	`/api/settings/payment`	Settings	List Payment Settings	No	200
PUT	`/api/settings/payment`	Settings	Save Payment Settings	Yes	200, 422
GET	`/api/settings/payment/summary`	Settings	Payment Settings Summary	No	200
PUT	`/api/settings/payment/{provider_name}`	Settings	Save Payment Setting	Yes	200, 422
POST	`/api/settings/payment/{provider_name}/test-connection`	Settings	Test Payment Provider Connection	No	200, 422
GET	`/api/settings/pricing/commission-preview`	Settings	Commission Preview	No	200, 422
GET	`/api/settings/public`	Settings	Public Settings	No	200
GET	`/api/settings/security-status`	Settings	Security Status	No	200
GET	`/api/settings/setup-progress`	Settings	Setup Progress	No	200
GET	`/api/settings/smtp`	Settings	Smtp Settings Summary	No	200
PUT	`/api/settings/smtp`	Settings	Save Smtp Settings	Yes	200, 422
POST	`/api/settings/smtp/test`	Settings	Test Smtp Settings	Yes	200, 422
GET	`/api/settings/system`	Settings	System Settings	No	200
PUT	`/api/settings/system`	Settings	Save System Settings	Yes	200, 422
GET	`/api/states`	CMS	States	No	200, 422
POST	`/api/states`	CMS	Add State	Yes	200, 422
GET	`/api/states/{state_id}`	CMS	State Detail	No	200, 422
PUT	`/api/states/{state_id}`	CMS	Edit State	Yes	200, 422
PATCH	`/api/states/{state_id}/status`	CMS	State Status	Yes	200, 422
GET	`/api/supplier-ledgers`	Supplier Ledger	List Ledgers	No	200, 422
GET	`/api/supplier-payouts`	Supplier Ledger	List Payouts	No	200, 422
POST	`/api/supplier-payouts`	Supplier Ledger	Create Payout	Yes	200, 422
POST	`/api/supplier-payouts/{payout_id}/approve`	Supplier Ledger	Approve Payout	No	200, 422
PATCH	`/api/supplier-payouts/{payout_id}/mark-paid`	Supplier Ledger	Mark Paid	Yes	200, 422
POST	`/api/supplier-payouts/{payout_id}/mark-paid`	Supplier Ledger	Mark Paid Post	No	200, 422

GET	`/api/supplier-statements/{supplier_id}`	Supplier Ledger	Supplier Statement	No	200, 422
GET	`/api/supplier/booking-messages`	Supplier Booking Messaging	Supplier Booking Conversations	No	200, 422
GET	`/api/supplier/booking-messages/`	Supplier Booking Messaging	Supplier Booking Conversations	No	200, 422
GET	`/api/supplier/booking-messages/booking/{booking_id}`	Supplier Booking Messaging	Supplier Booking Conversation For Booking	No	200, 422
GET	`/api/supplier/booking-messages/unread-count`	Supplier Booking Messaging	Supplier Booking Unread	No	200
GET	`/api/supplier/booking-messages/{conversation_id}`	Supplier Booking Messaging	Supplier Booking Conversation Thread	No	200, 422
POST	`/api/supplier/booking-messages/{conversation_id}/messages`	Supplier Booking Messaging	Supplier Booking Conversation Reply	Yes	200, 422
GET	`/api/supplier/bookings`	Supplier Bookings	Supplier Bookings	No	200, 422
GET	`/api/supplier/bookings/`	Supplier Bookings	Supplier Bookings	No	200, 422
POST	`/api/supplier/bookings/communications/{communication_id}/replies`	Supplier Bookings	Supplier Reply Communication	Yes	200, 422
GET	`/api/supplier/bookings/{booking_id}`	Supplier Bookings	Supplier Booking Detail	No	200, 422
POST	`/api/supplier/bookings/{booking_id}/accept`	Supplier Bookings	Supplier Accept	Yes	200, 422
PATCH	`/api/supplier/bookings/{booking_id}/cancel`	Supplier Bookings	Supplier Cancel	Yes	200, 422
POST	`/api/supplier/bookings/{booking_id}/communications`	Supplier Bookings	Supplier Create Communication	Yes	200, 422
PATCH	`/api/supplier/bookings/{booking_id}/complete`	Supplier Bookings	Supplier Complete	Yes	200, 422
POST	`/api/supplier/bookings/{booking_id}/decline`	Supplier Bookings	Supplier Decline	Yes	200, 422
PATCH	`/api/supplier/bookings/{booking_id}/due-date`	Supplier Bookings	Supplier Set Due Date Endpoint	Yes	200, 422
POST	`/api/supplier/bookings/{booking_id}/notify`	Supplier Bookings	Supplier Notify	Yes	200, 422
PATCH	`/api/supplier/bookings/{booking_id}/ongoing`	Supplier Bookings	Supplier Start	Yes	200, 422
GET	`/api/supplier/bookings/{booking_id}/status-history`	Supplier Bookings	Supplier Booking History	No	200, 422
GET	`/api/supplier/invoices`	Supplier Invoices	Supplier Invoices	No	200, 422
GET	`/api/supplier/invoices/`	Supplier Invoices	Supplier Invoices	No	200, 422

GET	`/api/supplier/invoices/{invoice_id}/download`	Supplier Invoices	Download Supplier Invoice	No	200, 422
GET	`/api/supplier/messages`	Supplier Portal	Supplier Messages	No	200
POST	`/api/supplier/messages`	Supplier Portal	Send Supplier Message	Yes	200, 422
GET	`/api/suppliers`	Suppliers	Suppliers	No	200, 422
POST	`/api/suppliers`	Suppliers	Add Supplier	Yes	200, 422
GET	`/api/suppliers/`	Suppliers	Suppliers	No	200, 422
POST	`/api/suppliers/`	Suppliers	Add Supplier	Yes	200, 422
POST	`/api/suppliers/bulk-approve`	Suppliers	Bulk Approve	Yes	200, 422
POST	`/api/suppliers/bulk-reject`	Suppliers	Bulk Reject	Yes	200, 422
GET	`/api/suppliers/document-requirements`	Suppliers	Supplier Document Requirements	No	200
GET	`/api/suppliers/export`	Suppliers	Export Suppliers Endpoint	No	200
GET	`/api/suppliers/me`	Suppliers	My Supplier	No	200
PATCH	`/api/suppliers/me`	Suppliers	Edit My Supplier	Yes	200, 422
PUT	`/api/suppliers/me`	Suppliers	Edit My Supplier	Yes	200, 422
POST	`/api/suppliers/me/accept-commission`	Suppliers	Accept My Commission	No	200
POST	`/api/suppliers/me/bank-details/edit-request`	Suppliers	Request My Bank Detail Edit	No	200
GET	`/api/suppliers/me/commission-calculator`	Suppliers	My Commission Calculator	No	200, 422
POST	`/api/suppliers/me/onboarding/complete`	Suppliers	Complete My Onboarding	No	200
GET	`/api/suppliers/me/vehicles`	Suppliers	Get My Vehicles	No	200
POST	`/api/suppliers/me/vehicles`	Suppliers	Add My Vehicle	Yes	200, 422
DELETE	`/api/suppliers/me/vehicles/{vehicle_id}`	Suppliers	Delete My Vehicle	No	200, 422
PATCH	`/api/suppliers/me/vehicles/{vehicle_id}`	Suppliers	Update My Vehicle	Yes	200, 422
PUT	`/api/suppliers/me/vehicles/{vehicle_id}`	Suppliers	Update My Vehicle	Yes	200, 422
DELETE	`/api/suppliers/me/vehicles/{vehicle_id}/photos`	Suppliers	Delete Vehicle Photo	No	200, 422

POST	`/api/suppliers/me/vehicles/{vehicle_id}/photos`	Suppliers	Upload Vehicle Photos	Yes	200, 422
POST	`/api/suppliers/me/vehicles/{vehicle_id}/upload/{field}`	Suppliers	Upload Vehicle File	Yes	200, 422
GET	`/api/suppliers/pending`	Suppliers	Pending Suppliers	No	200, 422
POST	`/api/suppliers/register`	Suppliers	Register Supplier	Yes	200, 422
POST	`/api/suppliers/submit-verification`	Suppliers	Submit Verification	No	200
POST	`/api/suppliers/verify-email`	Suppliers	Verify Supplier Email	Yes	200, 422
GET	`/api/suppliers/{supplier_id}`	Suppliers	Supplier Detail	No	200, 422
PATCH	`/api/suppliers/{supplier_id}`	Suppliers	Edit Supplier	Yes	200, 422
PUT	`/api/suppliers/{supplier_id}`	Suppliers	Edit Supplier	Yes	200, 422
POST	`/api/suppliers/{supplier_id}/accept`	Suppliers	Approve	No	200, 422
PATCH	`/api/suppliers/{supplier_id}/approve`	Suppliers	Approve	No	200, 422
POST	`/api/suppliers/{supplier_id}/approve`	Suppliers	Approve	No	200, 422
POST	`/api/suppliers/{supplier_id}/bank-details/reject`	Suppliers	Reject Bank Detail Edit	Yes	200, 422
POST	`/api/suppliers/{supplier_id}/bank-details/unlock`	Suppliers	Unlock Bank Detail Edit	No	200, 422
POST	`/api/suppliers/{supplier_id}/deactivate`	Suppliers	Deactivate Supplier	Yes	200, 422
GET	`/api/suppliers/{supplier_id}/documents`	Suppliers	Get Supplier Documents	No	200, 422
POST	`/api/suppliers/{supplier_id}/documents`	Suppliers	Upload Supplier Document	Yes	200, 422
PATCH	`/api/suppliers/{supplier_id}/documents/{document_id}/review`	Suppliers	Review Document	Yes	200, 422
GET	`/api/suppliers/{supplier_id}/ledger`	Supplier Ledger	Supplier Ledger	No	200, 422
PATCH	`/api/suppliers/{supplier_id}/partial-approve`	Suppliers	Partial Approve	Yes	200, 422
POST	`/api/suppliers/{supplier_id}/partial-approve`	Suppliers	Partial Approve	Yes	200, 422
POST	`/api/suppliers/{supplier_id}/reactivate`	Suppliers	Reactivate Supplier	Yes	200, 422
PATCH	`/api/suppliers/{supplier_id}/reject`	Suppliers	Reject	Yes	200, 422
POST	`/api/suppliers/{supplier_id}/reject`	Suppliers	Reject	Yes	200, 422

POST	`/api/suppliers/{supplier_id}/request-information`	Suppliers	Partial Approve	Yes	200, 422
POST	`/api/suppliers/{supplier_id}/request-reupload`	Suppliers	Request Reupload	Yes	200, 422
POST	`/api/suppliers/{supplier_id}/submit-verification`	Suppliers	Submit Verification By Id	No	200, 422
POST	`/api/suppliers/{supplier_id}/suspend`	Suppliers	Suspend Supplier	Yes	200, 422
PATCH	`/api/suppliers/{supplier_id}/vehicles/{vehicle_id}/review`	Suppliers	Review Vehicle	Yes	200, 422
GET	`/api/tour-categories`	CMS	Categories	No	200, 422
POST	`/api/tour-categories`	CMS	Add Category	Yes	200, 422
GET	`/api/tour-categories/{category_id}`	CMS	Category Detail	No	200, 422
PUT	`/api/tour-categories/{category_id}`	CMS	Edit Category	Yes	200, 422
PATCH	`/api/tour-categories/{category_id}/status`	CMS	Category Status	Yes	200, 422
GET	`/api/tour-subcategories`	CMS	Subcategories	No	200, 422
POST	`/api/tour-subcategories`	CMS	Add Subcategory	Yes	200, 422
GET	`/api/tour-subcategories/{subcategory_id}`	CMS	Subcategory Detail	No	200, 422
PUT	`/api/tour-subcategories/{subcategory_id}`	CMS	Edit Subcategory	Yes	200, 422
PATCH	`/api/tour-subcategories/{subcategory_id}/status`	CMS	Subcategory Status	Yes	200, 422
GET	`/api/tours`	CMS	Tours	No	200, 422
POST	`/api/tours`	CMS	Add Tour	Yes	200, 422
GET	`/api/tours/categories`	Tour Detail	Tour Categories	No	200, 422
POST	`/api/tours/import`	CMS	Tours Import	Yes	200, 422
GET	`/api/tours/import-template`	CMS	Tours Import Template	No	200
GET	`/api/tours/pending-approval`	Tour Versions	List Pending	No	200, 422
DELETE	`/api/tours/{tour_id}`	CMS	Remove Tour	No	200, 422
GET	`/api/tours/{tour_id}`	CMS	Tour Detail	No	200, 422
PUT	`/api/tours/{tour_id}`	CMS	Edit Tour	Yes	200, 422

GET	`/api/tours/{tour_id}/accommodation-extras`	Tour Detail	Tour Accommodations	No	200, 422
POST	`/api/tours/{tour_id}/accommodation-extras`	Tour Detail	Add Accommodation	Yes	200, 422
DELETE	`/api/tours/{tour_id}/accommodation-extras/{extra_id}`	Tour Detail	Remove Accommodation	No	200, 422
PUT	`/api/tours/{tour_id}/accommodation-extras/{extra_id}`	Tour Detail	Edit Accommodation	Yes	200, 422
GET	`/api/tours/{tour_id}/availability`	Tour Detail	Tour Availability	No	200, 422
PUT	`/api/tours/{tour_id}/availability`	Tour Detail	Save Availability	Yes	200, 422
POST	`/api/tours/{tour_id}/calculate-price`	Tour Detail	Tour Calculate Price	Yes	200, 422
GET	`/api/tours/{tour_id}/calendar`	Tour Detail	Tour Calendar	No	200, 422
POST	`/api/tours/{tour_id}/calendar`	Tour Detail	Add Calendar	Yes	200, 422
DELETE	`/api/tours/{tour_id}/calendar/{calendar_id}`	Tour Detail	Remove Calendar	No	200, 422
PUT	`/api/tours/{tour_id}/calendar/{calendar_id}`	Tour Detail	Edit Calendar	Yes	200, 422
PATCH	`/api/tours/{tour_id}/commission`	CMS	Tour Commission	Yes	200, 422
GET	`/api/tours/{tour_id}/date-prices`	Tour Detail	Tour Date Prices	No	200, 422
POST	`/api/tours/{tour_id}/date-prices`	Tour Detail	Add Date Price	Yes	200, 422
DELETE	`/api/tours/{tour_id}/date-prices/{date_price_id}`	Tour Detail	Remove Date Price	No	200, 422
PUT	`/api/tours/{tour_id}/date-prices/{date_price_id}`	Tour Detail	Edit Date Price	Yes	200, 422
GET	`/api/tours/{tour_id}/discounts`	Tour Detail	Tour Discounts	No	200, 422
POST	`/api/tours/{tour_id}/discounts`	Tour Detail	Add Discount	Yes	200, 422
PUT	`/api/tours/{tour_id}/discounts/{discount_id}`	Tour Detail	Edit Tour Discount	Yes	200, 422
PATCH	`/api/tours/{tour_id}/discounts/{discount_id}/amend`	Tour Detail	Amend Tour Discount	Yes	200, 422
PATCH	`/api/tours/{tour_id}/discounts/{discount_id}/deactivate`	Tour Detail	Deactivate Tour Discount	Yes	200, 422
GET	`/api/tours/{tour_id}/discounts/{discount_id}/history`	Tour Detail	Tour Discount History	No	200, 422
GET	`/api/tours/{tour_id}/exclusions`	Tour Detail	Tour Exclusions	No	200, 422
POST	`/api/tours/{tour_id}/exclusions`	Tour Detail	Add Exclusion	Yes	200, 422

DELETE	`/api/tours/{tour_id}/exclusions/{exclusion_id}`	Tour Detail	Remove Exclusion	No	200, 422
PUT	`/api/tours/{tour_id}/exclusions/{exclusion_id}`	Tour Detail	Edit Exclusion	Yes	200, 422
GET	`/api/tours/{tour_id}/export`	CMS	Tour Export	No	200, 422
GET	`/api/tours/{tour_id}/extensions`	Tour Detail	Tour Extensions	No	200, 422
POST	`/api/tours/{tour_id}/extensions`	Tour Detail	Add Extension	Yes	200, 422
DELETE	`/api/tours/{tour_id}/extensions/{extension_id}`	Tour Detail	Remove Extension	No	200, 422
PUT	`/api/tours/{tour_id}/extensions/{extension_id}`	Tour Detail	Edit Extension	Yes	200, 422
GET	`/api/tours/{tour_id}/gallery`	Tour Detail	Tour Gallery	No	200, 422
POST	`/api/tours/{tour_id}/gallery`	Tour Detail	Add Gallery Image	Yes	200, 422
DELETE	`/api/tours/{tour_id}/gallery/{image_id}`	Tour Detail	Remove Gallery Image	No	200, 422
PUT	`/api/tours/{tour_id}/gallery/{image_id}`	Tour Detail	Edit Gallery Image	Yes	200, 422
GET	`/api/tours/{tour_id}/group-discount-tiers`	Tour Detail	Tour Group Discount Tiers	No	200, 422
POST	`/api/tours/{tour_id}/group-discount-tiers`	Tour Detail	Add Group Discount Tier	Yes	200, 422
DELETE	`/api/tours/{tour_id}/group-discount-tiers/{tier_id}`	Tour Detail	Remove Group Discount Tier	No	200, 422
PUT	`/api/tours/{tour_id}/group-discount-tiers/{tier_id}`	Tour Detail	Edit Group Discount Tier	Yes	200, 422
PATCH	`/api/tours/{tour_id}/group-size`	Tour Detail	Update Tour Group Size	Yes	200, 422
GET	`/api/tours/{tour_id}/highlights`	Tour Detail	Tour Highlights	No	200, 422
POST	`/api/tours/{tour_id}/highlights`	Tour Detail	Add Highlight	Yes	200, 422
DELETE	`/api/tours/{tour_id}/highlights/{highlight_id}`	Tour Detail	Remove Highlight	No	200, 422
PUT	`/api/tours/{tour_id}/highlights/{highlight_id}`	Tour Detail	Edit Highlight	Yes	200, 422
GET	`/api/tours/{tour_id}/inclusions`	Tour Detail	Tour Inclusions	No	200, 422
POST	`/api/tours/{tour_id}/inclusions`	Tour Detail	Add Inclusion	Yes	200, 422
DELETE	`/api/tours/{tour_id}/inclusions/{inclusion_id}`	Tour Detail	Remove Inclusion	No	200, 422
PUT	`/api/tours/{tour_id}/inclusions/{inclusion_id}`	Tour Detail	Edit Inclusion	Yes	200, 422

GET	`/api/tours/{tour_id}/itineraries`	Tour Detail	Tour Itineraries	No	200, 422
POST	`/api/tours/{tour_id}/itineraries`	Tour Detail	Add Itinerary	Yes	200, 422
PATCH	`/api/tours/{tour_id}/itineraries/reorder`	Tour Detail	Reorder Tour Itineraries	Yes	200, 422
DELETE	`/api/tours/{tour_id}/itineraries/{itinerary_id}`	Tour Detail	Remove Itinerary	No	200, 422
GET	`/api/tours/{tour_id}/itineraries/{itinerary_id}`	Tour Detail	Get Itinerary	No	200, 422
PUT	`/api/tours/{tour_id}/itineraries/{itinerary_id}`	Tour Detail	Edit Itinerary	Yes	200, 422
GET	`/api/tours/{tour_id}/markup`	Tour Detail	Get Tour Markup	No	200, 422
PUT	`/api/tours/{tour_id}/markup`	Tour Detail	Update Tour Markup	Yes	200, 422
GET	`/api/tours/{tour_id}/optional-activities`	Tour Detail	Tour Activities	No	200, 422
POST	`/api/tours/{tour_id}/optional-activities`	Tour Detail	Add Activity	Yes	200, 422
DELETE	`/api/tours/{tour_id}/optional-activities/{activity_id}`	Tour Detail	Remove Activity	No	200, 422
PUT	`/api/tours/{tour_id}/optional-activities/{activity_id}`	Tour Detail	Edit Activity	Yes	200, 422
GET	`/api/tours/{tour_id}/overview`	Tour Detail	Tour Overview	No	200, 422
POST	`/api/tours/{tour_id}/overview`	Tour Detail	Save Tour Overview	Yes	200, 422
PUT	`/api/tours/{tour_id}/overview`	Tour Detail	Update Tour Overview	Yes	200, 422
GET	`/api/tours/{tour_id}/pricing`	Tour Detail	Tour Pricing	No	200, 422
POST	`/api/tours/{tour_id}/pricing`	Tour Detail	Add Pricing	Yes	200, 422
DELETE	`/api/tours/{tour_id}/pricing/{pricing_id}`	Tour Detail	Remove Pricing	No	200, 422
PUT	`/api/tours/{tour_id}/pricing/{pricing_id}`	Tour Detail	Edit Pricing	Yes	200, 422
GET	`/api/tours/{tour_id}/review-comments`	Tour Versions	List Review Comments	No	200, 422
POST	`/api/tours/{tour_id}/review-comments`	Tour Versions	Create Review Comment	Yes	200, 422
PATCH	`/api/tours/{tour_id}/review-comments/{comment_id}/resolve`	Tour Versions	Resolve Review Comment	No	200, 422
GET	`/api/tours/{tour_id}/similar-tours`	Tour Detail	Tour Similar	No	200, 422
POST	`/api/tours/{tour_id}/similar-tours`	Tour Detail	Add Tour Similar	Yes	200, 422

DELETE	`/api/tours/{tour_id}/similar-tours/{similar_id}`	Tour Detail	Remove Similar	No	200, 422
PATCH	`/api/tours/{tour_id}/status`	CMS	Tour Status	Yes	200, 422
POST	`/api/tours/{tour_id}/submit-for-approval`	Tour Versions	Submit For Approval	No	200, 422
GET	`/api/tours/{tour_id}/unavailable-dates`	Tour Detail	Tour Unavailable	No	200, 422
POST	`/api/tours/{tour_id}/unavailable-dates`	Tour Detail	Add Unavailable	Yes	200, 422
DELETE	`/api/tours/{tour_id}/unavailable-dates/{date_id}`	Tour Detail	Remove Unavailable	No	200, 422
GET	`/api/tours/{tour_id}/versions`	Tour Versions	List Versions	No	200, 422
PATCH	`/api/tours/{tour_id}/versions/{version_id}/approve`	Tour Versions	Approve Version	No	200, 422
PATCH	`/api/tours/{tour_id}/versions/{version_id}/reject`	Tour Versions	Reject Version	Yes	200, 422
POST	`/api/tours/{tour_id}/withdraw`	Tour Versions	Withdraw Submission	No	200, 422
POST	`/api/uploads/admin-asset`	Uploads	Upload Admin Asset	Yes	200, 422
POST	`/api/uploads/profile-image`	Uploads	Upload Profile Image	Yes	200, 422
GET	`/api/users/`	Users	List Users	No	200, 422
POST	`/api/users/`	Users	Add User	Yes	200, 422
DELETE	`/api/users/{user_id}`	Users	Remove User	No	200, 422
GET	`/api/users/{user_id}`	Users	User Detail	No	200, 422
PUT	`/api/users/{user_id}`	Users	Edit User	Yes	200, 422
POST	`/api/users/{user_id}/activate`	Users	Activate User Account	Yes	200, 422
POST	`/api/users/{user_id}/deactivate`	Users	Deactivate User Account	Yes	200, 422
POST	`/api/users/{user_id}/reactivate`	Users	Reactivate User Account	No	200, 422
POST	`/api/users/{user_id}/roles`	Users	Assign User Roles	Yes	200, 422
POST	`/api/users/{user_id}/send-reset-mail`	Users	Send Reset Mail	No	200, 422
GET	`/api/wishlist`	Wishlist	User Wishlist	No	200
DELETE	`/api/wishlist/{tour_id}`	Wishlist	Delete User Wishlist Item	No	200, 422

POST	`/api/wishlist/{tour_id}`	Wishlist	Add User Wishlist Item	No	200, 422
GET	`/r/{code}`	Affiliate Redirect	Redirect Affiliate Link	No	200, 422

Endpoints Grouped by Functional Module

Activity Logs (6 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/activity-logs/`	Activity Logs	entity_type, action, actor_user_id, page, limit, search
GET	`/api/activity-logs`	Activity Logs	entity_type, action, actor_user_id, page, limit, search
GET	`/api/activity-logs/export`	Export Logs	-
GET	`/api/audit-logs`	Activity Logs	entity_type, action, actor_user_id, page, limit, search
GET	`/api/audit-logs/`	Activity Logs	entity_type, action, actor_user_id, page, limit, search
GET	`/api/audit-logs/export`	Export Logs	-

Admin Messaging (6 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/admin/messages/conversations`	Conversations	type, page, limit
GET	`/api/admin/messages/unread-summary`	Unread Summary	-
GET	`/api/admin/messages/booking-conversations/{booking_id}`	Booking Conversations For Admin	booking_id
POST	`/api/admin/messages/booking-conversations/{conversation_id}/messages`	Booking Conversation Reply As Admin	conversation_id
GET	`/api/admin/messages/conversations/{conversation_id}`	Conversation Thread	conversation_id
POST	`/api/admin/messages/conversations/{conversation_id}/messages`	Reply	conversation_id

Admin Modules (4 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/modules/`	List Admin Modules	-
GET	`/api/modules`	List Admin Modules	-
GET	`/api/modules/all`	List All Modules	-
PATCH	`/api/modules/{module_id}`	Update Module Status	module_id

Affiliate Commission Rules (7 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/affiliate-commission-rules/`	List Rules	affiliate_id, tour_id, is_active, page, limit, search
POST	`/api/affiliate-commission-rules/`	Create Rule	-
GET	`/api/affiliate-commission-rules`	List Rules	affiliate_id, tour_id, is_active, page, limit, search
POST	`/api/affiliate-commission-rules`	Create Rule	-
GET	`/api/affiliate-commission-rules/{rule_id}`	Rule Detail	rule_id
PUT	`/api/affiliate-commission-rules/{rule_id}`	Update Rule	rule_id
DELETE	`/api/affiliate-commission-rules/{rule_id}`	Delete Rule	rule_id

Affiliate Links (Admin) (10 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/affiliate-links/`	List Links	affiliate_id, tour_id, status, page, limit, search
POST	`/api/affiliate-links/`	Create Link	-
GET	`/api/affiliate-links`	List Links	affiliate_id, tour_id, status, page, limit, search
POST	`/api/affiliate-links`	Create Link	-
GET	`/api/affiliate-links/{link_id}`	Link Detail	link_id
PUT	`/api/affiliate-links/{link_id}`	Update Link	link_id
DELETE	`/api/affiliate-links/{link_id}`	Delete Link	link_id
POST	`/api/affiliate-links/{link_id}/activate`	Activate Link	link_id
POST	`/api/affiliate-links/{link_id}/disable`	Disable Link	link_id
POST	`/api/affiliate-links/{link_id}/duplicate`	Duplicate Link	link_id, campaign_name

Affiliate Payouts (12 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/affiliate/payout-methods`	List Payout Methods	-
POST	`/api/affiliate/payout-methods`	Create Payout Method	-
PUT	`/api/affiliate/payout-methods/{method_id}`	Update Payout Method	method_id
DELETE	`/api/affiliate/payout-methods/{method_id}`	Delete Payout Method	method_id
GET	`/api/affiliate/wallet`	Wallet Summary	-
GET	`/api/affiliate/wallet/transactions`	Wallet Transactions	page, limit, search
POST	`/api/affiliate/payout-requests`	Request Payout	-
GET	`/api/admin/affiliate-payouts`	Admin List Payouts	status, page, limit, search
POST	`/api/affiliate-payouts/{payout_id}/approve`	Approve Payout	payout_id
POST	`/api/affiliate-payouts/{payout_id}/reject`	Reject Payout	payout_id
POST	`/api/affiliate-payouts/{payout_id}/processing`	Mark Processing	payout_id
POST	`/api/affiliate-payouts/{payout_id}/mark-paid`	Mark Paid	payout_id

Affiliate Redirect (1 operations)

Method	Endpoint	Summary	Parameters
GET	`/r/{code}`	Redirect Affiliate Link	code

Affiliate Tracking (12 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/affiliates/{affiliate_id}/links`	List Links	affiliate_id
POST	`/api/affiliates/{affiliate_id}/links`	Create Link	affiliate_id
GET	`/api/affiliates/{affiliate_id}/links/{link_id}`	Link Detail	affiliate_id, link_id
PUT	`/api/affiliates/{affiliate_id}/links/{link_id}`	Update Own Link	affiliate_id, link_id
GET	`/api/affiliates/track/{ref_code}`	Track Click	ref_code
GET	`/api/affiliates/{affiliate_id}/clicks`	List Clicks	affiliate_id, page, limit, search
GET	`/api/affiliates/{affiliate_id}/conversions`	List Conversions	affiliate_id, page, limit, search
GET	`/api/affiliates/{affiliate_id}/commissions`	Get Commissions	affiliate_id
GET	`/api/affiliate-payouts`	List Payouts	affiliate_id, page, limit, search
POST	`/api/affiliate-payouts`	Create Payout	-
GET	`/api/affiliate/messages`	Affiliate Messages	-
POST	`/api/affiliate/messages`	Send Affiliate Message	-

Affiliates (24 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/affiliates/me`	My Affiliate	-
PUT	`/api/affiliates/me`	Edit My Affiliate	-
PATCH	`/api/affiliates/me`	Edit My Affiliate	-
POST	`/api/affiliates/me/accept-commission`	Accept My Commission	-
POST	`/api/affiliates/me/bank-details/edit-request`	Request My Bank Detail Edit	-
GET	`/api/affiliates/document-requirements`	Affiliate Document Requirements	-
POST	`/api/affiliates/submit-verification`	Submit My Verification	-
GET	`/api/affiliates/`	Affiliates	country_id, status, approval_status, start_date, end_date, sort_by, page, limit, search
POST	`/api/affiliates/`	Add Affiliate	-
GET	`/api/affiliates`	Affiliates	country_id, status, approval_status, start_date, end_date, sort_by, page, limit, search
POST	`/api/affiliates`	Add Affiliate	-
GET	`/api/affiliates/{affiliate_id}`	Affiliate Detail	affiliate_id
PUT	`/api/affiliates/{affiliate_id}`	Edit Affiliate	affiliate_id
GET	`/api/affiliates/{affiliate_id}/commission-calculator`	Affiliate Commission Calculator	affiliate_id, amount, tour_id
GET	`/api/affiliates/{affiliate_id}/documents`	Get Affiliate Documents	affiliate_id
POST	`/api/affiliates/{affiliate_id}/documents`	Upload Affiliate Document	affiliate_id
PATCH	`/api/affiliates/{affiliate_id}/documents/{document_id}/review`	Review Document	affiliate_id, document_id
PATCH	`/api/affiliates/{affiliate_id}/approve`	Approve	affiliate_id
POST	`/api/affiliates/{affiliate_id}/bank-details/unlock`	Unlock Bank Detail Edit	affiliate_id
POST	`/api/affiliates/{affiliate_id}/bank-details/reject`	Reject Bank Detail Edit	affiliate_id
PATCH	`/api/affiliates/{affiliate_id}/reject`	Reject	affiliate_id
POST	`/api/affiliates/{affiliate_id}/activate`	Activate	affiliate_id
POST	`/api/affiliates/{affiliate_id}/suspend`	Suspend	affiliate_id
PATCH	`/api/affiliates/{affiliate_id}/api-link`	Api Link	affiliate_id

Agent Ledger (9 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/agent-ledgers`	List Ledgers	agent_id, status, page, limit, search
GET	`/api/agents/{agent_id}/ledger`	Agent Ledger	agent_id, status, page, limit, search
GET	`/api/agent-statements/{agent_id}`	Agent Statement	agent_id
GET	`/api/agent-payouts`	List Payouts	agent_id, status, page, limit, search
POST	`/api/agent-payouts`	Create Payout	-
POST	`/api/agent-payouts/{payout_id}/approve`	Approve Payout	payout_id
POST	`/api/agent-payouts/{payout_id}/reject`	Reject Payout	payout_id
POST	`/api/agent-payouts/{payout_id}/mark-paid`	Mark Paid Post	payout_id
PATCH	`/api/agent-payouts/{payout_id}/mark-paid`	Mark Paid	payout_id

Agent Portal (2 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/agent/messages`	Agent Messages	-
POST	`/api/agent/messages`	Send Agent Message	-

Agents (37 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/agents/register`	Register Agent	-
POST	`/api/agents/verify-email`	Verify Agent Email	-
POST	`/api/agents/submit-verification`	Submit Verification	-
GET	`/api/agents/pending`	Pending Agents	page, limit, search
GET	`/api/agents/export`	Export Agents Endpoint	-
GET	`/api/agents/`	Agents	country_id, status, approval_status, start_date, end_date, sort_by, page, limit, search
POST	`/api/agents/`	Add Agent	-
GET	`/api/agents`	Agents	country_id, status, approval_status, start_date, end_date, sort_by, page, limit, search
POST	`/api/agents`	Add Agent	-
GET	`/api/agents/me`	My Agent	-
PUT	`/api/agents/me`	Edit My Agent	-
PATCH	`/api/agents/me`	Edit My Agent	-
GET	`/api/agents/document-requirements`	Document Requirements	-
POST	`/api/agents/me/bank-details/edit-request`	Request My Bank Detail Edit	-
POST	`/api/agents/me/commission-request`	Request My Commission	-
POST	`/api/agents/me/accept-commission`	Accept My Commission	-
GET	`/api/agents/me/commission-calculator`	My Commission Calculator	amount
GET	`/api/agents/{agent_id}`	Agent Detail	agent_id
PUT	`/api/agents/{agent_id}`	Edit Agent	agent_id
PATCH	`/api/agents/{agent_id}`	Edit Agent	agent_id
GET	`/api/agents/{agent_id}/documents`	Get Agent Documents	agent_id
POST	`/api/agents/{agent_id}/documents`	Upload Agent Document	agent_id
PATCH	`/api/agents/{agent_id}/documents/{document_id}/review`	Review Document	agent_id, document_id
POST	`/api/agents/bulk-approve`	Bulk Approve	-
POST	`/api/agents/bulk-reject`	Bulk Reject	-
POST	`/api/agents/{agent_id}/approve`	Approve	agent_id
PATCH	`/api/agents/{agent_id}/approve`	Approve	agent_id
POST	`/api/agents/{agent_id}/bank-details/unlock`	Unlock Bank Detail Edit	agent_id

POST	`/api/agents/{agent_id}/bank-details/reject`	Reject Bank Detail Edit	agent_id
POST	`/api/agents/{agent_id}/reject`	Reject	agent_id
PATCH	`/api/agents/{agent_id}/reject`	Reject	agent_id
POST	`/api/agents/{agent_id}/partial-approve`	Partial Approve	agent_id
PATCH	`/api/agents/{agent_id}/partial-approve`	Partial Approve	agent_id
POST	`/api/agents/{agent_id}/request-correction`	Request Correction	agent_id
POST	`/api/agents/{agent_id}/discount`	Discount	agent_id
PATCH	`/api/agents/{agent_id}/discount`	Discount	agent_id
POST	`/api/agents/{agent_id}/commission-request/reject`	Reject Commission Request	agent_id

Authentication (29 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/auth/register`	Register	-
POST	`/api/auth/register/customer`	Register Customer	-
POST	`/api/auth/register/supplier`	Register Supplier	-
POST	`/api/auth/register/agent`	Register Agent	-
POST	`/api/auth/login`	Login	-
POST	`/api/auth/2fa/login-verify`	Two Factor Login Verify	-
POST	`/api/auth/2fa/setup`	Two Factor Setup	-
POST	`/api/auth/2fa/enable`	Two Factor Enable	-
POST	`/api/auth/2fa/disable`	Two Factor Disable	-
POST	`/api/auth/otp/request`	Otp Request	-
POST	`/api/auth/otp/verify`	Otp Verify	-
GET	`/api/auth/account-status`	Account Status	-
GET	`/api/auth/me`	Current Session	-
POST	`/api/auth/forgot-password`	Forgot Password Request	-
POST	`/api/auth/reset-password`	Reset Password Request	-
GET	`/api/auth/reset-password/validate`	Validate Reset Password Link	token
POST	`/api/auth/refresh-token`	Refresh Token	-
POST	`/api/auth/refresh`	Refresh	-
POST	`/api/auth/logout`	Logout	-
POST	`/api/auth/logout-all`	Logout All	-
GET	`/api/auth/verify-email`	Verify Email Link	token
POST	`/api/auth/verify-email`	Verify Email Request	-
GET	`/api/auth/verify-email/validate`	Validate Verification Link	token
POST	`/api/auth/complete-registration`	Complete Registration Request	-
POST	`/api/auth/create-password`	Create Registration Password	-
POST	`/api/auth/resend-verification`	Resend Verification	-
POST	`/api/auth/change-registration-email`	Change Email	-
GET	`/api/auth/login-history`	Login History	limit
POST	`/api/auth/force-logout`	Force Logout	-

Booking Calendar (3 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/bookings/{booking_id}/calendar-sync`	Sync Calendar	booking_id
GET	`/api/bookings/{booking_id}/calendar-event`	Get Calendar Event	booking_id
GET	`/api/bookings/{booking_id}/calendar-event/download`	Download Ics	booking_id

Booking Messaging (2 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/bookings/{booking_id}/conversation`	Booking Conversation Thread	booking_id
POST	`/api/bookings/{booking_id}/conversation/messages`	Send Booking Conversation Message	booking_id

Bookings (23 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/bookings/`	List Bookings	customer_id, booking_status, payment_status, supplier_acceptance_status, cancellation_source, country_id, supplier_id, agent_id, tour_id, start_date, end_date, sort_by, page, limit, search
POST	`/api/bookings/`	Add Booking	-
GET	`/api/bookings`	List Bookings	customer_id, booking_status, payment_status, supplier_acceptance_status, cancellation_source, country_id, supplier_id, agent_id, tour_id, start_date, end_date, sort_by, page, limit, search
POST	`/api/bookings`	Add Booking	-
GET	`/api/bookings/export`	Export Bookings Endpoint	-
GET	`/api/bookings/upcoming`	Upcoming Bookings	-
POST	`/api/bookings/expire-stale`	Expire Stale Bookings Endpoint	older_than_minutes
POST	`/api/bookings/calculate-price`	Calculate Price	-
GET	`/api/bookings/{booking_id}`	Booking Detail	booking_id
PUT	`/api/bookings/{booking_id}`	Edit Booking	booking_id
POST	`/api/bookings/{booking_id}/hide-from-agent`	Hide From Agent Bookings	booking_id
GET	`/api/bookings/{booking_id}/modifications`	Booking Modifications	booking_id
POST	`/api/bookings/{booking_id}/modifications`	Request Booking Modification	booking_id
POST	`/api/bookings/{booking_id}/modifications/{modification_id}/approve`	Approve Booking Modification	booking_id, modification_id
POST	`/api/bookings/{booking_id}/modifications/{modification_id}/reject`	Reject Booking Modification	booking_id, modification_id
PATCH	`/api/bookings/{booking_id}/travel-date`	Change Booking Travel Date	booking_id
PATCH	`/api/bookings/{booking_id}/status`	Change Booking Status	booking_id
GET	`/api/bookings/{booking_id}/payment-link`	Booking Payment Link	booking_id
GET	`/api/bookings/{booking_id}/status-history`	Booking Status History	booking_id
POST	`/api/bookings/{booking_id}/assign-supplier`	Assign Supplier Endpoint	booking_id

PATCH	`/api/bookings/{booking_id}/cancel`	Cancel Booking Endpoint	booking_id
POST	`/api/bookings/{booking_id}/communications`	Create Booking Communication	booking_id
POST	`/api/bookings/communications/{communication_id}/replies`	Reply Booking Communication	communication_id

CMS (41 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/countries`	Countries	page, limit, search
POST	`/api/countries`	Add Country	-
PATCH	`/api/countries/bulk-disable`	Bulk Disable Countries	search
GET	`/api/countries/{country_id}`	Country Detail	country_id
PUT	`/api/countries/{country_id}`	Edit Country	country_id
PATCH	`/api/countries/{country_id}/status`	Country Status	country_id
GET	`/api/currencies`	Currencies	page, limit, search
POST	`/api/currencies`	Add Currency	-
GET	`/api/currencies/{currency_id}`	Currency Detail	currency_id
PUT	`/api/currencies/{currency_id}`	Edit Currency	currency_id
PATCH	`/api/currencies/{currency_id}/status`	Currency Status	currency_id
GET	`/api/states`	States	country_id, page, limit, search
POST	`/api/states`	Add State	-
GET	`/api/states/{state_id}`	State Detail	state_id
PUT	`/api/states/{state_id}`	Edit State	state_id
PATCH	`/api/states/{state_id}/status`	State Status	state_id
GET	`/api/cities`	Cities	country_id, state_id, page, limit, search
POST	`/api/cities`	Add City	-
GET	`/api/cities/{city_id}`	City Detail	city_id
PUT	`/api/cities/{city_id}`	Edit City	city_id
PATCH	`/api/cities/{city_id}/status`	City Status	city_id
GET	`/api/tour-categories`	Categories	page, limit, search
POST	`/api/tour-categories`	Add Category	-
GET	`/api/tour-categories/{category_id}`	Category Detail	category_id
PUT	`/api/tour-categories/{category_id}`	Edit Category	category_id
PATCH	`/api/tour-categories/{category_id}/status`	Category Status	category_id
GET	`/api/tour-subcategories`	Subcategories	category_id, page, limit, search
POST	`/api/tour-subcategories`	Add Subcategory	-
GET	`/api/tour-subcategories/{subcategory_id}`	Subcategory Detail	subcategory_id
PUT	`/api/tour-subcategories/{subcategory_id}`	Edit Subcategory	subcategory_id
PATCH	`/api/tour-subcategories/{subcategory_id}/status`	Subcategory Status	subcategory_id
GET	`/api/tours`	Tours	country_id, city_id, category_id, status, supplier_id, page, limit, search

POST	`/api/tours`	Add Tour	-
GET	`/api/tours/import-template`	Tours Import Template	-
POST	`/api/tours/import`	Tours Import	-
GET	`/api/tours/{tour_id}`	Tour Detail	tour_id
PUT	`/api/tours/{tour_id}`	Edit Tour	tour_id
DELETE	`/api/tours/{tour_id}`	Remove Tour	tour_id
GET	`/api/tours/{tour_id}/export`	Tour Export	tour_id
PATCH	`/api/tours/{tour_id}/status`	Tour Status	tour_id
PATCH	`/api/tours/{tour_id}/commission`	Tour Commission	tour_id

Cancellations (11 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/bookings/{booking_id}/cancel-request`	Customer Cancel Request	booking_id
GET	`/api/cancellations`	List Cancellations	status, customer_id, page, limit, search
PATCH	`/api/cancellations/{request_id}/approve`	Approve Cancellation	request_id
PATCH	`/api/bookings/{booking_id}/cancellation-request/approve`	Approve Booking Cancellation	booking_id
PATCH	`/api/bookings/{booking_id}/cancellation-request/reject`	Reject Booking Cancellation	booking_id
PATCH	`/api/cancellations/{request_id}/reject`	Reject Cancellation	request_id
POST	`/api/cancellations/{request_id}/process-refund`	Process Refund	request_id
GET	`/api/refund-rules`	List Rules	tour_id, supplier_id
POST	`/api/refund-rules`	Create Rule	-
PUT	`/api/refund-rules/{rule_id}`	Update Rule	rule_id
DELETE	`/api/refund-rules/{rule_id}`	Delete Rule	rule_id

Chatbot (12 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/chatbot/chat`	Chat	-
GET	`/api/chatbot/health`	Chatbot Health	-
POST	`/api/chatbot/feedback`	Submit Chat Feedback	-
POST	`/api/chatbot/admin/reindex`	Admin Reindex	-
GET	`/api/chatbot/faqs`	Public Faqs	-
GET	`/api/chatbot/admin/faqs`	Admin List Faqs	is_public, page, limit, search
POST	`/api/chatbot/admin/faqs`	Admin Create Faq	-
PUT	`/api/chatbot/admin/faqs/{faq_id}`	Admin Update Faq	faq_id
DELETE	`/api/chatbot/admin/faqs/{faq_id}`	Admin Delete Faq	faq_id
GET	`/api/chatbot/admin/sessions`	Admin List Sessions	page, limit, search
GET	`/api/chatbot/admin/analytics`	Admin Analytics	days
GET	`/api/chatbot/admin/sessions/{session_id}/messages`	Admin Session Messages	session_id

Checkout (5 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/checkout/admin/sessions`	Admin List Checkout Sessions	status, page, limit, search
POST	`/api/checkout/start`	Start Checkout	-
GET	`/api/checkout/session/{session_key}`	Get Checkout Session	session_key
PATCH	`/api/checkout/session/{session_key}`	Update Checkout Session	session_key
POST	`/api/checkout/session/{session_key}/confirm`	Confirm Checkout	session_key

Client (13 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/client/config`	Client Config	-
GET	`/api/client/tours`	Public Tours	page, limit, search, country_id, city_id, category_id
GET	`/api/client/tours/{tour_id}`	Public Tour Detail	tour_id
GET	`/api/client/tours/{tour_id}/overview`	Public Tour Overview	tour_id
GET	`/api/client/tours/{tour_id}/itineraries`	Public Tour Itineraries	tour_id
GET	`/api/client/tours/{tour_id}/inclusions`	Public Tour Inclusions	tour_id
GET	`/api/client/tours/{tour_id}/exclusions`	Public Tour Exclusions	tour_id
GET	`/api/client/tours/{tour_id}/highlights`	Public Tour Highlights	tour_id
GET	`/api/client/tours/{tour_id}/similar-tours`	Public Tour Similar Tours	tour_id
GET	`/api/client/tours/{tour_id}/gallery`	Public Tour Gallery	tour_id
GET	`/api/client/tours/{tour_id}/optional-activities`	Public Tour Activities	tour_id
GET	`/api/client/tours/{tour_id}/calendar`	Public Tour Calendar	tour_id
GET	`/api/client/tours/{tour_id}/pricing`	Public Tour Pricing	tour_id

Currency (5 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/currency/rates`	Currency Rates	base
GET	`/api/currency/admin/rates`	Admin Currency Rates	-
POST	`/api/currency/admin/refresh`	Admin Refresh Currency Rates	-
GET	`/api/currency/convert`	Currency Convert	amount, from, to
GET	`/api/currency/context`	Currency Context	country

Customer Portal (22 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/customer/profile`	Customer Profile	-
PUT	`/api/customer/profile`	Update Customer Profile	-
POST	`/api/customer/change-password`	Change Customer Password	-
GET	`/api/customer/bookings`	Customer Bookings	booking_status, payment_status, page, limit, search
POST	`/api/customer/bookings`	Create Customer Booking	-
GET	`/api/customer/bookings/{booking_id}`	Customer Booking Detail	booking_id
GET	`/api/customer/bookings/{booking_id}/itinerary`	Customer Booking Itinerary	booking_id
GET	`/api/customer/bookings/{booking_id}/confirmation-receipt`	Customer Booking Confirmation Receipt	booking_id
POST	`/api/customer/bookings/{booking_id}/cancel`	Request Booking Cancellation	booking_id
POST	`/api/customer/bookings/{booking_id}/remove-unpaid`	Remove Unpaid Booking	booking_id
POST	`/api/customer/bookings/{booking_id}/pay`	Record Customer Manual Payment	booking_id
GET	`/api/customer/payments`	Customer Payments	payment_status, payment_method, page, limit, search
GET	`/api/customer/invoices`	Customer Invoices	page, limit, search
GET	`/api/customer/invoices/{invoice_id}/download`	Customer Invoice Download	invoice_id
GET	`/api/customer/messages`	Customer Messages	-
POST	`/api/customer/messages`	Send Customer Portal Message	-
GET	`/api/customer/travellers`	Customer Saved Travellers	-
POST	`/api/customer/travellers`	Add Saved Traveller	-
PUT	`/api/customer/travellers/{traveller_id}`	Update Saved Traveller	traveller_id
DELETE	`/api/customer/travellers/{traveller_id}`	Delete Saved Traveller	traveller_id
GET	`/api/customer/cancellations`	Customer Cancellations	page, limit, search
POST	`/api/customer/bookings/calculate-price`	Customer Calculate Price	-

Customers (21 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/customers/`	List Customers	country, country_id, status, payment_status, booking_status, start_date, end_date, sort_by, sort_order, agent_id, page, limit, search
POST	`/api/customers/`	Add Customer	-
GET	`/api/customers`	List Customers	country, country_id, status, payment_status, booking_status, start_date, end_date, sort_by, sort_order, agent_id, page, limit, search
POST	`/api/customers`	Add Customer	-
POST	`/api/customers/link`	Link Existing Customer	-
GET	`/api/customers/me`	My Customer	-
PUT	`/api/customers/me`	Edit My Customer	-
PATCH	`/api/customers/me`	Edit My Customer	-
GET	`/api/customers/{customer_id}`	Customer Detail	customer_id
PUT	`/api/customers/{customer_id}`	Edit Customer	customer_id
PATCH	`/api/customers/{customer_id}/status`	Change Customer Status	customer_id
POST	`/api/customers/{customer_id}/block`	Block Customer Account Compat	customer_id
PATCH	`/api/customers/{customer_id}/block`	Block Customer Account	customer_id
POST	`/api/customers/{customer_id}/unblock`	Unblock Customer Account Compat	customer_id
PATCH	`/api/customers/{customer_id}/unblock`	Unblock Customer Account	customer_id
POST	`/api/customers/{customer_id}/reset-password`	Reset Customer Login Password	customer_id
GET	`/api/customers/{customer_id}/bookings`	Customer Booking History	customer_id, booking_status, payment_status, page, limit, search
GET	`/api/customers/{customer_id}/payments`	Customer Payment History	customer_id, payment_status, payment_method, page, limit, search
GET	`/api/customers/{customer_id}/communications`	Customer Communication History	customer_id, page, limit, search
POST	`/api/customers/{customer_id}/communications`	Send Customer Communication	customer_id
POST	`/api/customers/me/bookings`	Self Create Booking	-

Dashboard (8 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/dashboard/me`	My Dashboard	-
GET	`/api/dashboard/summary`	Dashboard Summary	start_date, end_date, country_id, supplier_id, agent_id, booking_id, booking_status
GET	`/api/dashboard/charts`	Dashboard Charts	start_date, end_date, country_id, booking_id, booking_status
GET	`/api/dashboard/recent-activities`	Recent Activities	start_date, end_date, country_id, booking_id, booking_status
GET	`/api/dashboard/alerts`	Dashboard Alerts	-
GET	`/api/dashboard/bookings`	Booking Analytics	start_date, end_date, country_id
GET	`/api/dashboard/revenue`	Revenue Analytics	start_date, end_date, country_id
GET	`/api/dashboard/payments`	Payment Summary	start_date, end_date, country_id

Discounts (9 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/discounts/`	All Discounts	scope, search
POST	`/api/discounts/`	Add Global Discount	-
GET	`/api/discounts`	All Discounts	scope, search
POST	`/api/discounts`	Add Global Discount	-
PUT	`/api/discounts/{discount_id}`	Edit Global Discount Route	discount_id
PATCH	`/api/discounts/{discount_id}/amend`	Amend Global Discount Route	discount_id
PATCH	`/api/discounts/{discount_id}/deactivate`	Deactivate Global Discount Route	discount_id
GET	`/api/discounts/{discount_id}/history`	Global Discount History	discount_id
GET	`/api/discounts/{discount_id}/usage`	Global Discount Usage	discount_id

Email Logs (4 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/email-logs/deliveries`	List Email Deliveries	status, stale_only, page, limit, search
POST	`/api/email-logs/deliveries/{delivery_id}/retry`	Retry Email Delivery	delivery_id
GET	`/api/email-logs/`	List Email Logs	status, entity_type, page, limit, search
GET	`/api/email-logs`	List Email Logs	status, entity_type, page, limit, search

Email Templates (7 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/email-templates/`	List Templates	page, limit, search
POST	`/api/email-templates/`	Add Template	-
GET	`/api/email-templates/{template_id}`	Detail Template	template_id
PUT	`/api/email-templates/{template_id}`	Edit Template	template_id
DELETE	`/api/email-templates/{template_id}`	Remove Template	template_id
GET	`/api/email-templates/{template_id}/preview`	Preview	template_id
POST	`/api/email-templates/{template_id}/test`	Send Test	template_id

External Tours (7 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/public/external-tours/config`	External Tours Config	-
GET	`/api/public/external-tours/destinations`	External Destinations	search, limit
GET	`/api/public/external-tours/destinations/{slug}`	External Destination	slug
GET	`/api/public/external-tours/categories`	External Categories	-
POST	`/api/public/external-tours/search`	External Search	-
POST	`/api/public/external-tours/click`	External Click	-
POST	`/api/public/external-tours/redirect`	External Redirect	-

External Tours (Admin) (7 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/integrations/external-tours/viator/status`	Viator Status	-
POST	`/api/integrations/external-tours/viator/test-connection`	Viator Test Connection	-
POST	`/api/integrations/external-tours/viator/sync-destinations`	Viator Sync Destinations	-
PUT	`/api/integrations/external-tours/viator/settings`	Viator Update Settings	-
GET	`/api/integrations/external-tours/viator/mappings`	Viator Mappings	search, status, type, page, limit
PUT	`/api/integrations/external-tours/viator/mappings/{mapping_id}`	Viator Update Mapping	mapping_id
GET	`/api/integrations/external-tours/viator/clicks/summary`	Viator Click Summary	days

Geo Reference (3 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/geo/countries`	Geo Countries	-
GET	`/api/geo/states`	Geo States	country_id
GET	`/api/geo/cities`	Geo Cities	state_id, country_id

Geo Seed (2 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/admin/seed/geo`	Trigger Geo Seed	countries, include_cities
GET	`/api/admin/seed/geo/status`	Geo Seed Status	-

Google Authentication (2 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/auth/google`	Google Login	redirect
GET	`/api/auth/google/callback`	Google Callback	code, state, error

Invoices (8 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/invoices/`	Invoices	booking_id, customer_id, page, limit, search
GET	`/api/invoices`	Invoices	booking_id, customer_id, page, limit, search
POST	`/api/invoices/generate`	Generate	-
GET	`/api/invoices/sample-pdf`	Sample Pdf	template_type, currency, tour_name, booking_code, recipient_business_name, recipient_contact_name, recipient_address, recipient_email, recipient_phone, tour_price, addons_total, discount_total, tax_amount, adult_count, child_count, travel_date, lead_traveller, pickup
GET	`/api/invoices/{invoice_id}`	Detail	invoice_id
POST	`/api/invoices/{invoice_id}/generate-pdf`	Generate Pdf	invoice_id
GET	`/api/invoices/{invoice_id}/download`	Download	invoice_id
POST	`/api/invoices/{invoice_id}/email`	Email Invoice	invoice_id

Messaging (4 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/messages/ws-ticket`	Issue Ws Ticket	-
DELETE	`/api/messages/{message_id}`	Delete Own Message	message_id
DELETE	`/api/messages/booking/{message_id}`	Delete Own Booking Message	message_id
POST	`/api/messages/mail-reply`	Mail Reply	-

Notifications (10 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/notifications/`	Notifications	user_id, is_read, entity_type, entity_id, notification_type, page, limit, search
GET	`/api/notifications`	Notifications	user_id, is_read, entity_type, entity_id, notification_type, page, limit, search
POST	`/api/notifications`	Create	-
PATCH	`/api/notifications/mark-all-read`	Mark All Read Route	user_id
PATCH	`/api/notifications/{notification_id}/read`	Read	notification_id
POST	`/api/notifications/{notification_id}/retry`	Retry	notification_id
GET	`/api/notifications/push/public-key`	Push Public Key	-
POST	`/api/notifications/push/subscribe`	Push Subscribe	-
DELETE	`/api/notifications/push/subscribe`	Push Unsubscribe	-
POST	`/api/notifications/push/broadcast`	Push Broadcast	-

Other (2 operations)

Method	Endpoint	Summary	Parameters
GET	`/`	Home	-
GET	`/api/health`	Health	-

Payment Gateways (9 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/payments/abandon-pending`	Abandon Pending Gateway Payment	-
POST	`/api/payments/stripe/create-session`	Stripe Create Session	-
POST	`/api/payments/stripe/webhook`	Stripe Webhook	stripe-signature
POST	`/api/payments/stripe/confirm-return`	Stripe Confirm Return	-
POST	`/api/payments/paypal/create-order`	Paypal Create Order	-
POST	`/api/payments/paypal/capture`	Paypal Capture	-
POST	`/api/payments/paypal/webhook`	Paypal Webhook	-
GET	`/api/payments/gateways/status`	Gateways Status	-
POST	`/api/payments/test/simulate`	Test Simulate Payment	-

Payments (11 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/payments/`	List Payments	customer_id, booking_id, payment_status, payment_method, gateway, start_date, end_date, page, limit, search
POST	`/api/payments/`	Add Payment	-
GET	`/api/payments`	List Payments	customer_id, booking_id, payment_status, payment_method, gateway, start_date, end_date, page, limit, search
POST	`/api/payments/authorize`	Authorize	-
GET	`/api/payments/customer/{customer_id}`	Customer Payment List	customer_id, payment_status, payment_method, page, limit, search
GET	`/api/payments/{payment_id}`	Payment Detail	payment_id
PUT	`/api/payments/{payment_id}`	Edit Payment	payment_id
PATCH	`/api/payments/{payment_id}/status`	Change Payment Status	payment_id
POST	`/api/payments/{payment_id}/capture`	Capture	payment_id
POST	`/api/payments/{payment_id}/void`	Void	payment_id
POST	`/api/payments/{payment_id}/refund`	Refund Payment	payment_id

Permissions (10 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/permissions/`	List Permissions	page, limit, search
POST	`/api/permissions/`	Add Permission	-
GET	`/api/permissions/{permission_id}`	Detail Permission	permission_id
PUT	`/api/permissions/{permission_id}`	Edit Permission	permission_id
DELETE	`/api/permissions/{permission_id}`	Remove Permission	permission_id
GET	`/api/admin/permissions/`	List Permissions	page, limit, search
POST	`/api/admin/permissions/`	Add Permission	-
GET	`/api/admin/permissions/{permission_id}`	Detail Permission	permission_id
PUT	`/api/admin/permissions/{permission_id}`	Edit Permission	permission_id
DELETE	`/api/admin/permissions/{permission_id}`	Remove Permission	permission_id

Private Documents (5 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/private-documents/supplier/{doc_id}`	Get Supplier Document	doc_id
GET	`/api/private-documents/agent/{doc_id}`	Get Agent Document	doc_id
GET	`/api/private-documents/affiliate/{doc_id}`	Get Affiliate Document	doc_id
GET	`/api/private-documents/vehicle/{vehicle_id}/{field}`	Get Vehicle Document	vehicle_id, field
GET	`/api/private-documents/vehicle/{vehicle_id}/photo/{index}`	Get Vehicle Photo	vehicle_id, index

Profile (3 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/profile/me`	My Profile	-
PUT	`/api/profile/me`	Update Profile	-
PUT	`/api/profile/password`	Update Password	-

Public (20 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/public/contact`	Submit Contact Message	-
POST	`/api/public/newsletter/subscribe`	Subscribe Newsletter	-
GET	`/api/public/tours`	Public Tours	search, country, city, destination, min_rating, category, subcategory, min_days, max_days, min_price, max_price, departure_month, available_only, sort, page, limit
GET	`/api/public/tours/featured`	Featured Tours	limit
GET	`/api/public/tours/{tour_id}/deposit-options`	Public Tour Deposit Options	tour_id, travel_date
POST	`/api/public/tours/{tour_id}/price-quote`	Public Tour Price Quote	tour_id
GET	`/api/public/tours/{tour_id}/brochure`	Public Tour Brochure Download	tour_id, inline
GET	`/api/public/tours/{tour_id}/itinerary`	Public Tour Itinerary	tour_id, download
GET	`/api/public/tours/{country_slug}/{tour_slug}`	Public Tour Detail By Slug	country_slug, tour_slug, travel_date
GET	`/api/public/tours/{tour_id}`	Public Tour Detail	tour_id, travel_date
GET	`/api/public/categories`	Public Categories	country
GET	`/api/public/subcategories`	Public Subcategories	category
GET	`/api/public/countries`	Public Countries	-
GET	`/api/public/country-pages`	Public Country Pages	-
GET	`/api/public/country-pages/{slug}`	Public Country Page By Slug	slug
GET	`/api/public/destination-guides`	Public Destination Guides	-
GET	`/api/public/destination-guides/{slug}`	Public Destination Guide	slug
GET	`/api/public/cities`	Public Cities	country, limit
GET	`/api/public/external-day-trips`	Public External Day Trips	-
GET	`/api/public/viator/redirect-url`	Public Viator Redirect Url	-

Public Leads (2 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/public-leads/contact-enquiries`	List Contact Enquiries	audience, page, limit, search
GET	`/api/public-leads/newsletter-subscribers`	List Newsletter Subscribers	page, limit, search

Reports (30 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/reports/summary`	Summary	period, start_date, end_date
GET	`/api/reports/bookings`	Booking Report	period, start_date, end_date
GET	`/api/reports/payments`	Payment Report	period, start_date, end_date
GET	`/api/reports/pending-payments`	Pending Payments	-
GET	`/api/reports/overdue-payments`	Overdue Payments	-
GET	`/api/reports/country-wise`	Country Wise	period, start_date, end_date
GET	`/api/reports/cancellations`	Cancellations	period, start_date, end_date
GET	`/api/reports/suppliers`	Supplier Report	period, start_date, end_date
GET	`/api/reports/agents`	Agent Report	period, start_date, end_date
GET	`/api/reports/customers`	Customer Report	period, start_date, end_date
GET	`/api/reports/audience-options`	Audience Options	audience
GET	`/api/reports/audience`	Audience Report	audience, entity_id, period, start_date, end_date
GET	`/api/reports/audience-detail`	Audience Report Detail	audience, entity_id, period, start_date, end_date
GET	`/api/reports/audience-export`	Audience Report Export	audience, entity_id, period, start_date, end_date, format
GET	`/api/reports/booking-report`	Booking Detail Report	booking_status, payment_status, country_id, supplier_id, period, start_date, end_date
GET	`/api/reports/sales-revenue-report`	Sales Revenue Report	granularity, period, start_date, end_date
GET	`/api/reports/payment-report`	Payment Detail Report	payment_status, gateway, period, start_date, end_date
GET	`/api/reports/supplier-report`	Supplier Detail Report	period, start_date, end_date
GET	`/api/reports/supplier-payout-report`	Supplier Payout Report	status, supplier_id
GET	`/api/reports/tour-performance-report`	Tour Performance Report	supplier_id, category_id, country_id
GET	`/api/reports/cancellation-refund-report`	Cancellation Refund Report	supplier_id, period, start_date, end_date
GET	`/api/reports/my-bookings`	My Bookings Report	booking_status, payment_status, period, start_date, end_date
GET	`/api/reports/my-bookings-summary`	My Bookings Summary	booking_status, payment_status, period, start_date, end_date
GET	`/api/reports/my-earnings`	My Earnings Report	-
GET	`/api/reports/my-travellers`	My Travellers Report	-
GET	`/api/reports/exports`	Exports	report, format, period, start_date, end_date, booking_status, payment_status, gateway, supplier_id, granularity
GET	`/api/reports/schedule`	List Report Schedules	-
POST	`/api/reports/schedule`	Create Report Schedule	-

DELETE	`/api/reports/schedule/{schedule_id}`	Delete Report Schedule	schedule_id
GET	`/api/reports/snapshot`	Snapshot	-

Reviews (9 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/customer/reviews`	Submit Review	-
GET	`/api/customer/reviews/eligibility/{booking_id}`	Get Review Eligibility	booking_id
PATCH	`/api/customer/reviews/{review_id}`	Update Review	review_id
GET	`/api/public/tours/{tour_id}/reviews`	Public Tour Reviews	tour_id, page, limit, search
GET	`/api/public/tours/{tour_id}/review-summary`	Public Tour Review Summary	tour_id
GET	`/api/portal/reviews`	Portal Reviews	-
GET	`/api/admin/reviews`	List Reviews	status, page, limit, search
PATCH	`/api/admin/reviews/{review_id}/approve`	Approve Review	review_id
PATCH	`/api/admin/reviews/{review_id}/reject`	Reject Review	review_id

Roles (16 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/roles/public/options`	Public Role Options	-
GET	`/api/roles/`	List Roles	page, limit, search
POST	`/api/roles/`	Add Role	-
GET	`/api/roles/{role_id}`	Detail Role	role_id
PUT	`/api/roles/{role_id}`	Edit Role	role_id
DELETE	`/api/roles/{role_id}`	Remove Role	role_id
GET	`/api/roles/{role_id}/permissions`	Role Permissions	role_id
POST	`/api/roles/{role_id}/permissions`	Assign Permissions	role_id
GET	`/api/admin/roles/public/options`	Public Role Options	-
GET	`/api/admin/roles/`	List Roles	page, limit, search
POST	`/api/admin/roles/`	Add Role	-
GET	`/api/admin/roles/{role_id}`	Detail Role	role_id
PUT	`/api/admin/roles/{role_id}`	Edit Role	role_id
DELETE	`/api/admin/roles/{role_id}`	Remove Role	role_id
GET	`/api/admin/roles/{role_id}/permissions`	Role Permissions	role_id
POST	`/api/admin/roles/{role_id}/permissions`	Assign Permissions	role_id

Sessions (6 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/sessions/`	Sessions	user_id, status, page, limit, search
GET	`/api/sessions`	Sessions	user_id, status, page, limit, search
GET	`/api/sessions/login-history`	Login History	user_id, status, page, limit, search
POST	`/api/sessions/expire-inactive`	Expire Inactive	days
POST	`/api/sessions/{session_id}/revoke`	Revoke	session_id
POST	`/api/sessions/users/{user_id}/force-logout`	Force Logout	user_id

Settings (22 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/settings/countries`	Settings Countries	search, page, limit
GET	`/api/settings/cities`	Settings Cities	search, country_id, page, limit
GET	`/api/settings/public`	Public Settings	-
GET	`/api/settings/`	List Settings	-
PUT	`/api/settings/`	Save Settings	-
GET	`/api/settings/pricing/commission-preview`	Commission Preview	sample_price
GET	`/api/settings/setup-progress`	Setup Progress	-
GET	`/api/settings/security-status`	Security Status	-
GET	`/api/settings/system`	System Settings	-
PUT	`/api/settings/system`	Save System Settings	-
GET	`/api/settings/payment`	List Payment Settings	-
PUT	`/api/settings/payment`	Save Payment Settings	-
GET	`/api/settings/payment/summary`	Payment Settings Summary	-
PUT	`/api/settings/payment/{provider_name}`	Save Payment Setting	provider_name
POST	`/api/settings/payment/{provider_name}/test-connection`	Test Payment Provider Connection	provider_name
GET	`/api/settings/api`	List Api Settings	-
PUT	`/api/settings/api`	Save Api Settings	-
GET	`/api/settings/api/summary`	Api Settings Summary	-
PUT	`/api/settings/api/{api_name}`	Save Api Setting	api_name
GET	`/api/settings/smtp`	Smtp Settings Summary	-
PUT	`/api/settings/smtp`	Save Smtp Settings	-
POST	`/api/settings/smtp/test`	Test Smtp Settings	-

Social Authentication (2 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/auth/oauth/providers`	Provider Status	-
GET	`/api/auth/oauth/{provider}/start`	Start Social Auth	provider, redirect

Supplier Booking Messaging (6 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/supplier/booking-messages/`	Supplier Booking Conversations	page, limit
GET	`/api/supplier/booking-messages`	Supplier Booking Conversations	page, limit
GET	`/api/supplier/booking-messages/unread-count`	Supplier Booking Unread	-
GET	`/api/supplier/booking-messages/booking/{booking_id}`	Supplier Booking Conversation For Booking	booking_id
GET	`/api/supplier/booking-messages/{conversation_id}`	Supplier Booking Conversation Thread	conversation_id
POST	`/api/supplier/booking-messages/{conversation_id}/messages`	Supplier Booking Conversation Reply	conversation_id

Supplier Bookings (13 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/supplier/bookings/`	Supplier Bookings	page, limit, search
GET	`/api/supplier/bookings`	Supplier Bookings	page, limit, search
GET	`/api/supplier/bookings/{booking_id}`	Supplier Booking Detail	booking_id
POST	`/api/supplier/bookings/{booking_id}/accept`	Supplier Accept	booking_id
POST	`/api/supplier/bookings/{booking_id}/decline`	Supplier Decline	booking_id
PATCH	`/api/supplier/bookings/{booking_id}/complete`	Supplier Complete	booking_id
PATCH	`/api/supplier/bookings/{booking_id}/ongoing`	Supplier Start	booking_id
PATCH	`/api/supplier/bookings/{booking_id}/due-date`	Supplier Set Due Date Endpoint	booking_id
PATCH	`/api/supplier/bookings/{booking_id}/cancel`	Supplier Cancel	booking_id
POST	`/api/supplier/bookings/{booking_id}/communications`	Supplier Create Communication	booking_id
POST	`/api/supplier/bookings/communications/{communication_id}/replies`	Supplier Reply Communication	communication_id
POST	`/api/supplier/bookings/{booking_id}/notify`	Supplier Notify	booking_id
GET	`/api/supplier/bookings/{booking_id}/status-history`	Supplier Booking History	booking_id

Supplier Invoices (3 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/supplier/invoices/`	Supplier Invoices	page, limit, search
GET	`/api/supplier/invoices`	Supplier Invoices	page, limit, search
GET	`/api/supplier/invoices/{invoice_id}/download`	Download Supplier Invoice	invoice_id

Supplier Ledger (8 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/supplier-ledgers`	List Ledgers	supplier_id, status, page, limit, search
GET	`/api/suppliers/{supplier_id}/ledger`	Supplier Ledger	supplier_id, status, page, limit, search
GET	`/api/supplier-statements/{supplier_id}`	Supplier Statement	supplier_id
GET	`/api/supplier-payouts`	List Payouts	supplier_id, status, page, limit, search
POST	`/api/supplier-payouts`	Create Payout	-
POST	`/api/supplier-payouts/{payout_id}/approve`	Approve Payout	payout_id
POST	`/api/supplier-payouts/{payout_id}/mark-paid`	Mark Paid Post	payout_id
PATCH	`/api/supplier-payouts/{payout_id}/mark-paid`	Mark Paid	payout_id

Supplier Portal (2 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/supplier/messages`	Supplier Messages	-
POST	`/api/supplier/messages`	Send Supplier Message	-

Suppliers (49 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/suppliers/register`	Register Supplier	-
POST	`/api/suppliers/verify-email`	Verify Supplier Email	-
POST	`/api/suppliers/submit-verification`	Submit Verification	-
GET	`/api/suppliers/pending`	Pending Suppliers	page, limit, search
GET	`/api/suppliers/export`	Export Suppliers Endpoint	-
GET	`/api/suppliers/`	Suppliers	country_id, status, approval_status, start_date, end_date, sort_by, page, limit, search
POST	`/api/suppliers/`	Add Supplier	-
GET	`/api/suppliers`	Suppliers	country_id, status, approval_status, start_date, end_date, sort_by, page, limit, search
POST	`/api/suppliers`	Add Supplier	-
GET	`/api/suppliers/me`	My Supplier	-
PUT	`/api/suppliers/me`	Edit My Supplier	-
PATCH	`/api/suppliers/me`	Edit My Supplier	-
GET	`/api/suppliers/document-requirements`	Supplier Document Requirements	-
POST	`/api/suppliers/me/bank-details/edit-request`	Request My Bank Detail Edit	-
GET	`/api/suppliers/me/commission-calculator`	My Commission Calculator	adults, children, tour_id, adult_price, child_price
POST	`/api/suppliers/me/onboarding/complete`	Complete My Onboarding	-
POST	`/api/suppliers/me/accept-commission`	Accept My Commission	-
GET	`/api/suppliers/me/vehicles`	Get My Vehicles	-
POST	`/api/suppliers/me/vehicles`	Add My Vehicle	-
PUT	`/api/suppliers/me/vehicles/{vehicle_id}`	Update My Vehicle	vehicle_id
PATCH	`/api/suppliers/me/vehicles/{vehicle_id}`	Update My Vehicle	vehicle_id
DELETE	`/api/suppliers/me/vehicles/{vehicle_id}`	Delete My Vehicle	vehicle_id
POST	`/api/suppliers/me/vehicles/{vehicle_id}/upload/{field}`	Upload Vehicle File	vehicle_id, field
POST	`/api/suppliers/me/vehicles/{vehicle_id}/photos`	Upload Vehicle Photos	vehicle_id
DELETE	`/api/suppliers/me/vehicles/{vehicle_id}/photos`	Delete Vehicle Photo	vehicle_id, photo_index
POST	`/api/suppliers/{supplier_id}/submit-verification`	Submit Verification By Id	supplier_id
GET	`/api/suppliers/{supplier_id}`	Supplier Detail	supplier_id
PUT	`/api/suppliers/{supplier_id}`	Edit Supplier	supplier_id

PATCH	`/api/suppliers/{supplier_id}`	Edit Supplier	supplier_id
GET	`/api/suppliers/{supplier_id}/documents`	Get Supplier Documents	supplier_id
POST	`/api/suppliers/{supplier_id}/documents`	Upload Supplier Document	supplier_id
PATCH	`/api/suppliers/{supplier_id}/documents/{document_id}/review`	Review Document	supplier_id, document_id
PATCH	`/api/suppliers/{supplier_id}/vehicles/{vehicle_id}/review`	Review Vehicle	supplier_id, vehicle_id
POST	`/api/suppliers/bulk-approve`	Bulk Approve	-
POST	`/api/suppliers/bulk-reject`	Bulk Reject	-
POST	`/api/suppliers/{supplier_id}/accept`	Approve	supplier_id
POST	`/api/suppliers/{supplier_id}/approve`	Approve	supplier_id
PATCH	`/api/suppliers/{supplier_id}/approve`	Approve	supplier_id
POST	`/api/suppliers/{supplier_id}/bank-details/unlock`	Unlock Bank Detail Edit	supplier_id
POST	`/api/suppliers/{supplier_id}/bank-details/reject`	Reject Bank Detail Edit	supplier_id
POST	`/api/suppliers/{supplier_id}/reject`	Reject	supplier_id
PATCH	`/api/suppliers/{supplier_id}/reject`	Reject	supplier_id
POST	`/api/suppliers/{supplier_id}/request-information`	Partial Approve	supplier_id
POST	`/api/suppliers/{supplier_id}/partial-approve`	Partial Approve	supplier_id
PATCH	`/api/suppliers/{supplier_id}/partial-approve`	Partial Approve	supplier_id
POST	`/api/suppliers/{supplier_id}/request-reupload`	Request Reupload	supplier_id
POST	`/api/suppliers/{supplier_id}/deactivate`	Deactivate Supplier	supplier_id
POST	`/api/suppliers/{supplier_id}/reactivate`	Reactivate Supplier	supplier_id
POST	`/api/suppliers/{supplier_id}/suspend`	Suspend Supplier	supplier_id

Tour Detail (72 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/tours/categories`	Tour Categories	search, page, limit
GET	`/api/tours/{tour_id}/overview`	Tour Overview	tour_id
POST	`/api/tours/{tour_id}/overview`	Save Tour Overview	tour_id
PUT	`/api/tours/{tour_id}/overview`	Update Tour Overview	tour_id
PATCH	`/api/tours/{tour_id}/group-size`	Update Tour Group Size	tour_id
GET	`/api/tours/{tour_id}/itineraries`	Tour Itineraries	tour_id
POST	`/api/tours/{tour_id}/itineraries`	Add Itinerary	tour_id
GET	`/api/tours/{tour_id}/itineraries/{itinerary_id}`	Get Itinerary	tour_id, itinerary_id
PUT	`/api/tours/{tour_id}/itineraries/{itinerary_id}`	Edit Itinerary	tour_id, itinerary_id
DELETE	`/api/tours/{tour_id}/itineraries/{itinerary_id}`	Remove Itinerary	tour_id, itinerary_id
PATCH	`/api/tours/{tour_id}/itineraries/reorder`	Reorder Tour Itineraries	tour_id
GET	`/api/tours/{tour_id}/inclusions`	Tour Inclusions	tour_id
POST	`/api/tours/{tour_id}/inclusions`	Add Inclusion	tour_id
PUT	`/api/tours/{tour_id}/inclusions/{inclusion_id}`	Edit Inclusion	tour_id, inclusion_id
DELETE	`/api/tours/{tour_id}/inclusions/{inclusion_id}`	Remove Inclusion	tour_id, inclusion_id
GET	`/api/tours/{tour_id}/exclusions`	Tour Exclusions	tour_id
POST	`/api/tours/{tour_id}/exclusions`	Add Exclusion	tour_id
PUT	`/api/tours/{tour_id}/exclusions/{exclusion_id}`	Edit Exclusion	tour_id, exclusion_id
DELETE	`/api/tours/{tour_id}/exclusions/{exclusion_id}`	Remove Exclusion	tour_id, exclusion_id
GET	`/api/tours/{tour_id}/highlights`	Tour Highlights	tour_id
POST	`/api/tours/{tour_id}/highlights`	Add Highlight	tour_id
PUT	`/api/tours/{tour_id}/highlights/{highlight_id}`	Edit Highlight	tour_id, highlight_id
DELETE	`/api/tours/{tour_id}/highlights/{highlight_id}`	Remove Highlight	tour_id, highlight_id
GET	`/api/tours/{tour_id}/similar-tours`	Tour Similar	tour_id
POST	`/api/tours/{tour_id}/similar-tours`	Add Tour Similar	tour_id
DELETE	`/api/tours/{tour_id}/similar-tours/{similar_id}`	Remove Similar	tour_id, similar_id
GET	`/api/tours/{tour_id}/extensions`	Tour Extensions	tour_id
POST	`/api/tours/{tour_id}/extensions`	Add Extension	tour_id
PUT	`/api/tours/{tour_id}/extensions/{extension_id}`	Edit Extension	tour_id, extension_id
DELETE	`/api/tours/{tour_id}/extensions/{extension_id}`	Remove Extension	tour_id, extension_id
GET	`/api/tours/{tour_id}/gallery`	Tour Gallery	tour_id
POST	`/api/tours/{tour_id}/gallery`	Add Gallery Image	tour_id
PUT	`/api/tours/{tour_id}/gallery/{image_id}`	Edit Gallery Image	tour_id, image_id
DELETE	`/api/tours/{tour_id}/gallery/{image_id}`	Remove Gallery Image	tour_id, image_id

GET	`/api/tours/{tour_id}/markup`	Get Tour Markup	tour_id
PUT	`/api/tours/{tour_id}/markup`	Update Tour Markup	tour_id
GET	`/api/tours/{tour_id}/pricing`	Tour Pricing	tour_id
POST	`/api/tours/{tour_id}/pricing`	Add Pricing	tour_id
PUT	`/api/tours/{tour_id}/pricing/{pricing_id}`	Edit Pricing	tour_id, pricing_id
DELETE	`/api/tours/{tour_id}/pricing/{pricing_id}`	Remove Pricing	tour_id, pricing_id
GET	`/api/tours/{tour_id}/date-prices`	Tour Date Prices	tour_id
POST	`/api/tours/{tour_id}/date-prices`	Add Date Price	tour_id
PUT	`/api/tours/{tour_id}/date-prices/{date_price_id}`	Edit Date Price	tour_id, date_price_id
DELETE	`/api/tours/{tour_id}/date-prices/{date_price_id}`	Remove Date Price	tour_id, date_price_id, reason
GET	`/api/tours/{tour_id}/optional-activities`	Tour Activities	tour_id
POST	`/api/tours/{tour_id}/optional-activities`	Add Activity	tour_id
PUT	`/api/tours/{tour_id}/optional-activities/{activity_id}`	Edit Activity	tour_id, activity_id
DELETE	`/api/tours/{tour_id}/optional-activities/{activity_id}`	Remove Activity	tour_id, activity_id
GET	`/api/tours/{tour_id}/accommodation-extras`	Tour Accommodations	tour_id
POST	`/api/tours/{tour_id}/accommodation-extras`	Add Accommodation	tour_id
PUT	`/api/tours/{tour_id}/accommodation-extras/{extra_id}`	Edit Accommodation	tour_id, extra_id
DELETE	`/api/tours/{tour_id}/accommodation-extras/{extra_id}`	Remove Accommodation	tour_id, extra_id
GET	`/api/tours/{tour_id}/calendar`	Tour Calendar	tour_id
POST	`/api/tours/{tour_id}/calendar`	Add Calendar	tour_id
PUT	`/api/tours/{tour_id}/calendar/{calendar_id}`	Edit Calendar	tour_id, calendar_id
DELETE	`/api/tours/{tour_id}/calendar/{calendar_id}`	Remove Calendar	tour_id, calendar_id
GET	`/api/tours/{tour_id}/availability`	Tour Availability	tour_id
PUT	`/api/tours/{tour_id}/availability`	Save Availability	tour_id
GET	`/api/tours/{tour_id}/unavailable-dates`	Tour Unavailable	tour_id
POST	`/api/tours/{tour_id}/unavailable-dates`	Add Unavailable	tour_id
DELETE	`/api/tours/{tour_id}/unavailable-dates/{date_id}`	Remove Unavailable	tour_id, date_id
GET	`/api/tours/{tour_id}/discounts`	Tour Discounts	tour_id
POST	`/api/tours/{tour_id}/discounts`	Add Discount	tour_id
PUT	`/api/tours/{tour_id}/discounts/{discount_id}`	Edit Tour Discount	tour_id, discount_id
PATCH	`/api/tours/{tour_id}/discounts/{discount_id}/amend`	Amend Tour Discount	tour_id, discount_id
PATCH	`/api/tours/{tour_id}/discounts/{discount_id}/deactivate`	Deactivate Tour Discount	tour_id, discount_id
GET	`/api/tours/{tour_id}/discounts/{discount_id}/history`	Tour Discount History	tour_id, discount_id
GET	`/api/tours/{tour_id}/group-discount-tiers`	Tour Group Discount Tiers	tour_id
POST	`/api/tours/{tour_id}/group-discount-tiers`	Add Group Discount Tier	tour_id
PUT	`/api/tours/{tour_id}/group-discount-tiers/{tier_id}`	Edit Group Discount Tier	tour_id, tier_id

DELETE	`/api/tours/{tour_id}/group-discount-tiers/{tier_id}`	Remove Group Discount Tier	tour_id, tier_id
POST	`/api/tours/{tour_id}/calculate-price`	Tour Calculate Price	tour_id

Tour Versions (9 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/tours/{tour_id}/submit-for-approval`	Submit For Approval	tour_id
POST	`/api/tours/{tour_id}/withdraw`	Withdraw Submission	tour_id
GET	`/api/tours/{tour_id}/review-comments`	List Review Comments	tour_id, status
POST	`/api/tours/{tour_id}/review-comments`	Create Review Comment	tour_id
PATCH	`/api/tours/{tour_id}/review-comments/{comment_id}/resolve`	Resolve Review Comment	tour_id, comment_id
GET	`/api/tours/pending-approval`	List Pending	page, limit, search
GET	`/api/tours/{tour_id}/versions`	List Versions	tour_id, page, limit, search
PATCH	`/api/tours/{tour_id}/versions/{version_id}/approve`	Approve Version	tour_id, version_id
PATCH	`/api/tours/{tour_id}/versions/{version_id}/reject`	Reject Version	tour_id, version_id

Uploads (2 operations)

Method	Endpoint	Summary	Parameters
POST	`/api/uploads/profile-image`	Upload Profile Image	-
POST	`/api/uploads/admin-asset`	Upload Admin Asset	-

Users (10 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/users/`	List Users	account_status, user_type, page, limit, search
POST	`/api/users/`	Add User	-
GET	`/api/users/{user_id}`	User Detail	user_id
PUT	`/api/users/{user_id}`	Edit User	user_id
DELETE	`/api/users/{user_id}`	Remove User	user_id
POST	`/api/users/{user_id}/activate`	Activate User Account	user_id
POST	`/api/users/{user_id}/deactivate`	Deactivate User Account	user_id
POST	`/api/users/{user_id}/reactivate`	Reactivate User Account	user_id
POST	`/api/users/{user_id}/send-reset-mail`	Send Reset Mail	user_id
POST	`/api/users/{user_id}/roles`	Assign User Roles	user_id

Website CMS (73 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/cms/homepage-banners`	List Banners	active_only, page, limit, search
POST	`/api/cms/homepage-banners`	Create Banner	-
PUT	`/api/cms/homepage-banners/{item_id}`	Update Banner	item_id
DELETE	`/api/cms/homepage-banners/{item_id}`	Delete Banner	item_id
GET	`/api/cms/popular-destinations`	List Destinations	active_only, page, limit, search
POST	`/api/cms/popular-destinations`	Create Destination	-
PUT	`/api/cms/popular-destinations/{item_id}`	Update Destination	item_id
DELETE	`/api/cms/popular-destinations/{item_id}`	Delete Destination	item_id
GET	`/api/cms/popular-tours`	List Popular Tours	active_only, published_only, page, limit, search
POST	`/api/cms/popular-tours`	Create Popular Tour	-
PUT	`/api/cms/popular-tours/{item_id}`	Update Popular Tour	item_id
DELETE	`/api/cms/popular-tours/{item_id}`	Delete Popular Tour	item_id
GET	`/api/cms/tours-on-deals`	List Deals	active_only, published_only, page, limit, search
POST	`/api/cms/tours-on-deals`	Create Deal	-
PUT	`/api/cms/tours-on-deals/{item_id}`	Update Deal	item_id
DELETE	`/api/cms/tours-on-deals/{item_id}`	Delete Deal	item_id
GET	`/api/cms/handpicked-tours`	List Handpicked Tours	active_only, published_only, page, limit, search
POST	`/api/cms/handpicked-tours`	Create Handpicked Tour	-
PUT	`/api/cms/handpicked-tours/{item_id}`	Update Handpicked Tour	item_id
DELETE	`/api/cms/handpicked-tours/{item_id}`	Delete Handpicked Tour	item_id
GET	`/api/cms/favourite-countries`	List Favourite Countries	active_only, page, limit, search
POST	`/api/cms/favourite-countries`	Create Favourite Country	-
PUT	`/api/cms/favourite-countries/{item_id}`	Update Favourite Country	item_id
DELETE	`/api/cms/favourite-countries/{item_id}`	Delete Favourite Country	item_id
GET	`/api/cms/country-pages`	List Country Pages	active_only, page, limit, search
POST	`/api/cms/country-pages`	Create Country Page	-
PUT	`/api/cms/country-pages/{item_id}`	Update Country Page	item_id
DELETE	`/api/cms/country-pages/{item_id}`	Delete Country Page	item_id
GET	`/api/cms/content-blocks/{key}`	Get Content Block	key
PUT	`/api/cms/content-blocks/{key}`	Upsert Content Block	key
GET	`/api/cms/blogs`	List Blogs	active_only, slug, search, tag, page, limit
POST	`/api/cms/blogs`	Create Blog	-
GET	`/api/cms/blogs/{item_id}`	Get Blog	item_id
PUT	`/api/cms/blogs/{item_id}`	Update Blog	item_id

DELETE	`/api/cms/blogs/{item_id}`	Delete Blog	item_id
GET	`/api/cms/pages`	List Cms Pages	active_only, page, limit, search
POST	`/api/cms/pages`	Create Cms Page	-
PUT	`/api/cms/pages/{item_id}`	Update Cms Page	item_id
DELETE	`/api/cms/pages/{item_id}`	Delete Cms Page	item_id
GET	`/api/cms/pages/by-slug/{slug}`	Public Cms Page	slug
GET	`/api/cms/customer-reviews`	List Reviews	active_only, page, limit, search
POST	`/api/cms/customer-reviews`	Create Review	-
PUT	`/api/cms/customer-reviews/{item_id}`	Update Review	item_id
DELETE	`/api/cms/customer-reviews/{item_id}`	Delete Review	item_id
GET	`/api/cms/help-centre`	List Help	category, active_only, page, limit, search
POST	`/api/cms/help-centre`	Create Help	-
PUT	`/api/cms/help-centre/{item_id}`	Update Help	item_id
DELETE	`/api/cms/help-centre/{item_id}`	Delete Help	item_id
GET	`/api/cms/policies`	List Policies	page, limit, search
PUT	`/api/cms/policies`	Upsert Policy	-
GET	`/api/cms/policies/{slug}`	Get Policy	slug
GET	`/api/cms/promotional-popups`	List Popups	active_only, page, limit, search
POST	`/api/cms/promotional-popups`	Create Popup	-
PUT	`/api/cms/promotional-popups/{item_id}`	Update Popup	item_id
DELETE	`/api/cms/promotional-popups/{item_id}`	Delete Popup	item_id
GET	`/api/cms/external-links`	List Links	location, page, limit, search
POST	`/api/cms/external-links`	Create Link	-
PUT	`/api/cms/external-links/{item_id}`	Update Link	item_id
DELETE	`/api/cms/external-links/{item_id}`	Delete Link	item_id
GET	`/api/cms/footer`	Public Footer	-
GET	`/api/cms/footer-sections`	List Footer Sections	page, limit, search
POST	`/api/cms/footer-sections`	Create Footer Section	-
PUT	`/api/cms/footer-sections/{item_id}`	Update Footer Section	item_id
DELETE	`/api/cms/footer-sections/{item_id}`	Delete Footer Section	item_id
GET	`/api/cms/footer-links`	List Footer Links	section_id, page, limit, search
POST	`/api/cms/footer-links`	Create Footer Link	-
PUT	`/api/cms/footer-links/{item_id}`	Update Footer Link	item_id
DELETE	`/api/cms/footer-links/{item_id}`	Delete Footer Link	item_id
GET	`/api/cms/sitemap`	List Sitemap Entries	page, limit, search
POST	`/api/cms/sitemap`	Create Sitemap Entry	-

GET	`/api/cms/sitemap.xml`	Get Sitemap Xml	-
PUT	`/api/cms/sitemap/{item_id}`	Update Sitemap Entry	item_id
DELETE	`/api/cms/sitemap/{item_id}`	Delete Sitemap Entry	item_id

Wishlist (3 operations)

Method	Endpoint	Summary	Parameters
GET	`/api/wishlist`	User Wishlist	-
POST	`/api/wishlist/{tour_id}`	Add User Wishlist Item	tour_id
DELETE	`/api/wishlist/{tour_id}`	Delete User Wishlist Item	tour_id

---

08 — Database Schema & Data Architecture

1. Database Engine & ORM Configuration

- **Database Engine**: MySQL 8.0+ or MariaDB using the **InnoDB storage engine** for full ACID compliance and row-level locking.
- **ORM Framework**: SQLAlchemy 2.0 utilizing Declarative Base (`Base = declarative_base()`).
- **Connection Pooling**: Managed via `QueuePool` with configurable pool size, max overflow, and automated pool recycling to prevent stale MySQL disconnects.
- **Character Set**: `utf8mb4` with `utf8mb4_unicode_ci` collation supporting international multi-lingual text and emoji characters.

---

2. Relational Schema Statistics

- **Total Tables**: **138 database tables**
- **Migration Revisions**: **170 Alembic migration files** (dating from `2026-06-15` to `2026-10-28`).
- **Foreign Key Density**: High relational integrity with cascading deletion restricted on financial and audit records.

---

3. Core Relational Domains

1. **Identity & Access**: `users` , `roles` , `permissions` , `role_permissions` , `user_roles` , `user_sessions` , `login_history` , `audit_logs` .

2. **Geographical Master**: `countries` , `states` , `cities` , `cms_country_pages` , `cms_favourite_countries` .

3. **Tour Catalog**: `tours` , `tour_overviews` , `tour_itineraries` , `tour_pricing` , `tour_calendar` , `tour_unavailable_dates` , `tour_inclusions` , `tour_exclusions` , `tour_highlights` , `tour_gallery_images` , `tour_categories` , `tour_subcategories` .

4. **Tour Versioning**: `tour_versions` , `tour_review_comments` .

5. **Booking Hub**: `bookings` , `booking_travellers` , `booking_optional_activities` , `booking_accommodations` , `booking_extensions` , `booking_status_history` , `booking_communications` , `booking_calendar_events` .

6. **Financial & Checkout**: `payments` , `payment_transactions` , `payment_holds` , `checkout_sessions` , `invoices` , `invoice_items` .

7. **Partner Ledgers**: `suppliers` , `supplier_ledgers` , `supplier_payouts` , `agents` , `agent_ledger` .

8. **Affiliate Engine**: `affiliates` , `affiliate_links` , `affiliate_clicks` , `affiliate_attributions` , `affiliate_commission_rules` , `affiliate_conversions` , `affiliate_payouts` , `affiliate_wallet_transactions` .

9. **CMS & Engagement**: `cms_homepage_banners` , `cms_popular_destinations` , `cms_popular_tours` , `cms_blogs` , `cms_customer_reviews` , `cms_policies` .

10. **Communications & AI**: `conversations` , `messages` , `notifications` , `notification_deliveries` , `chat_faqs` , `chat_sessions` , `chat_messages` , `chat_embeddings` .

The complete schema reference of all 138 tables and columns is cataloged in `inventories/database-tables.md` .

Database Table Inventory

Total Verified Tables: 138

Database Engine: MySQL 8.0+ / MariaDB (InnoDB engine)

ORM Framework: SQLAlchemy 2.0 (Declarative Base)

Migration Engine: Alembic (170 migration revisions)

Table Name	Primary Key	Columns	Foreign Keys Count	Foreign Key References
admin_modules	id	8	0	-
affiliate_attributions	id	13	4	affiliate_link_id -> affiliate_links.id, affiliate_id -> affiliates.id, affil...
affiliate_clicks	id	7	2	affiliate_id -> affiliates.id, link_id -> affiliate_links.id
affiliate_commission_rules	id	18	6	tour_id -> tours.id, updated_by -> users.id, created_by -> users.id, category...
affiliate_conversions	id	17	4	affiliate_id -> affiliates.id, booking_id -> bookings.id, commission_rule_id ...
affiliate_documents	id	12	2	reviewed_by -> users.id, affiliate_id -> affiliates.id
affiliate_invoicing	id	23	3	bank_edit_unlocked_by -> users.id, country_id -> countries.id, affiliate_id -...
affiliate_links	id	28	4	created_by -> users.id, tour_id -> tours.id, affiliate_id -> affiliates.id, u...
affiliate_marketing_info	id	9	1	affiliate_id -> affiliates.id
affiliate_payout_items	id	5	2	payout_id -> affiliate_payouts.id, conversion_id -> affiliate_conversions.id
affiliate_payout_methods	id	14	1	affiliate_id -> affiliates.id
affiliate_payouts	id	21	5	payout_method_id -> affiliate_payout_methods.id, approved_by -> users.id, aff...
affiliate_wallet_transactions	id	11	3	payout_id -> affiliate_payouts.id, commission_id -> affiliate_conversions.id,...
affiliates	id	23	5	rejected_by -> users.id, approved_by -> users.id, city_id -> cities.id, user_...
agent_business_info	id	16	1	agent_id -> agents.id
agent_contacts	id	13	1	agent_id -> agents.id
agent_documents	id	12	2	agent_id -> agents.id, reviewed_by -> users.id
agent_invoicing	id	24	4	country_id -> countries.id, bank_edit_unlocked_by -> users.id, agent_id -> ag...
agent_ledgers	id	14	2	booking_id -> bookings.id, agent_id -> agents.id
agent_payout_items	id	5	2	payout_id -> agent_payouts.id, ledger_id -> agent_ledgers.id
agent_payouts	id	18	5	approved_by -> users.id, agent_id -> agents.id, paid_by -> users.id, rejected...
agents	id	28	5	approved_by -> users.id, rejected_by -> users.id, user_id -> users.id, city_i...
api_settings	id	8	0	-
app_settings	id	7	0	-
audit_logs	id	10	1	actor_user_id -> users.id
booking_accommodations	id	9	2	booking_id -> bookings.id, tour_accommodation_extra_id -> tour_accommodation_...
booking_calendar_events	id	13	1	booking_id -> bookings.id
booking_communications	id	9	2	booking_id -> bookings.id, sender_user_id -> users.id

booking_conversations	id	12	3	supplier_user_id -> users.id, booking_id -> bookings.id, initiator_user_id ->...
booking_extensions	id	9	3	tour_extension_id -> tour_extensions.id, booking_id -> bookings.id, extension...
booking_messages	id	11	2	sender_user_id -> users.id, conversation_id -> booking_conversations.id
booking_modification_requests	id	14	3	requester_user_id -> users.id, reviewed_by -> users.id, booking_id -> booking...
booking_optional_activities	id	8	2	booking_id -> bookings.id, tour_optional_activity_id -> tour_optional_activit...
booking_status_history	id	9	2	changed_by_user_id -> users.id, booking_id -> bookings.id
booking_travellers	id	20	1	booking_id -> bookings.id
bookings	id	107	14	affiliate_id -> affiliates.id, agent_id -> agents.id, supplier_id -> supplier...
cancellation_requests	id	16	3	booking_id -> bookings.id, customer_id -> customers.id, reviewed_by -> users.id
chat_embeddings	id	8	0	-
chat_faqs	id	9	0	-
chat_feedback	id	7	2	message_id -> chat_messages.id, session_id -> chat_sessions.id
chat_messages	id	5	1	session_id -> chat_sessions.id
chat_sessions	id	5	0	-
checkout_sessions	id	13	5	customer_id -> customers.id, user_id -> users.id, tour_id -> tours.id, bookin...
cities	id	7	2	state_id -> states.id, country_id -> countries.id
cms_blogs	id	19	1	created_by -> users.id
cms_country_pages	id	13	1	country_id -> countries.id
cms_customer_reviews	id	11	0	-
cms_external_links	id	9	0	-
cms_favourite_countries	id	10	1	country_id -> countries.id
cms_footer_links	id	9	1	section_id -> cms_footer_sections.id
cms_footer_sections	id	6	0	-
cms_handpicked_tours	id	5	1	tour_id -> tours.id
cms_help_centre	id	8	0	-
cms_homepage_banners	id	11	0	-
cms_homepage_content_blocks	id	5	0	-
cms_pages	id	12	1	footer_section_id -> cms_footer_sections.id
cms_policies	id	7	0	-
cms_popular_destinations	id	13	2	country_id -> countries.id, city_id -> cities.id
cms_popular_tours	id	5	1	tour_id -> tours.id
cms_promotional_popups	id	13	0	-

cms_sitemap_entries	id	8	0	-
cms_tours_on_deals	id	9	1	tour_id -> tours.id
contact_messages	id	10	0	-
conversations	id	10	1	participant_user_id -> users.id
countries	id	10	0	-
currencies	id	7	0	-
customer_cancellation_requests	id	10	3	reviewed_by -> users.id, booking_id -> bookings.id, customer_id -> customers.id
customer_communications	id	10	3	sent_by_user_id -> users.id, customer_id -> customers.id, booking_id -> booki...
customer_saved_travellers	id	13	1	customer_id -> customers.id
customer_wishlist_items	id	5	2	tour_id -> tours.id, user_id -> users.id
customers	id	48	5	user_id -> users.id, city_id -> cities.id, blocked_by -> users.id, country_id...
email_logs	id	10	0	-
email_templates	id	7	0	-
external_affiliate_clicks	id	16	4	tourvaa_country_id -> countries.id, agent_id -> agents.id, tourvaa_city_id ->...
external_destination_mappings	id	17	3	tourvaa_city_id -> cities.id, tourvaa_state_id -> states.id, tourvaa_country_...
external_providers	id	16	0	-
invoice_items	id	9	1	invoice_id -> invoices.id
invoices	id	24	4	booking_id -> bookings.id, payment_id -> payments.id, created_by -> users.id,...
login_history	id	12	1	user_id -> users.id
message_replies	id	6	2	sender_user_id -> users.id, communication_id -> booking_communications.id
messages	id	10	2	sender_user_id -> users.id, conversation_id -> conversations.id
newsletter_subscribers	id	4	0	-
notification_deliveries	id	21	0	-
notification_logs	id	6	1	notification_id -> notifications.id
notifications	id	19	1	user_id -> users.id
payment_holds	id	10	2	payment_id -> payments.id, booking_id -> bookings.id
payment_settings	id	17	0	-
payment_transactions	id	10	3	booking_id -> bookings.id, payment_id -> payments.id, created_by -> users.id
payments	id	26	3	customer_id -> customers.id, created_by -> users.id, booking_id -> bookings.id
permissions	id	8	0	-
push_delivery_logs	id	13	3	recipient_user_id -> users.id, notification_id -> notifications.id, subscript...

push_subscriptions	id	12	1	user_id -> users.id
refund_rules	id	8	1	tour_id -> tours.id
report_schedules	id	8	1	created_by -> users.id
role_permissions	id	3	2	permission_id -> permissions.id, role_id -> roles.id
roles	id	6	0	-
smtp_settings	id	17	0	-
states	id	7	1	country_id -> countries.id
supplier_approval_history	id	7	2	supplier_id -> suppliers.id, changed_by -> users.id
supplier_business_info	id	15	1	supplier_id -> suppliers.id
supplier_contacts	id	13	1	supplier_id -> suppliers.id
supplier_documents	id	12	2	supplier_id -> suppliers.id, reviewed_by -> users.id
supplier_invoicing	id	24	4	supplier_id -> suppliers.id, bank_edit_unlocked_by -> users.id, bank_country_...
supplier_ledgers	id	14	2	supplier_id -> suppliers.id, booking_id -> bookings.id
supplier_payout_items	id	5	2	payout_id -> supplier_payouts.id, ledger_id -> supplier_ledgers.id
supplier_payouts	id	15	4	paid_by -> users.id, initiated_by -> users.id, approved_by -> users.id, suppl...
supplier_vehicles	id	17	2	reviewed_by -> users.id, supplier_id -> suppliers.id
suppliers	id	23	5	rejected_by -> users.id, approved_by -> users.id, city_id -> cities.id, count...
tour_accommodation_extras	id	14	1	tour_id -> tours.id
tour_availability_configs	id	15	1	tour_id -> tours.id
tour_calendar	id	11	1	tour_id -> tours.id
tour_categories	id	8	0	-
tour_date_prices	id	8	1	tour_id -> tours.id
tour_discount_history	id	12	2	changed_by -> users.id, discount_id -> tour_discounts.id
tour_discount_redemptions	id	6	2	discount_id -> tour_discounts.id, booking_id -> bookings.id
tour_discounts	id	19	3	tour_id -> tours.id, country_id -> countries.id, category_id -> tour_categori...
tour_exclusions	id	9	1	tour_id -> tours.id
tour_extensions	id	14	2	tour_id -> tours.id, extension_tour_id -> tours.id
tour_gallery_images	id	11	1	tour_id -> tours.id
tour_group_discount_tiers	id	10	1	tour_id -> tours.id
tour_highlights	id	9	1	tour_id -> tours.id
tour_inclusions	id	9	1	tour_id -> tours.id
tour_itineraries	id	25	1	tour_id -> tours.id
tour_optional_activities	id	15	1	tour_id -> tours.id
tour_overviews	id	20	1	tour_id -> tours.id

tour_pricing	id	19	1	tour_id -> tours.id
tour_review_comments	id	13	4	tour_id -> tours.id, resolved_by -> users.id, version_id -> tour_versions.id,...
tour_reviews	id	9	3	customer_id -> customers.id, booking_id -> bookings.id, tour_id -> tours.id
tour_similar_tours	id	6	2	tour_id -> tours.id, similar_tour_id -> tours.id
tour_subcategories	id	9	1	category_id -> tour_categories.id
tour_subcategory_map	id	4	2	tour_id -> tours.id, subcategory_id -> tour_subcategories.id
tour_unavailable_dates	id	6	1	tour_id -> tours.id
tour_versions	id	12	3	tour_id -> tours.id, reviewed_by -> users.id, submitted_by -> users.id
tours	id	58	7	state_id -> states.id, category_id -> tour_categories.id, city_id -> cities.i...
user_roles	id	4	2	user_id -> users.id, role_id -> roles.id
user_sessions	id	10	1	user_id -> users.id
user_status_history	id	7	2	changed_by -> users.id, user_id -> users.id
users	id	44	3	role_id -> roles.id, deactivated_by -> users.id, admin_verified_by -> users.id

Detailed Table Schema Reference

admin_modules

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
name	VARCHAR(100)	False	False	-
slug	VARCHAR(100)	False	False	-
description	VARCHAR(255)	False	False	
is_active	BOOLEAN	False	False	True
is_system	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

affiliate_attributions

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`affiliate_id`	`INTEGER`	False	False	-
`affiliate_link_id`	`INTEGER`	False	False	-
`affiliate_click_id`	`INTEGER`	True	False	-
`visitor_id`	`VARCHAR(64)`	False	False	-
`session_id`	`VARCHAR(64)`	True	False	-
`booking_id`	`INTEGER`	True	False	-
`attribution_model`	`VARCHAR(20)`	False	False	last_click
`attributed_at`	`DATETIME`	True	False	-
`expires_at`	`DATETIME`	False	False	-
`status`	`VARCHAR(20)`	False	False	active
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `affiliate_link_id` references `affiliate_links.id`
- Column `affiliate_id` references `affiliates.id`
- Column `affiliate_click_id` references `affiliate_clicks.id`
- Column `booking_id` references `bookings.id`

affiliate_clicks

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`link_id`	`INTEGER`	False	False	-
`affiliate_id`	`INTEGER`	False	False	-
`ip_address`	`VARCHAR(50)`	True	False	-
`user_agent`	`VARCHAR(500)`	True	False	-
`referrer`	`VARCHAR(500)`	True	False	-
`clicked_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `affiliate_id` references `affiliates.id`
- Column `link_id` references `affiliate_links.id`

affiliate_commission_rules

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`name`	`VARCHAR(150)`	True	False	-
`affiliate_id`	`INTEGER`	True	False	-
`tour_id`	`INTEGER`	True	False	-
`category_id`	`INTEGER`	True	False	-
`affiliate_link_id`	`INTEGER`	True	False	-
`commission_type`	`VARCHAR(20)`	False	False	percentage
`percentage`	`NUMERIC(5, 2)`	False	False	0
`fixed_amount`	`NUMERIC(12, 2)`	False	False	0
`currency`	`VARCHAR(10)`	False	False	USD
`valid_from`	`DATETIME`	True	False	-
`valid_until`	`DATETIME`	True	False	-
`priority`	`INTEGER`	False	False	0
`is_active`	`BOOLEAN`	False	False	True
`created_by`	`INTEGER`	True	False	-
`updated_by`	`INTEGER`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`
- Column `updated_by` references `users.id`
- Column `created_by` references `users.id`
- Column `category_id` references `tour_categories.id`
- Column `affiliate_id` references `affiliates.id`
- Column `affiliate_link_id` references `affiliate_links.id`

affiliate_conversions

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`link_id`	`INTEGER`	False	False	-
`affiliate_id`	`INTEGER`	False	False	-
`booking_id`	`INTEGER`	False	False	-
`commission_rule_id`	`INTEGER`	True	False	-
`booking_amount`	`NUMERIC(12, 2)`	False	False	0
`eligible_amount`	`NUMERIC(12, 2)`	False	False	0
`commission_percentage`	`NUMERIC(5, 2)`	False	False	0
`commission_amount`	`NUMERIC(12, 2)`	False	False	0
`original_commission`	`NUMERIC(12, 2)`	True	False	-
`adjustment_amount`	`NUMERIC(12, 2)`	False	False	0
`final_commission`	`NUMERIC(12, 2)`	True	False	-
`currency`	`VARCHAR(10)`	False	False	USD
`status`	`VARCHAR(30)`	False	False	pending
`approved_at`	`DATETIME`	True	False	-
`available_at`	`DATETIME`	True	False	-
`converted_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `affiliate_id` references `affiliates.id`
- Column `booking_id` references `bookings.id`
- Column `commission_rule_id` references `affiliate_commission_rules.id`
- Column `link_id` references `affiliate_links.id`

affiliate_documents

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`affiliate_id`	`INTEGER`	False	False	-
`document_type`	`VARCHAR(100)`	False	False	-
`document_name`	`VARCHAR(150)`	False	False	-
`file_path`	`VARCHAR(255)`	False	False	-
`file_size`	`INTEGER`	False	False	0
`mime_type`	`VARCHAR(100)`	False	False	
`status`	`VARCHAR(20)`	False	False	pending
`rejection_reason`	`VARCHAR(255)`	True	False	-
`uploaded_at`	`DATETIME`	True	False	-
`reviewed_at`	`DATETIME`	True	False	-
`reviewed_by`	`INTEGER`	True	False	-

Foreign Keys:

- Column `reviewed_by` references `users.id`
- Column `affiliate_id` references `affiliates.id`

affiliate_invoicing

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
affiliate_id	INTEGER	False	False	-
contact_name	VARCHAR(150)	False	False	
email	VARCHAR(150)	False	False	
phone	VARCHAR(30)	False	False	
preferred_payment_method	VARCHAR(30)	False	False	
account_name	VARCHAR(150)	False	False	
account_number	VARCHAR(100)	False	False	
bank_name	VARCHAR(150)	False	False	
bank_branch	VARCHAR(150)	False	False	
swift_code	VARCHAR(50)	False	False	
iban	VARCHAR(100)	False	False	
country_id	INTEGER	True	False	-
tax_number	VARCHAR(100)	False	False	
billing_address	TEXT	True	False	-
billing_city	VARCHAR(100)	False	False	
billing_state	VARCHAR(100)	False	False	
billing_postal_code	VARCHAR(30)	False	False	
bank_edit_requested_at	DATETIME	True	False	-
bank_edit_unlocked_at	DATETIME	True	False	-
bank_edit_unlocked_by	INTEGER	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `bank_edit_unlocked_by` references `users.id`
- Column `country_id` references `countries.id`
- Column `affiliate_id` references `affiliates.id`

affiliate_links

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
affiliate_id	INTEGER	False	False	-
ref_code	VARCHAR(60)	False	False	-
destination_url	VARCHAR(500)	True	False	-
label	VARCHAR(120)	True	False	-
is_active	BOOLEAN	False	False	True
link_type	VARCHAR(20)	False	False	custom
tour_id	INTEGER	True	False	-
campaign_name	VARCHAR(150)	True	False	-
utm_source	VARCHAR(100)	True	False	-
utm_medium	VARCHAR(100)	True	False	-
utm_campaign	VARCHAR(100)	True	False	-
utm_content	VARCHAR(100)	True	False	-
utm_term	VARCHAR(100)	True	False	-
custom_alias	VARCHAR(100)	True	False	-
commission_type_override	VARCHAR(20)	True	False	-
commission_percentage_override	NUMERIC(5, 2)	True	False	-
commission_fixed_override	NUMERIC(12, 2)	True	False	-
attribution_model	VARCHAR(20)	False	False	last_click
attribution_window_days	INTEGER	False	False	30
valid_from	DATETIME	True	False	-
valid_until	DATETIME	True	False	-
status	VARCHAR(20)	False	False	active
created_by	INTEGER	True	False	-
updated_by	INTEGER	True	False	-
deleted_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `created_by` references `users.id`
- Column `tour_id` references `tours.id`
- Column `affiliate_id` references `affiliates.id`
- Column `updated_by` references `users.id`

affiliate_marketing_info

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`affiliate_id`	`INTEGER`	False	False	-
`promotion_methods`	`TEXT`	False	False	
`estimated_monthly_bookings`	`INTEGER`	False	False	0
`existing_audience_size`	`INTEGER`	False	False	0
`social_media_profiles`	`TEXT`	False	False	
`existing_travel_platforms_used`	`TEXT`	False	False	
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `affiliate_id` references `affiliates.id`

affiliate_payout_items

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`payout_id`	`INTEGER`	False	False	-
`conversion_id`	`INTEGER`	False	False	-
`amount`	`NUMERIC(12, 2)`	False	False	0
`created_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `payout_id` references `affiliate_payouts.id`
- Column `conversion_id` references `affiliate_conversions.id`

affiliate_payout_methods

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`affiliate_id`	`INTEGER`	False	False	-
`method_type`	`VARCHAR(30)`	False	False	bank_transfer
`account_holder_name`	`VARCHAR(150)`	False	False	
`bank_name`	`VARCHAR(150)`	False	False	
`account_number`	`VARCHAR(100)`	False	False	
`ifsc`	`VARCHAR(30)`	False	False	
`swift_code`	`VARCHAR(30)`	False	False	
`bank_country`	`VARCHAR(100)`	False	False	
`paypal_email`	`VARCHAR(150)`	False	False	
`is_default`	`BOOLEAN`	False	False	False
`is_active`	`BOOLEAN`	False	False	True
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `affiliate_id` references `affiliates.id`

affiliate_payouts

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`payout_code`	`VARCHAR(30)`	True	False	-
`affiliate_id`	`INTEGER`	False	False	-
`payout_method_id`	`INTEGER`	True	False	-
`total_amount`	`NUMERIC(12, 2)`	False	False	0
`currency`	`VARCHAR(10)`	False	False	USD
`payment_method`	`VARCHAR(50)`	False	False	bank_transfer
`reference_number`	`VARCHAR(150)`	True	False	-
`status`	`VARCHAR(30)`	False	False	pending
`notes`	`TEXT`	True	False	-
`requested_at`	`DATETIME`	True	False	-
`approved_at`	`DATETIME`	True	False	-
`approved_by`	`INTEGER`	True	False	-
`rejected_at`	`DATETIME`	True	False	-
`rejected_by`	`INTEGER`	True	False	-
`rejection_reason`	`VARCHAR(255)`	True	False	-
`processing_at`	`DATETIME`	True	False	-
`initiated_by`	`INTEGER`	True	False	-
`paid_at`	`DATETIME`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `payout_method_id` references `affiliate_payout_methods.id`
- Column `approved_by` references `users.id`
- Column `affiliate_id` references `affiliates.id`
- Column `initiated_by` references `users.id`
- Column `rejected_by` references `users.id`

affiliate_wallet_transactions

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`affiliate_id`	`INTEGER`	False	False	-
`commission_id`	`INTEGER`	True	False	-
`payout_id`	`INTEGER`	True	False	-
`transaction_type`	`VARCHAR(30)`	False	False	-
`amount`	`NUMERIC(12, 2)`	False	False	0
`currency`	`VARCHAR(10)`	False	False	USD
`reference_type`	`VARCHAR(30)`	True	False	-
`reference_id`	`INTEGER`	True	False	-
`description`	`VARCHAR(255)`	True	False	-
`created_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `payout_id` references `affiliate_payouts.id`
- Column `commission_id` references `affiliate_conversions.id`
- Column `affiliate_id` references `affiliates.id`

affiliates

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	True	False	-
affiliate_code	VARCHAR(30)	True	False	-
business_type	VARCHAR(75)	False	False	
name	VARCHAR(150)	False	False	-
email	VARCHAR(150)	False	False	-
phone	VARCHAR(30)	False	False	
website_url	VARCHAR(255)	False	False	
country_id	INTEGER	True	False	-
city_id	INTEGER	True	False	-
status	VARCHAR(20)	False	False	inactive
approval_status	VARCHAR(30)	False	False	pending
commission_percentage	NUMERIC(5, 2)	False	False	0
rejection_reason	VARCHAR(255)	True	False	-
admin_comments	TEXT	True	False	-
api_link	VARCHAR(255)	False	False	
approved_at	DATETIME	True	False	-
approved_by	INTEGER	True	False	-
rejected_at	DATETIME	True	False	-
rejected_by	INTEGER	True	False	-
commission_accepted_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `rejected_by` references `users.id`
- Column `approved_by` references `users.id`
- Column `city_id` references `cities.id`
- Column `user_id` references `users.id`
- Column `country_id` references `countries.id`

agent_business_info

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
agent_id	INTEGER	False	False	-
years_in_business	INTEGER	False	False	0
certificate_of_incorporation	VARCHAR(255)	False	False	
monthly_customers_count	INTEGER	False	False	0
target_market	VARCHAR(255)	False	False	
destinations_sold	TEXT	False	False	
iata_registration_number	VARCHAR(100)	False	False	
gst_tax_number	VARCHAR(100)	False	False	
trading_name	VARCHAR(150)	False	False	
business_email	VARCHAR(150)	False	False	
website_url	VARCHAR(255)	False	False	
business_registration_number	VARCHAR(100)	False	False	
approval_status	VARCHAR(30)	False	False	pending
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `agent_id` references `agents.id`

agent_contacts

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
agent_id	INTEGER	False	False	-
contact_name	VARCHAR(150)	False	False	-
first_name	VARCHAR(75)	False	False	
last_name	VARCHAR(75)	False	False	
designation	VARCHAR(100)	False	False	
phone	VARCHAR(30)	False	False	
email	VARCHAR(150)	False	False	
alternate_phone	VARCHAR(30)	False	False	
preferred_contact_method	VARCHAR(20)	False	False	
is_primary	BOOLEAN	False	False	False
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `agent_id` references `agents.id`

agent_documents

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`agent_id`	`INTEGER`	False	False	-
`document_type`	`VARCHAR(100)`	False	False	-
`document_name`	`VARCHAR(150)`	False	False	-
`file_path`	`VARCHAR(255)`	False	False	-
`file_size`	`INTEGER`	False	False	0
`mime_type`	`VARCHAR(100)`	False	False	
`status`	`VARCHAR(20)`	False	False	pending
`rejection_reason`	`VARCHAR(255)`	True	False	-
`uploaded_at`	`DATETIME`	True	False	-
`reviewed_at`	`DATETIME`	True	False	-
`reviewed_by`	`INTEGER`	True	False	-

Foreign Keys:

- Column `agent_id` references `agents.id`
- Column `reviewed_by` references `users.id`

agent_invoicing

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
agent_id	INTEGER	False	False	-
contact_name	VARCHAR(150)	False	False	
email	VARCHAR(150)	False	False	
phone	VARCHAR(30)	False	False	
preferred_payment_method	VARCHAR(30)	False	False	
account_name	VARCHAR(150)	False	False	
account_number	VARCHAR(100)	False	False	
bank_name	VARCHAR(150)	False	False	
bank_branch	VARCHAR(150)	False	False	
swift_code	VARCHAR(50)	False	False	
iban	VARCHAR(100)	False	False	
country_id	INTEGER	True	False	-
bank_country_id	INTEGER	True	False	-
tax_number	VARCHAR(100)	False	False	
billing_address	TEXT	True	False	-
billing_city	VARCHAR(100)	False	False	
billing_state	VARCHAR(100)	False	False	
billing_postal_code	VARCHAR(30)	False	False	
bank_edit_requested_at	DATETIME	True	False	-
bank_edit_unlocked_at	DATETIME	True	False	-
bank_edit_unlocked_by	INTEGER	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `country_id` references `countries.id`
- Column `bank_edit_unlocked_by` references `users.id`
- Column `agent_id` references `agents.id`
- Column `bank_country_id` references `countries.id`

agent_ledgers

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
agent_id	INTEGER	False	False	-
booking_id	INTEGER	False	False	-
gross_amount	NUMERIC(12, 2)	False	False	0
commission_amount	NUMERIC(12, 2)	False	False	0
commission_percentage	NUMERIC(5, 2)	False	False	0
net_payable	NUMERIC(12, 2)	False	False	0
amount_paid	NUMERIC(12, 2)	False	False	0
amount_pending	NUMERIC(12, 2)	False	False	0
currency	VARCHAR(10)	False	False	USD
status	VARCHAR(30)	False	False	pending
notes	TEXT	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `booking_id` references `bookings.id`
- Column `agent_id` references `agents.id`

agent_payout_items

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
payout_id	INTEGER	False	False	-
ledger_id	INTEGER	False	False	-
amount	NUMERIC(12, 2)	False	False	0
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `payout_id` references `agent_payouts.id`
- Column `ledger_id` references `agent_ledgers.id`

agent_payouts

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
payout_code	VARCHAR(30)	True	False	-
agent_id	INTEGER	False	False	-
total_amount	NUMERIC(12, 2)	False	False	0
currency	VARCHAR(10)	False	False	USD
payment_method	VARCHAR(50)	False	False	bank_transfer
reference_number	VARCHAR(150)	True	False	-
status	VARCHAR(30)	False	False	pending
notes	TEXT	True	False	-
initiated_by	INTEGER	True	False	-
approved_by	INTEGER	True	False	-
rejected_by	INTEGER	True	False	-
rejected_at	DATETIME	True	False	-
rejection_reason	VARCHAR(255)	True	False	-
paid_by	INTEGER	True	False	-
paid_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `approved_by` references `users.id`
- Column `agent_id` references `agents.id`
- Column `paid_by` references `users.id`
- Column `rejected_by` references `users.id`
- Column `initiated_by` references `users.id`

agents

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	True	False	-
agent_code	VARCHAR(30)	True	False	-
agent_name	VARCHAR(150)	False	False	-
agent_type	VARCHAR(75)	False	False	
country_id	INTEGER	True	False	-
city_id	INTEGER	True	False	-
currency	VARCHAR(10)	True	False	-
years_in_operation	INTEGER	False	False	0
status	VARCHAR(20)	False	False	inactive
approval_status	VARCHAR(30)	False	False	pending
rejection_reason	VARCHAR(255)	True	False	-
admin_comments	TEXT	True	False	-
pending_requirements	TEXT	True	False	-
discount_type	VARCHAR(20)	True	False	-
discount_value	NUMERIC(12, 2)	False	False	0
commission_request_type	VARCHAR(20)	True	False	-
commission_request_value	NUMERIC(12, 2)	True	False	-
commission_request_status	VARCHAR(20)	True	False	-
commission_requested_at	DATETIME	True	False	-
commission_reviewed_at	DATETIME	True	False	-
approved_at	DATETIME	True	False	-
approved_by	INTEGER	True	False	-
rejected_at	DATETIME	True	False	-
rejected_by	INTEGER	True	False	-
commission_accepted_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `approved_by` references `users.id`
- Column `rejected_by` references `users.id`
- Column `user_id` references `users.id`
- Column `city_id` references `cities.id`
- Column `country_id` references `countries.id`

api_settings

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`api_name`	`VARCHAR(100)`	False	False	-
`api_key`	`TEXT`	True	False	-
`api_secret`	`TEXT`	True	False	-
`api_url`	`TEXT`	True	False	-
`is_enabled`	`BOOLEAN`	False	False	False
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

app_settings

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`key`	`VARCHAR(100)`	False	False	-
`value`	`TEXT`	True	False	-
`label`	`VARCHAR(150)`	False	False	-
`group`	`VARCHAR(80)`	False	False	general
`is_public`	`BOOLEAN`	True	False	False
`updated_at`	`DATETIME`	True	False	-

audit_logs

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`actor_user_id`	`INTEGER`	True	False	-
`action`	`VARCHAR(100)`	False	False	-
`entity_type`	`VARCHAR(100)`	False	False	-
`entity_id`	`INTEGER`	True	False	-
`old_values`	`JSON`	True	False	-
`new_values`	`JSON`	True	False	-
`ip_address`	`VARCHAR(100)`	True	False	-
`user_agent`	`VARCHAR(255)`	True	False	-
`created_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `actor_user_id` references `users.id`

booking_accommodations

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
booking_id	INTEGER	False	False	-
tour_accommodation_extra_id	INTEGER	True	False	-
accommodation_name_snapshot	VARCHAR(255)	False	False	-
quantity	INTEGER	False	False	1
price_type	VARCHAR(30)	False	False	per_person
unit_price	NUMERIC(12, 2)	False	False	0
total_price	NUMERIC(12, 2)	False	False	0
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `booking_id` references `bookings.id`
- Column `tour_accommodation_extra_id` references `tour_accommodation_extras.id`

booking_calendar_events

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
booking_id	INTEGER	False	False	-
provider	VARCHAR(30)	False	False	internal
external_event_id	VARCHAR(255)	True	False	-
event_url	VARCHAR(500)	True	False	-
ical_uid	VARCHAR(100)	True	False	-
ics_file_path	VARCHAR(255)	True	False	-
sync_status	VARCHAR(30)	False	False	synced
sync_error	TEXT	True	False	-
retry_count	INTEGER	False	False	0
last_synced_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `booking_id` references `bookings.id`

booking_communications

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
booking_id	INTEGER	False	False	-
sender_user_id	INTEGER	True	False	-
sender_type	VARCHAR(30)	False	False	admin
message_type	VARCHAR(30)	False	False	admin_message
subject	VARCHAR(255)	False	False	
message	TEXT	False	False	-
visibility	VARCHAR(30)	False	False	internal
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `booking_id` references `bookings.id`
- Column `sender_user_id` references `users.id`

booking_conversations

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
booking_id	INTEGER	False	False	-
initiator_role	VARCHAR(20)	False	False	-
initiator_user_id	INTEGER	False	False	-
supplier_user_id	INTEGER	False	False	-
status	VARCHAR(20)	False	False	open
last_message_at	DATETIME	True	False	-
last_message_preview	VARCHAR(300)	True	False	-
initiator_unread_count	INTEGER	False	False	0
supplier_unread_count	INTEGER	False	False	0
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `supplier_user_id` references `users.id`
- Column `booking_id` references `bookings.id`
- Column `initiator_user_id` references `users.id`

booking_extensions

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`booking_id`	`INTEGER`	False	False	-
`tour_extension_id`	`INTEGER`	True	False	-
`extension_tour_id`	`INTEGER`	True	False	-
`extension_name_snapshot`	`VARCHAR(255)`	False	False	-
`quantity`	`INTEGER`	False	False	1
`unit_price`	`NUMERIC(12, 2)`	False	False	0
`total_price`	`NUMERIC(12, 2)`	False	False	0
`created_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `tour_extension_id` references `tour_extensions.id`
- Column `booking_id` references `bookings.id`
- Column `extension_tour_id` references `tours.id`

booking_messages

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`conversation_id`	`INTEGER`	False	False	-
`sender_user_id`	`INTEGER`	True	False	-
`sender_role`	`VARCHAR(20)`	False	False	-
`recipient_role`	`VARCHAR(20)`	True	False	-
`body`	`TEXT`	False	False	-
`is_deleted`	`BOOLEAN`	False	False	False
`deleted_at`	`DATETIME`	True	False	-
`delivered_at`	`DATETIME`	True	False	-
`read_at`	`DATETIME`	True	False	-
`created_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `sender_user_id` references `users.id`
- Column `conversation_id` references `booking_conversations.id`

booking_modification_requests

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
booking_id	INTEGER	False	False	-
status	VARCHAR(20)	False	False	pending
requester_user_id	INTEGER	False	False	-
requester_type	VARCHAR(30)	False	False	-
proposed_changes	JSON	False	False	-
original_values	JSON	False	False	-
reason	TEXT	True	False	-
reviewed_by	INTEGER	True	False	-
decision_reason	TEXT	True	False	-
decision_history	JSON	True	False	-
reviewed_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `requester_user_id` references `users.id`
- Column `reviewed_by` references `users.id`
- Column `booking_id` references `bookings.id`

booking_optional_activities

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
booking_id	INTEGER	False	False	-
tour_optional_activity_id	INTEGER	True	False	-
activity_name_snapshot	VARCHAR(255)	False	False	-
quantity	INTEGER	False	False	1
unit_price	NUMERIC(12, 2)	False	False	0
total_price	NUMERIC(12, 2)	False	False	0
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `booking_id` references `bookings.id`
- Column `tour_optional_activity_id` references `tour_optional_activities.id`

booking_status_history

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`booking_id`	`INTEGER`	False	False	-
`old_status`	`VARCHAR(30)`	True	False	-
`new_status`	`VARCHAR(30)`	False	False	-
`changed_by_user_id`	`INTEGER`	True	False	-
`change_source`	`VARCHAR(30)`	False	False	admin
`reason`	`TEXT`	True	False	-
`metadata_json`	`JSON`	True	False	-
`created_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `changed_by_user_id` references `users.id`
- Column `booking_id` references `bookings.id`

booking_travellers

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
booking_id	INTEGER	False	False	-
traveller_type	VARCHAR(20)	False	False	-
first_name	VARCHAR(100)	False	False	
last_name	VARCHAR(100)	False	False	
full_name	VARCHAR(220)	False	False	
date_of_birth	DATETIME	True	False	-
age	INTEGER	True	False	-
gender	VARCHAR(30)	True	False	-
nationality	VARCHAR(100)	True	False	-
passport_number	VARCHAR(100)	True	False	-
passport_expiry_date	DATETIME	True	False	-
email	VARCHAR(150)	True	False	-
phone	VARCHAR(50)	True	False	-
is_primary_contact	INTEGER	False	False	0
special_requirements	TEXT	True	False	-
pickup_location	VARCHAR(255)	True	False	-
emergency_contact	VARCHAR(150)	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `booking_id` references `bookings.id`

bookings

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
booking_code	VARCHAR(30)	True	False	-
customer_id	INTEGER	True	False	-
tour_id	INTEGER	True	False	-
tour_calendar_id	INTEGER	True	False	-
supplier_id	INTEGER	True	False	-
agent_id	INTEGER	True	False	-
affiliate_id	INTEGER	True	False	-
affiliate_ref_code	VARCHAR(60)	True	False	-
affiliate_attribution_id	INTEGER	True	False	-
created_by	INTEGER	True	False	-
booked_by_user_id	INTEGER	True	False	-
booking_source	VARCHAR(30)	False	False	admin
country_id	INTEGER	True	False	-
city_id	INTEGER	True	False	-
tour_name	VARCHAR(255)	False	False	
tour_date	VARCHAR(30)	False	False	
country	VARCHAR(100)	False	False	
supplier_name	VARCHAR(150)	False	False	
tour_start_date	DATETIME	True	False	-
tour_end_date	DATETIME	True	False	-
no_of_adults	INTEGER	False	False	1
no_of_children	INTEGER	False	False	0
no_of_infants	INTEGER	False	False	0
no_of_rooms	INTEGER	True	False	-
adults_count	INTEGER	False	False	1
children_count	INTEGER	False	False	0
total_travellers	INTEGER	False	False	1
currency	VARCHAR(10)	False	False	USD
total_cost	NUMERIC(12, 2)	False	False	0
base_amount	NUMERIC(12, 2)	False	False	0
optional_activity_amount	NUMERIC(12, 2)	False	False	0
accommodation_amount	NUMERIC(12, 2)	False	False	0
extension_amount	NUMERIC(12, 2)	False	False	0

non_commissionable_addon_amount	NUMERIC(12, 2)	False	False	0
cost_plus_customer_amount	NUMERIC(12, 2)	False	False	0
cost_plus_supplier_payable	NUMERIC(12, 2)	False	False	0
discount_amount	NUMERIC(12, 2)	False	False	0
promo_code	VARCHAR(100)	True	False	-
group_discount_tier_id	INTEGER	True	False	-
group_discount_amount	NUMERIC(12, 2)	False	False	0
group_discount_funded_by	VARCHAR(20)	True	False	-
promo_discount_funded_by	VARCHAR(20)	True	False	-
tax_amount	NUMERIC(12, 2)	False	False	0
surcharge_amount	NUMERIC(12, 2)	False	False	0
service_fee_amount	NUMERIC(12, 2)	True	False	-
gateway_fee_amount	NUMERIC(12, 2)	True	False	-
final_amount	NUMERIC(12, 2)	False	False	0
agent_net_price	NUMERIC(12, 2)	False	False	0
agent_markup	NUMERIC(12, 2)	False	False	0
customer_selling_price	NUMERIC(12, 2)	False	False	0
amount_paid	NUMERIC(12, 2)	False	False	0
amount_pending	NUMERIC(12, 2)	False	False	0
price_source	VARCHAR(20)	True	False	-
date_price_id	INTEGER	True	False	-
adult_unit_price	NUMERIC(12, 2)	True	False	-
child_unit_price	NUMERIC(12, 2)	True	False	-
infant_unit_price	NUMERIC(12, 2)	True	False	-
single_supplement_amount	NUMERIC(12, 2)	True	False	-
group_discount_base_amount	NUMERIC(12, 2)	True	False	-
group_discount_percentage	NUMERIC(7, 4)	True	False	-
admin_markup_percentage	NUMERIC(5, 2)	True	False	-
supplier_base_amount	NUMERIC(12, 2)	True	False	-
admin_markup_amount	NUMERIC(12, 2)	True	False	-
commission_base_amount	NUMERIC(12, 2)	True	False	-
supplier_gross_amount	NUMERIC(12, 2)	True	False	-
supplier_discount_share_amount	NUMERIC(12, 2)	True	False	-
tourvaa_discount_share_amount	NUMERIC(12, 2)	True	False	-
tourvaa_gross_revenue	NUMERIC(12, 2)	True	False	-
agent_commission_base_amount	NUMERIC(12, 2)	True	False	-

affiliate_commission_base_amount	NUMERIC(12, 2)	True	False	-
financials_locked_at	DATETIME	True	False	-
tourvaa_commission_percentage	NUMERIC(5, 2)	True	False	-
tourvaa_commission_amount	NUMERIC(12, 2)	True	False	-
supplier_net_payable	NUMERIC(12, 2)	True	False	-
agent_commission_percentage	NUMERIC(5, 2)	True	False	-
agent_commission_amount	NUMERIC(12, 2)	True	False	-
affiliate_commission_percentage	NUMERIC(5, 2)	True	False	-
affiliate_commission_amount	NUMERIC(12, 2)	True	False	-
tourvaa_net_revenue	NUMERIC(12, 2)	True	False	-
pricing_slab_id	INTEGER	True	False	-
supplier_price	NUMERIC(12, 2)	True	False	-
supplier_currency	VARCHAR(10)	True	False	-
tourvaa_selling_price	NUMERIC(12, 2)	True	False	-
display_currency	VARCHAR(10)	True	False	-
exchange_rate	NUMERIC(14, 6)	True	False	-
exchange_rate_source	VARCHAR(30)	True	False	-
exchange_rate_captured_at	DATETIME	True	False	-
converted_customer_amount	NUMERIC(12, 2)	True	False	-
booking_status	VARCHAR(30)	False	False	draft
supplier_acceptance_status	VARCHAR(30)	False	False	not_assigned
payment_status	VARCHAR(30)	False	False	unpaid
payment_type	VARCHAR(30)	False	False	full
agent_payment_method	VARCHAR(30)	True	False	-
agent_reference	VARCHAR(100)	True	False	-
agent_hidden_at	DATETIME	True	False	-
notes	TEXT	True	False	-
customer_notes	TEXT	True	False	-
admin_notes	TEXT	True	False	-
cancellation_reason	VARCHAR(255)	True	False	-
cancellation_source	VARCHAR(30)	True	False	-
cancelled_at	DATETIME	True	False	-
cancelled_by	INTEGER	True	False	-
payment_due_date	DATETIME	True	False	-
cancellation_policy_snapshot	TEXT	True	False	-
created_at	DATETIME	True	False	-

`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `affiliate_id` references `affiliates.id`
- Column `agent_id` references `agents.id`
- Column `supplier_id` references `suppliers.id`
- Column `tour_calendar_id` references `tour_calendar.id`
- Column `tour_id` references `tours.id`
- Column `cancelled_by` references `users.id`
- Column `pricing_slab_id` references `tour_pricing.id`
- Column `group_discount_tier_id` references `tour_group_discount_tiers.id`
- Column `city_id` references `cities.id`
- Column `country_id` references `countries.id`
- Column `booked_by_user_id` references `users.id`
- Column `created_by` references `users.id`
- Column `customer_id` references `customers.id`
- Column `affiliate_attribution_id` references `affiliate_attributions.id`

cancellation_requests

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`booking_id`	`INTEGER`	False	False	-
`customer_id`	`INTEGER`	False	False	-
`reason`	`TEXT`	False	False	-
`status`	`VARCHAR(30)`	False	False	pending
`refund_percentage`	`NUMERIC(5, 2)`	False	False	0
`refund_amount`	`NUMERIC(12, 2)`	False	False	0
`refund_processed_amount`	`NUMERIC(12, 2)`	False	False	0
`currency`	`VARCHAR(10)`	False	False	USD
`admin_notes`	`TEXT`	True	False	-
`reviewed_by`	`INTEGER`	True	False	-
`reviewed_at`	`DATETIME`	True	False	-
`gateway_refund_id`	`VARCHAR(150)`	True	False	-
`refund_processed_at`	`DATETIME`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `booking_id` references `bookings.id`

- Column `customer_id` references `customers.id`
- Column `reviewed_by` references `users.id`

chat_embeddings

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`source_type`	`VARCHAR(20)`	False	False	-
`source_id`	`INTEGER`	False	False	-
`content_text`	`TEXT`	False	False	-
`content_hash`	`VARCHAR(64)`	False	False	-
`embedding`	`JSON`	False	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

chat_faqs

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`question`	`VARCHAR(500)`	False	False	-
`answer`	`TEXT`	False	False	-
`category`	`VARCHAR(100)`	False	False	general
`sort_order`	`INTEGER`	False	False	0
`is_active`	`BOOLEAN`	False	False	True
`is_public`	`BOOLEAN`	False	False	True
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

chat_feedback

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`message_id`	`INTEGER`	False	False	-
`session_id`	`INTEGER`	False	False	-
`rating`	`INTEGER`	False	False	-
`comment`	`TEXT`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `message_id` references `chat_messages.id`
- Column `session_id` references `chat_sessions.id`

chat_messages

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
session_id	INTEGER	False	False	-
role	VARCHAR(20)	False	False	-
content	TEXT	False	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `session_id` references `chat_sessions.id`

chat_sessions

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
session_key	VARCHAR(64)	False	False	-
user_name	VARCHAR(120)	False	False	
user_email	VARCHAR(255)	False	False	
created_at	DATETIME	True	False	-

checkout_sessions

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
session_key	VARCHAR(64)	False	False	-
user_id	INTEGER	True	False	-
customer_id	INTEGER	True	False	-
tour_id	INTEGER	True	False	-
tour_calendar_id	INTEGER	True	False	-
step	VARCHAR(50)	False	False	tour_selection
status	VARCHAR(30)	False	False	active
data	JSON	True	False	-
booking_id	INTEGER	True	False	-
expires_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `customer_id` references `customers.id`
- Column `user_id` references `users.id`
- Column `tour_id` references `tours.id`

- Column `booking_id` references `bookings.id`
- Column `tour_calendar_id` references `tour_calendar.id`

cities

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`country_id`	`INTEGER`	False	False	-
`state_id`	`INTEGER`	True	False	-
`city_name`	`VARCHAR(120)`	False	False	-
`status`	`VARCHAR(20)`	False	False	active
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `state_id` references `states.id`
- Column `country_id` references `countries.id`

cms_blogs

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`title`	`VARCHAR(200)`	False	False	-
`slug`	`VARCHAR(220)`	False	False	-
`excerpt`	`TEXT`	True	False	-
`content`	`TEXT`	True	False	-
`featured_image`	`VARCHAR(255)`	True	False	-
`banner_title`	`VARCHAR(200)`	True	False	-
`banner_alt`	`VARCHAR(300)`	True	False	-
`author`	`VARCHAR(120)`	True	False	-
`tags`	`JSON`	True	False	-
`faqs`	`JSON`	True	False	-
`seo_title`	`VARCHAR(200)`	True	False	-
`seo_description`	`VARCHAR(400)`	True	False	-
`status`	`VARCHAR(20)`	False	False	draft
`published_at`	`DATETIME`	True	False	-
`scheduled_at`	`DATETIME`	True	False	-
`created_by`	`INTEGER`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `created_by` references `users.id`

cms_country_pages

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`country_id`	`INTEGER`	False	False	-
`hero_title`	`VARCHAR(200)`	True	False	-
`hero_description`	`TEXT`	True	False	-
`hero_image`	`VARCHAR(255)`	True	False	-
`showcase_title`	`VARCHAR(200)`	True	False	-
`showcase_description`	`TEXT`	True	False	-
`showcase_image`	`VARCHAR(255)`	True	False	-
`seo_title`	`VARCHAR(200)`	True	False	-
`seo_description`	`VARCHAR(400)`	True	False	-
`is_active`	`BOOLEAN`	False	False	True
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `country_id` references `countries.id`

cms_customer_reviews

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`reviewer_name`	`VARCHAR(120)`	False	False	-
`reviewer_image`	`VARCHAR(255)`	True	False	-
`rating`	`FLOAT`	False	False	5
`review_text`	`TEXT`	False	False	-
`tour_name`	`VARCHAR(200)`	True	False	-
`country`	`VARCHAR(100)`	True	False	-
`sort_order`	`INTEGER`	False	False	0
`is_active`	`BOOLEAN`	False	False	True
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

cms_external_links

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
label	VARCHAR(120)	False	False	-
url	VARCHAR(500)	False	False	-
open_in_new_tab	BOOLEAN	False	False	True
location	VARCHAR(50)	False	False	footer
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

cms_favourite_countries

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
country_id	INTEGER	True	False	-
title	VARCHAR(200)	False	False	-
snippet	TEXT	True	False	-
image	VARCHAR(255)	True	False	-
href	VARCHAR(500)	True	False	-
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `country_id` references `countries.id`

cms_footer_links

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
section_id	INTEGER	False	False	-
label	VARCHAR(120)	False	False	-
url	VARCHAR(500)	False	False	-
open_in_new_tab	BOOLEAN	False	False	False
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `section_id` references `cms_footer_sections.id`

cms_footer_sections

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
title	VARCHAR(120)	False	False	-
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

cms_handpicked_tours

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

cms_help_centre

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
category	VARCHAR(100)	False	False	-
question	TEXT	False	False	-
answer	TEXT	False	False	-
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

cms_homepage_banners

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
title	VARCHAR(200)	False	False	-
subtitle	VARCHAR(400)	True	False	-
image	VARCHAR(255)	True	False	-
video	VARCHAR(255)	True	False	-
cta_text	VARCHAR(100)	True	False	-
cta_url	VARCHAR(500)	True	False	-
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

cms_homepage_content_blocks

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
key	VARCHAR(60)	False	False	-
data	JSON	False	False	<function dict at 0x000001A117F57ED0>
version	INTEGER	False	False	1
updated_at	DATETIME	True	False	-

cms_pages

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
title	VARCHAR(200)	False	False	-
slug	VARCHAR(220)	False	False	-
content	TEXT	True	False	-
sections	JSON	True	False	-
seo_title	VARCHAR(200)	True	False	-
seo_description	VARCHAR(400)	True	False	-
status	VARCHAR(20)	False	False	draft
footer_section_id	INTEGER	True	False	-
sort_order	INTEGER	False	False	0
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `footer_section_id` references `cms_footer_sections.id`

cms_policies

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
slug	VARCHAR(80)	False	False	-
title	VARCHAR(200)	False	False	-
content	TEXT	False	False	-
last_updated	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

cms_popular_destinations

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
country_id	INTEGER	True	False	-
city_id	INTEGER	True	False	-
title	VARCHAR(200)	False	False	-
image	VARCHAR(255)	True	False	-
description	TEXT	True	False	-
href	VARCHAR(500)	True	False	-
rating	FLOAT	True	False	-
package_count	INTEGER	True	False	-
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `country_id` references `countries.id`
- Column `city_id` references `cities.id`

cms_popular_tours

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

cms_promotional_popups

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
title	VARCHAR(200)	False	False	-
content	TEXT	True	False	-
image	VARCHAR(255)	True	False	-
cta_text	VARCHAR(100)	True	False	-
cta_url	VARCHAR(500)	True	False	-
display_after_seconds	INTEGER	False	False	3
display_frequency	VARCHAR(20)	False	False	once
is_active	BOOLEAN	False	False	False
valid_from	DATETIME	True	False	-
valid_until	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

cms_sitemap_entries

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
url	VARCHAR(500)	False	False	-
change_frequency	VARCHAR(20)	False	False	weekly
priority	VARCHAR(5)	False	False	0.5
last_modified	DATETIME	True	False	-
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

cms_tours_on_deals

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
deal_label	VARCHAR(100)	True	False	-
discount_percentage	INTEGER	False	False	0
valid_until	DATETIME	True	False	-
sort_order	INTEGER	False	False	0
is_active	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

contact_messages

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
name	VARCHAR(150)	False	False	-
email	VARCHAR(255)	False	False	-
phone	VARCHAR(30)	True	False	-
audience	VARCHAR(20)	False	False	public
enquiry_type	VARCHAR(50)	False	False	General enquiry
subject	VARCHAR(200)	False	False	-
message	TEXT	False	False	-
is_replied	BOOLEAN	False	False	False
created_at	DATETIME	True	False	-

conversations

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
participant_type	VARCHAR(20)	False	False	-
participant_user_id	INTEGER	False	False	-
status	VARCHAR(20)	False	False	open
last_message_at	DATETIME	True	False	-
last_message_preview	VARCHAR(300)	True	False	-
admin_unread_count	INTEGER	False	False	0
participant_unread_count	INTEGER	False	False	0
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `participant_user_id` references `users.id`

countries

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
country_name	VARCHAR(120)	False	False	-
slug	VARCHAR(150)	False	False	-
country_code	VARCHAR(10)	False	False	-
phone_code	VARCHAR(10)	False	False	
currency_code	VARCHAR(10)	False	False	
flag_emoji	VARCHAR(16)	False	False	
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

currencies

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
name	VARCHAR(120)	False	False	-
code	VARCHAR(10)	False	False	-
symbol	VARCHAR(10)	False	False	-
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

customer_cancellation_requests

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
customer_id	INTEGER	False	False	-
booking_id	INTEGER	False	False	-
reason	TEXT	False	False	-
status	VARCHAR(30)	False	False	requested
admin_notes	TEXT	True	False	-
reviewed_by	INTEGER	True	False	-
reviewed_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `reviewed_by` references `users.id`
- Column `booking_id` references `bookings.id`
- Column `customer_id` references `customers.id`

customer_communications

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
customer_id	INTEGER	True	False	-
booking_id	INTEGER	True	False	-
subject	VARCHAR(150)	False	False	-
message	TEXT	False	False	-
sent_by_user_id	INTEGER	True	False	-
sent_to_email	VARCHAR(150)	False	False	admin
message_type	VARCHAR(30)	False	False	admin_message
email_status	VARCHAR(20)	False	False	pending
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `sent_by_user_id` references `users.id`
- Column `customer_id` references `customers.id`
- Column `booking_id` references `bookings.id`

customer_saved_travellers

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
customer_id	INTEGER	False	False	-
traveller_name	VARCHAR(150)	False	False	-
email	VARCHAR(150)	False	False	
phone	VARCHAR(50)	False	False	
traveller_type	VARCHAR(20)	False	False	adult
age	INTEGER	True	False	-
gender	VARCHAR(30)	True	False	-
passport_number	VARCHAR(100)	True	False	-
allergies	TEXT	True	False	-
special_notes	TEXT	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `customer_id` references `customers.id`

customer_wishlist_items

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	False	False	-
tour_id	INTEGER	False	False	-
created_at	DATETIME	False	False	-
last_reminder_sent_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`
- Column `user_id` references `users.id`

customers

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	True	False	-
customer_code	VARCHAR(30)	True	False	-
customer_type	VARCHAR(20)	False	False	registered
agent_id	INTEGER	True	False	-
first_name	VARCHAR(75)	False	False	
last_name	VARCHAR(75)	False	False	
full_name	VARCHAR(150)	False	False	-
email	VARCHAR(150)	False	False	-
phone_country_code	VARCHAR(10)	False	False	
phone	VARCHAR(30)	False	False	
country_id	INTEGER	True	False	-
city_id	INTEGER	True	False	-
date_of_birth	DATETIME	True	False	-
gender	VARCHAR(30)	True	False	-
nationality	VARCHAR(100)	False	False	
passport_number	VARCHAR(100)	False	False	
passport_expiry	VARCHAR(40)	False	False	
frequent_flyer	VARCHAR(100)	False	False	
preferred_airline	VARCHAR(100)	False	False	
emergency_name	VARCHAR(150)	False	False	
emergency_relation	VARCHAR(100)	False	False	
emergency_phone	VARCHAR(30)	False	False	
emergency_email	VARCHAR(150)	False	False	
address_line_1	VARCHAR(255)	False	False	
address_line_2	VARCHAR(255)	False	False	
postal_code	VARCHAR(20)	False	False	
address	VARCHAR(255)	False	False	
profile_image	VARCHAR(255)	False	False	
country	VARCHAR(100)	False	False	
state	VARCHAR(100)	False	False	
city	VARCHAR(100)	False	False	
pincode	VARCHAR(20)	False	False	
status	VARCHAR(20)	False	False	active

email_verified	BOOLEAN	False	False	False
phone_verified	BOOLEAN	False	False	False
is_blocked	BOOLEAN	False	False	False
blocked_reason	VARCHAR(255)	True	False	-
blocked_at	DATETIME	True	False	-
blocked_by	INTEGER	True	False	-
total_bookings	INTEGER	False	False	0
completed_bookings	INTEGER	False	False	0
cancelled_bookings	INTEGER	False	False	0
upcoming_bookings	INTEGER	False	False	0
total_amount_paid	NUMERIC(12, 2)	False	False	0
total_amount_pending	NUMERIC(12, 2)	False	False	0
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `user_id` references `users.id`
- Column `city_id` references `cities.id`
- Column `blocked_by` references `users.id`
- Column `country_id` references `countries.id`
- Column `agent_id` references `agents.id`

email_logs

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
recipient_email	VARCHAR(180)	False	False	-
subject	VARCHAR(255)	False	False	-
template_key	VARCHAR(100)	True	False	-
entity_type	VARCHAR(60)	True	False	-
entity_id	INTEGER	True	False	-
status	VARCHAR(30)	False	False	pending
error_message	TEXT	True	False	-
sent_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-

email_templates

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
key	VARCHAR(100)	False	False	-
name	VARCHAR(150)	False	False	-
subject	VARCHAR(200)	False	False	-
body	TEXT	False	False	-
is_active	BOOLEAN	True	False	True
updated_at	DATETIME	True	False	-

external_affiliate_clicks

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
provider	VARCHAR(40)	False	False	-
product_code	VARCHAR(80)	False	False	-
product_title	VARCHAR(255)	True	False	-
provider_destination_id	VARCHAR(40)	True	False	-
tourvaa_country_id	INTEGER	True	False	-
tourvaa_city_id	INTEGER	True	False	-
user_id	INTEGER	True	False	-
agent_id	INTEGER	True	False	-
session_id	VARCHAR(64)	True	False	-
campaign	VARCHAR(80)	True	False	-
source_page	VARCHAR(40)	True	False	-
page_path	VARCHAR(255)	True	False	-
external_url	TEXT	True	False	-
external_url_hash	VARCHAR(64)	True	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `tourvaa_country_id` references `countries.id`
- Column `agent_id` references `agents.id`
- Column `tourvaa_city_id` references `cities.id`
- Column `user_id` references `users.id`

external_destination_mappings

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`provider`	`VARCHAR(40)`	False	False	-
`provider_destination_id`	`VARCHAR(40)`	False	False	-
`provider_destination_name`	`VARCHAR(255)`	False	False	-
`provider_destination_type`	`VARCHAR(40)`	True	False	-
`provider_parent_destination_id`	`VARCHAR(40)`	True	False	-
`provider_default_currency`	`VARCHAR(3)`	True	False	-
`provider_destination_url`	`TEXT`	True	False	-
`slug`	`VARCHAR(191)`	False	False	-
`tourvaa_country_id`	`INTEGER`	True	False	-
`tourvaa_state_id`	`INTEGER`	True	False	-
`tourvaa_city_id`	`INTEGER`	True	False	-
`mapping_source`	`VARCHAR(10)`	True	False	-
`is_active`	`BOOLEAN`	False	False	True
`last_synced_at`	`DATETIME`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `tourvaa_city_id` references `cities.id`
- Column `tourvaa_state_id` references `states.id`
- Column `tourvaa_country_id` references `countries.id`

external_providers

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
code	VARCHAR(40)	False	False	-
name	VARCHAR(100)	False	False	-
public_category	VARCHAR(120)	False	False	Day Tours & Experiences
show_on_homepage	BOOLEAN	False	False	True
show_on_destination_pages	BOOLEAN	False	False	True
show_on_itinerary	BOOLEAN	False	False	True
show_in_search	BOOLEAN	False	False	True
last_connection_status	VARCHAR(20)	True	False	-
last_connection_message	VARCHAR(255)	True	False	-
last_connection_at	DATETIME	True	False	-
last_destination_sync_at	DATETIME	True	False	-
last_destination_sync_status	VARCHAR(20)	True	False	-
last_destination_sync_count	INTEGER	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

invoice_items

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
invoice_id	INTEGER	False	False	-
item_type	VARCHAR(40)	False	False	booking
description	VARCHAR(255)	False	False	-
quantity	INTEGER	False	False	1
unit_price	NUMERIC(12, 2)	False	False	0
tax_amount	NUMERIC(12, 2)	False	False	0
total_price	NUMERIC(12, 2)	False	False	0
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `invoice_id` references `invoices.id`

invoices

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
invoice_number	VARCHAR(40)	True	False	-
booking_id	INTEGER	False	False	-
payment_id	INTEGER	True	False	-
customer_id	INTEGER	True	False	-
invoice_type	VARCHAR(30)	False	False	tax_invoice
recipient_type	VARCHAR(20)	False	False	customer
document_snapshot	JSON	True	False	-
status	VARCHAR(30)	False	False	generated
currency	VARCHAR(10)	False	False	USD
subtotal_amount	NUMERIC(12, 2)	False	False	0
gst_rate	NUMERIC(5, 4)	False	False	0.18
gst_amount	NUMERIC(12, 2)	False	False	0
total_amount	NUMERIC(12, 2)	False	False	0
amount_paid	NUMERIC(12, 2)	False	False	0
amount_due	NUMERIC(12, 2)	False	False	0
balance_due_date	DATETIME	True	False	-
balance_reminder_stage	VARCHAR(20)	True	False	-
last_balance_reminder_at	DATETIME	True	False	-
pdf_path	VARCHAR(255)	True	False	-
emailed_at	DATETIME	True	False	-
created_by	INTEGER	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `booking_id` references `bookings.id`
- Column `payment_id` references `payments.id`
- Column `created_by` references `users.id`
- Column `customer_id` references `customers.id`

login_history

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	True	False	-
email	VARCHAR(150)	False	False	-
status	VARCHAR(30)	False	False	-
failure_reason	VARCHAR(255)	True	False	-
client_type	VARCHAR(30)	False	False	web
device_id	VARCHAR(120)	True	False	-
device_name	VARCHAR(180)	True	False	-
ip_address	VARCHAR(100)	True	False	-
user_agent	VARCHAR(255)	True	False	-
session_id	VARCHAR(120)	True	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `user_id` references `users.id`

message_replies

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
communication_id	INTEGER	False	False	-
sender_user_id	INTEGER	True	False	-
sender_type	VARCHAR(30)	False	False	admin
message	TEXT	False	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `sender_user_id` references `users.id`
- Column `communication_id` references `booking_communications.id`

messages

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`conversation_id`	`INTEGER`	False	False	-
`sender_user_id`	`INTEGER`	True	False	-
`sender_role`	`VARCHAR(20)`	False	False	-
`body`	`TEXT`	False	False	-
`is_deleted`	`BOOLEAN`	False	False	False
`deleted_at`	`DATETIME`	True	False	-
`delivered_at`	`DATETIME`	True	False	-
`read_at`	`DATETIME`	True	False	-
`created_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `sender_user_id` references `users.id`
- Column `conversation_id` references `conversations.id`

newsletter_subscribers

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`email`	`VARCHAR(255)`	False	False	-
`is_active`	`BOOLEAN`	False	False	True
`created_at`	`DATETIME`	True	False	-

notification_deliveries

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
event_type	VARCHAR(100)	False	False	-
entity_type	VARCHAR(60)	False	False	-
entity_id	INTEGER	False	False	-
recipient_type	VARCHAR(40)	False	False	-
recipient_email	VARCHAR(180)	False	False	-
template_key	VARCHAR(100)	False	False	-
subject	VARCHAR(255)	True	False	-
payload_json	JSON	True	False	-
status	VARCHAR(30)	False	False	pending
attempt_count	INTEGER	False	False	0
next_attempt_at	DATETIME	True	False	-
lease_token	VARCHAR(64)	True	False	-
lease_expires_at	DATETIME	True	False	-
error_message	TEXT	True	False	-
idempotency_key	VARCHAR(255)	False	False	-
sent_at	DATETIME	True	False	-
smtp_accepted_at	DATETIME	True	False	-
exhausted_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

notification_logs

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
notification_id	INTEGER	True	False	-
channel	VARCHAR(30)	False	False	-
status	VARCHAR(30)	False	False	-
response	TEXT	True	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `notification_id` references `notifications.id`

notifications

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	True	False	-
notification_type	VARCHAR(60)	False	False	-
title	VARCHAR(180)	False	False	-
message	TEXT	False	False	-
channel	VARCHAR(30)	False	False	in_app
status	VARCHAR(30)	False	False	pending
is_read	INTEGER	False	False	0
entity_type	VARCHAR(60)	True	False	-
entity_id	INTEGER	True	False	-
notification_id	VARCHAR(100)	True	False	-
metadata_json	JSON	True	False	-
event_key	VARCHAR(100)	True	False	-
event_version	VARCHAR(100)	True	False	-
idempotency_key	VARCHAR(255)	True	False	-
sent_at	DATETIME	True	False	-
read_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `user_id` references `users.id`

payment_holds

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
payment_id	INTEGER	False	False	-
booking_id	INTEGER	False	False	-
hold_amount	NUMERIC(12, 2)	False	False	0
captured_amount	NUMERIC(12, 2)	False	False	0
released_amount	NUMERIC(12, 2)	False	False	0
status	VARCHAR(30)	False	False	active
expires_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `payment_id` references `payments.id`
- Column `booking_id` references `bookings.id`

payment_settings

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`provider_name`	`VARCHAR(100)`	False	False	-
`is_enabled`	`BOOLEAN`	False	False	False
`public_key`	`TEXT`	True	False	-
`secret_key`	`TEXT`	True	False	-
`webhook_id`	`VARCHAR(150)`	True	False	-
`sandbox_client_id`	`TEXT`	True	False	-
`sandbox_secret`	`TEXT`	True	False	-
`live_client_id`	`TEXT`	True	False	-
`live_secret`	`TEXT`	True	False	-
`surcharge_percentage`	`VARCHAR(20)`	False	False	0
`mode`	`VARCHAR(20)`	False	False	test
`last_test_status`	`VARCHAR(20)`	True	False	-
`last_test_at`	`DATETIME`	True	False	-
`last_test_error`	`TEXT`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

payment_transactions

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`payment_id`	`INTEGER`	False	False	-
`booking_id`	`INTEGER`	False	False	-
`transaction_type`	`VARCHAR(30)`	False	False	-
`amount`	`NUMERIC(12, 2)`	False	False	0
`status`	`VARCHAR(30)`	False	False	success
`gateway_reference`	`VARCHAR(150)`	True	False	-
`metadata_json`	`JSON`	True	False	-
`created_by`	`INTEGER`	True	False	-
`created_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `booking_id` references `bookings.id`
- Column `payment_id` references `payments.id`
- Column `created_by` references `users.id`

payments

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`payment_code`	`VARCHAR(30)`	True	False	-
`booking_id`	`INTEGER`	False	False	-
`customer_id`	`INTEGER`	True	False	-
`created_by`	`INTEGER`	True	False	-
`payment_method`	`VARCHAR(30)`	False	False	card
`payment_type`	`VARCHAR(30)`	False	False	full
`gateway`	`VARCHAR(50)`	False	False	manual
`gateway_payment_id`	`VARCHAR(150)`	True	False	-
`gateway_order_id`	`VARCHAR(150)`	True	False	-
`idempotency_key`	`VARCHAR(150)`	True	False	-
`total_amount`	`NUMERIC(12, 2)`	False	False	0
`authorized_amount`	`NUMERIC(12, 2)`	False	False	0
`captured_amount`	`NUMERIC(12, 2)`	False	False	0
`paid_amount`	`NUMERIC(12, 2)`	False	False	0
`pending_amount`	`NUMERIC(12, 2)`	False	False	0
`gst_amount`	`NUMERIC(12, 2)`	False	False	0
`surcharge_amount`	`NUMERIC(12, 2)`	False	False	0
`refunded_amount`	`NUMERIC(12, 2)`	False	False	0
`payment_status`	`VARCHAR(30)`	False	False	pending
`transaction_id`	`VARCHAR(100)`	True	False	-
`payment_date`	`VARCHAR(30)`	True	False	-
`notes`	`TEXT`	True	False	-
`failure_reason`	`VARCHAR(255)`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `customer_id` references `customers.id`
- Column `created_by` references `users.id`
- Column `booking_id` references `bookings.id`

permissions

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`name`	`VARCHAR(150)`	False	False	-
`slug`	`VARCHAR(150)`	False	False	-
`module`	`VARCHAR(100)`	False	False	-
`action`	`VARCHAR(20)`	False	False	get
`is_active`	`BOOLEAN`	True	False	True
`is_system`	`BOOLEAN`	False	False	False
`created_at`	`DATETIME`	True	False	-

push_delivery_logs

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`notification_id`	`INTEGER`	True	False	-
`subscription_id`	`INTEGER`	True	False	-
`event_key`	`VARCHAR(100)`	True	False	-
`recipient_user_id`	`INTEGER`	True	False	-
`provider`	`VARCHAR(30)`	False	False	web_push
`status`	`VARCHAR(30)`	False	False	pending
`attempt_count`	`INTEGER`	False	False	0
`error_message`	`TEXT`	True	False	-
`sent_at`	`DATETIME`	True	False	-
`failed_at`	`DATETIME`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `recipient_user_id` references `users.id`
- Column `notification_id` references `notifications.id`
- Column `subscription_id` references `push_subscriptions.id`

push_subscriptions

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	True	False	-
endpoint	TEXT	False	False	-
endpoint_hash	VARCHAR(64)	False	False	-
p256dh	VARCHAR(256)	False	False	-
auth	VARCHAR(255)	False	False	-
platform	VARCHAR(20)	True	False	-
device_type	VARCHAR(30)	True	False	-
is_active	INTEGER	False	False	1
last_used_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `user_id` references `users.id`

refund_rules

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	True	False	-
days_before_tour_min	INTEGER	False	False	-
days_before_tour_max	INTEGER	True	False	-
refund_percentage	NUMERIC(5, 2)	False	False	0
description	VARCHAR(255)	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

report_schedules

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`report_type`	`VARCHAR(50)`	False	False	-
`cadence`	`VARCHAR(20)`	False	False	weekly
`recipient_emails`	`VARCHAR(1000)`	False	False	-
`is_active`	`BOOLEAN`	False	False	True
`created_by`	`INTEGER`	True	False	-
`created_at`	`DATETIME`	True	False	-
`last_run_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `created_by` references `users.id`

role_permissions

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`role_id`	`INTEGER`	False	False	-
`permission_id`	`INTEGER`	False	False	-

Foreign Keys:

- Column `permission_id` references `permissions.id`
- Column `role_id` references `roles.id`

roles

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`name`	`VARCHAR(100)`	False	False	-
`slug`	`VARCHAR(100)`	False	False	-
`is_active`	`BOOLEAN`	True	False	True
`is_system`	`BOOLEAN`	False	False	False
`created_at`	`DATETIME`	True	False	-

smtp_settings

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
is_enabled	BOOLEAN	False	False	False
host	VARCHAR(255)	True	False	-
port	INTEGER	False	False	465
username	VARCHAR(255)	True	False	-
password	TEXT	True	False	-
from_name	VARCHAR(150)	False	False	Tourvaa
from_email	VARCHAR(255)	True	False	-
reply_to	VARCHAR(255)	True	False	-
admin_notification_to	TEXT	True	False	-
admin_notification_cc	TEXT	True	False	-
admin_notification_bcc	TEXT	True	False	-
use_ssl	BOOLEAN	False	False	True
use_starttls	BOOLEAN	False	False	False
timeout_seconds	INTEGER	False	False	20
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

states

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
country_id	INTEGER	False	False	-
state_name	VARCHAR(150)	False	False	-
state_code	VARCHAR(10)	False	False	
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `country_id` references `countries.id`

supplier_approval_history

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
supplier_id	INTEGER	False	False	-
from_status	VARCHAR(30)	True	False	-
to_status	VARCHAR(30)	False	False	-
notes	TEXT	True	False	-
changed_by	INTEGER	True	False	-
created_at	DATETIME	False	False	-

Foreign Keys:

- Column `supplier_id` references `suppliers.id`
- Column `changed_by` references `users.id`

supplier_business_info

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
supplier_id	INTEGER	False	False	-
years_in_business	INTEGER	False	False	0
certificate_of_incorporation	VARCHAR(255)	False	False	
monthly_customers_count	INTEGER	False	False	0
target_market	VARCHAR(255)	False	False	
destinations_sold	TEXT	False	False	
gst_tax_number	VARCHAR(100)	False	False	
business_registration_number	VARCHAR(100)	False	False	
trading_name	VARCHAR(150)	False	False	
business_email	VARCHAR(150)	False	False	
website_url	VARCHAR(255)	False	False	
approval_status	VARCHAR(30)	False	False	pending
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `supplier_id` references `suppliers.id`

supplier_contacts

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
supplier_id	INTEGER	False	False	-
contact_name	VARCHAR(150)	False	False	-
first_name	VARCHAR(75)	False	False	
last_name	VARCHAR(75)	False	False	
designation	VARCHAR(100)	False	False	
phone	VARCHAR(30)	False	False	
email	VARCHAR(150)	False	False	
alternate_phone	VARCHAR(30)	False	False	
preferred_contact_method	VARCHAR(20)	False	False	
is_primary	BOOLEAN	False	False	False
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `supplier_id` references `suppliers.id`

supplier_documents

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
supplier_id	INTEGER	False	False	-
document_type	VARCHAR(100)	False	False	-
document_name	VARCHAR(150)	False	False	-
file_path	VARCHAR(255)	False	False	-
file_size	INTEGER	False	False	0
mime_type	VARCHAR(100)	False	False	
status	VARCHAR(20)	False	False	pending
rejection_reason	VARCHAR(255)	True	False	-
uploaded_at	DATETIME	True	False	-
reviewed_at	DATETIME	True	False	-
reviewed_by	INTEGER	True	False	-

Foreign Keys:

- Column `supplier_id` references `suppliers.id`
- Column `reviewed_by` references `users.id`

supplier_invoicing

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
supplier_id	INTEGER	False	False	-
contact_name	VARCHAR(150)	False	False	
email	VARCHAR(150)	False	False	
phone	VARCHAR(30)	False	False	
preferred_payment_method	VARCHAR(30)	False	False	
account_name	VARCHAR(150)	False	False	
account_number	VARCHAR(100)	False	False	
bank_name	VARCHAR(150)	False	False	
bank_branch	VARCHAR(150)	False	False	
swift_code	VARCHAR(50)	False	False	
iban	VARCHAR(100)	False	False	
bank_country_id	INTEGER	True	False	-
country_id	INTEGER	True	False	-
tax_number	VARCHAR(100)	False	False	
billing_address	TEXT	True	False	-
billing_city	VARCHAR(100)	False	False	
billing_state	VARCHAR(100)	False	False	
billing_postal_code	VARCHAR(30)	False	False	
bank_edit_requested_at	DATETIME	True	False	-
bank_edit_unlocked_at	DATETIME	True	False	-
bank_edit_unlocked_by	INTEGER	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `supplier_id` references `suppliers.id`
- Column `bank_edit_unlocked_by` references `users.id`
- Column `bank_country_id` references `countries.id`
- Column `country_id` references `countries.id`

supplier_ledgers

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
supplier_id	INTEGER	False	False	-
booking_id	INTEGER	False	False	-
gross_amount	NUMERIC(12, 2)	False	False	0
commission_amount	NUMERIC(12, 2)	False	False	0
commission_percentage	NUMERIC(5, 2)	False	False	0
net_payable	NUMERIC(12, 2)	False	False	0
amount_paid	NUMERIC(12, 2)	False	False	0
amount_pending	NUMERIC(12, 2)	False	False	0
currency	VARCHAR(10)	False	False	USD
status	VARCHAR(30)	False	False	pending
notes	TEXT	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `supplier_id` references `suppliers.id`
- Column `booking_id` references `bookings.id`

supplier_payout_items

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
payout_id	INTEGER	False	False	-
ledger_id	INTEGER	False	False	-
amount	NUMERIC(12, 2)	False	False	0
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `payout_id` references `supplier_payouts.id`
- Column `ledger_id` references `supplier_ledgers.id`

supplier_payouts

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`payout_code`	`VARCHAR(30)`	True	False	-
`supplier_id`	`INTEGER`	False	False	-
`total_amount`	`NUMERIC(12, 2)`	False	False	0
`currency`	`VARCHAR(10)`	False	False	USD
`payment_method`	`VARCHAR(50)`	False	False	bank_transfer
`reference_number`	`VARCHAR(150)`	True	False	-
`status`	`VARCHAR(30)`	False	False	pending
`notes`	`TEXT`	True	False	-
`initiated_by`	`INTEGER`	True	False	-
`approved_by`	`INTEGER`	True	False	-
`paid_by`	`INTEGER`	True	False	-
`paid_at`	`DATETIME`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `paid_by` references `users.id`
- Column `initiated_by` references `users.id`
- Column `approved_by` references `users.id`
- Column `supplier_id` references `suppliers.id`

supplier_vehicles

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`supplier_id`	`INTEGER`	False	False	-
`make`	`VARCHAR(100)`	False	False	
`model`	`VARCHAR(100)`	False	False	
`vehicle_type`	`VARCHAR(75)`	False	False	
`registration_number`	`VARCHAR(100)`	False	False	
`year`	`INTEGER`	True	False	-
`capacity`	`INTEGER`	True	False	-
`fitness_certificate`	`VARCHAR(255)`	False	False	
`insurance_document`	`VARCHAR(255)`	False	False	
`vehicle_photos`	`TEXT`	False	False	
`approval_status`	`VARCHAR(30)`	False	False	pending
`rejection_reason`	`VARCHAR(255)`	True	False	-
`reviewed_at`	`DATETIME`	True	False	-
`reviewed_by`	`INTEGER`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `reviewed_by` references `users.id`
- Column `supplier_id` references `suppliers.id`

suppliers

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	True	False	-
supplier_code	VARCHAR(30)	True	False	-
supplier_name	VARCHAR(150)	False	False	-
supplier_type	VARCHAR(75)	False	False	
country_id	INTEGER	True	False	-
city_id	INTEGER	True	False	-
currency	VARCHAR(10)	True	False	-
years_in_operation	INTEGER	False	False	0
status	VARCHAR(20)	False	False	inactive
approval_status	VARCHAR(30)	False	False	pending
rejection_reason	VARCHAR(255)	True	False	-
admin_comments	TEXT	True	False	-
pending_requirements	TEXT	True	False	-
approved_at	DATETIME	True	False	-
approved_by	INTEGER	True	False	-
rejected_at	DATETIME	True	False	-
rejected_by	INTEGER	True	False	-
commission_percentage	NUMERIC(5, 2)	True	False	-
onboarding_completed_at	DATETIME	True	False	-
commission_accepted_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `rejected_by` references `users.id`
- Column `approved_by` references `users.id`
- Column `city_id` references `cities.id`
- Column `country_id` references `countries.id`
- Column `user_id` references `users.id`

tour_accommodation_extras

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
accommodation_name	VARCHAR(255)	False	False	-
description	TEXT	True	False	
extra_price	NUMERIC(12, 2)	False	False	0
price_type	VARCHAR(20)	False	False	per_person
image	VARCHAR(255)	True	False	
category	VARCHAR(30)	False	False	room_upgrade
is_default	INTEGER	False	False	0
status	VARCHAR(20)	False	False	active
commissionable	BOOLEAN	False	False	True
supplier_cost	NUMERIC(12, 2)	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_availability_configs

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
availability_start_date	DATETIME	True	False	-
availability_end_date	DATETIME	True	False	-
min_advance_booking_days	INTEGER	False	False	0
agent_no_deposit_buffer_weeks	INTEGER	False	False	4
agent_reserve_deposit_percentage	FLOAT	False	False	30.0
frequency	VARCHAR(20)	True	False	-
frequency_week	INTEGER	True	False	-
frequency_weeks	JSON	True	False	-
frequency_days	JSON	True	False	-
seats_per_occurrence	INTEGER	False	False	0
last_end_date_reminder_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_calendar

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`tour_id`	`INTEGER`	False	False	-
`tour_date`	`DATETIME`	False	False	-
`tour_date_day`	`DATE`	False	False	-
`start_date`	`DATETIME`	True	False	-
`end_date`	`DATETIME`	True	False	-
`available_seats`	`INTEGER`	False	False	0
`booked_seats`	`INTEGER`	False	False	0
`status`	`VARCHAR(20)`	False	False	available
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_categories

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`category_name`	`VARCHAR(120)`	False	False	-
`slug`	`VARCHAR(150)`	False	False	-
`description`	`TEXT`	False	False	
`image`	`VARCHAR(255)`	False	False	
`status`	`VARCHAR(20)`	False	False	active
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

tour_date_prices

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
price_date	DATE	False	False	-
adult_price	NUMERIC(12, 2)	False	False	-
child_price	NUMERIC(12, 2)	False	False	0
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_discount_history

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
discount_id	INTEGER	False	False	-
version_number	INTEGER	False	False	-
change_type	VARCHAR(30)	False	False	-
discount_name	VARCHAR(255)	False	False	-
discount_type	VARCHAR(20)	False	False	-
discount_value	NUMERIC(12, 2)	False	False	-
start_date	DATETIME	True	False	-
end_date	DATETIME	True	False	-
reason	VARCHAR(500)	True	False	-
changed_by	INTEGER	True	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `changed_by` references `users.id`
- Column `discount_id` references `tour_discounts.id`

tour_discount_redemptions

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
discount_id	INTEGER	False	False	-
booking_id	INTEGER	False	False	-
discount_amount	NUMERIC(12, 2)	False	False	-
currency	VARCHAR(10)	False	False	USD
applied_at	DATETIME	False	False	-

Foreign Keys:

- Column `discount_id` references `tour_discounts.id`
- Column `booking_id` references `bookings.id`

tour_discounts

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	True	False	-
category_id	INTEGER	True	False	-
country_id	INTEGER	True	False	-
discount_name	VARCHAR(255)	False	False	-
discount_code	VARCHAR(50)	True	False	-
discount_type	VARCHAR(20)	False	False	-
discount_value	NUMERIC(12, 2)	False	False	-
discount_scope	VARCHAR(20)	False	False	tour
start_date	DATETIME	True	False	-
end_date	DATETIME	True	False	-
usage_limit	INTEGER	True	False	-
used_count	INTEGER	False	False	0
minimum_booking_amount	NUMERIC(12, 2)	False	False	0
status	VARCHAR(20)	False	False	active
funded_by	VARCHAR(20)	False	False	SUPPLIER
show_on_website	BOOLEAN	False	False	True
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`
- Column `country_id` references `countries.id`

- Column `category_id` references `tour_categories.id`

tour_exclusions

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`tour_id`	`INTEGER`	False	False	-
`icon`	`VARCHAR(255)`	False	False	
`title`	`VARCHAR(255)`	False	False	-
`description`	`TEXT`	True	False	
`display_order`	`INTEGER`	False	False	0
`status`	`VARCHAR(20)`	False	False	active
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_extensions

Column Name	Data Type	Nullable	Primary Key	Default
`id`	`INTEGER`	False	True	-
`tour_id`	`INTEGER`	False	False	-
`extension_tour_id`	`INTEGER`	False	False	-
`extension_title`	`VARCHAR(255)`	False	False	
`extension_note`	`TEXT`	True	False	
`extra_price`	`NUMERIC(12, 2)`	False	False	0
`price_type`	`VARCHAR(20)`	False	False	per_booking
`category`	`VARCHAR(30)`	False	False	other
`display_order`	`INTEGER`	False	False	0
`status`	`VARCHAR(20)`	False	False	active
`commissionable`	`BOOLEAN`	False	False	True
`supplier_cost`	`NUMERIC(12, 2)`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`
- Column `extension_tour_id` references `tours.id`

tour_gallery_images

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
image_path	VARCHAR(255)	False	False	-
image_title	VARCHAR(255)	False	False	
image_alt_text	VARCHAR(180)	False	False	
image_caption	TEXT	True	False	
image_type	VARCHAR(30)	False	False	gallery
display_order	INTEGER	False	False	0
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_group_discount_tiers

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
min_pax	INTEGER	False	False	-
max_pax	INTEGER	False	False	-
discount_type	VARCHAR(20)	False	False	-
discount_value	NUMERIC(12, 2)	False	False	-
status	VARCHAR(20)	False	False	active
funded_by	VARCHAR(20)	False	False	SUPPLIER
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_highlights

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
image	VARCHAR(255)	False	False	
title	VARCHAR(255)	False	False	-
short_description	TEXT	True	False	
display_order	INTEGER	False	False	0
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_inclusions

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
icon	VARCHAR(255)	False	False	
title	VARCHAR(255)	False	False	-
description	TEXT	True	False	
display_order	INTEGER	False	False	0
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_itineraries

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
day_number	INTEGER	False	False	-
day_title	VARCHAR(255)	False	False	
location_name	VARCHAR(255)	False	False	
short_description	TEXT	True	False	
long_description	TEXT	True	False	
activities	TEXT	True	False	
optional_activities	TEXT	True	False	
accommodation	VARCHAR(255)	True	False	
start_time	VARCHAR(20)	True	False	-
end_time	VARCHAR(20)	True	False	-
travel_distance	VARCHAR(100)	True	False	-
travel_duration	VARCHAR(100)	True	False	-
transport_type	VARCHAR(100)	True	False	-
meals_included	VARCHAR(150)	True	False	-
important_notes	TEXT	True	False	-
image	VARCHAR(255)	False	False	
image_alt_text	VARCHAR(180)	False	False	
images	TEXT	True	False	[]
display_order	INTEGER	False	False	0
status	VARCHAR(20)	False	False	active
day_type	VARCHAR(20)	False	False	standard
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_optional_activities

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
activity_name	VARCHAR(255)	False	False	-
description	TEXT	True	False	
price_per_person	NUMERIC(12, 2)	False	False	0
child_price_per_person	NUMERIC(12, 2)	True	False	-
infant_price_per_person	NUMERIC(12, 2)	True	False	-
pricing_mode	VARCHAR(20)	False	False	flat
image	VARCHAR(255)	False	False	
category	VARCHAR(30)	False	False	other
status	VARCHAR(20)	False	False	active
commissionable	BOOLEAN	False	False	True
supplier_cost	NUMERIC(12, 2)	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_overviews

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
duration_text	VARCHAR(100)	False	False	
start_location	VARCHAR(150)	False	False	
end_location	VARCHAR(150)	False	False	
group_size	VARCHAR(100)	False	False	
tour_type	VARCHAR(100)	False	False	
vehicle_style	VARCHAR(100)	False	False	
guide_style	VARCHAR(50)	False	False	
physical_rating	VARCHAR(20)	False	False	easy
overview_icon_data	JSON	True	False	-
why_choose_this_tour	TEXT	True	False	-
ideal_for	TEXT	True	False	-
best_season	VARCHAR(150)	True	False	-
tour_pace	VARCHAR(50)	True	False	-
transportation_summary	TEXT	True	False	-
accommodation_summary	TEXT	True	False	-
meal_summary	TEXT	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_pricing

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
passenger_from	INTEGER	False	False	-
passenger_to	INTEGER	False	False	-
adult_price	NUMERIC(12, 2)	False	False	-
child_price	NUMERIC(12, 2)	False	False	0
supplier_price	NUMERIC(12, 2)	False	False	0
final_price	NUMERIC(12, 2)	False	False	-
supplier_final_adult_price	NUMERIC(12, 2)	True	False	-
supplier_final_child_price	NUMERIC(12, 2)	True	False	-
commission_percentage	NUMERIC(5, 2)	True	False	-
admin_markup_type	VARCHAR(20)	False	False	percentage
admin_markup_value	NUMERIC(12, 2)	True	False	-
storefront_adult_price	NUMERIC(12, 2)	True	False	-
storefront_child_price	NUMERIC(12, 2)	True	False	-
currency	VARCHAR(10)	False	False	USD
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_review_comments

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
version_id	INTEGER	True	False	-
section	VARCHAR(50)	False	False	-
field_name	VARCHAR(100)	True	False	-
comment	TEXT	False	False	-
severity	VARCHAR(20)	False	False	minor
status	VARCHAR(20)	False	False	open
created_by	INTEGER	True	False	-
resolved_by	INTEGER	True	False	-
resolved_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`
- Column `resolved_by` references `users.id`
- Column `version_id` references `tour_versions.id`
- Column `created_by` references `users.id`

tour_reviews

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
booking_id	INTEGER	False	False	-
customer_id	INTEGER	False	False	-
tour_id	INTEGER	False	False	-
rating	INTEGER	False	False	-
review_text	TEXT	True	False	-
status	VARCHAR(30)	False	False	pending
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `customer_id` references `customers.id`
- Column `booking_id` references `bookings.id`
- Column `tour_id` references `tours.id`

tour_similar_tours

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
similar_tour_id	INTEGER	False	False	-
display_order	INTEGER	False	False	0
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`
- Column `similar_tour_id` references `tours.id`

tour_subcategories

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
category_id	INTEGER	False	False	-
subcategory_name	VARCHAR(120)	False	False	-
slug	VARCHAR(150)	False	False	-
description	TEXT	False	False	
image	VARCHAR(255)	False	False	
status	VARCHAR(20)	False	False	active
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `category_id` references `tour_categories.id`

tour_subcategory_map

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
subcategory_id	INTEGER	False	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`
- Column `subcategory_id` references `tour_subcategories.id`

tour_unavailable_dates

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
unavailable_date	DATETIME	False	False	-
reason	TEXT	True	False	
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`

tour_versions

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_id	INTEGER	False	False	-
version_number	INTEGER	False	False	1
snapshot	JSON	False	False	-
status	VARCHAR(30)	False	False	pending_approval
change_kind	VARCHAR(30)	False	False	pending_approval
submitted_by	INTEGER	True	False	-
reviewed_by	INTEGER	True	False	-
rejection_reason	TEXT	True	False	-
submitted_at	DATETIME	True	False	-
reviewed_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `tour_id` references `tours.id`
- Column `reviewed_by` references `users.id`
- Column `submitted_by` references `users.id`

tours

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
tour_code	VARCHAR(30)	True	False	-
supplier_id	INTEGER	True	False	-
title	VARCHAR(180)	False	False	-
slug	VARCHAR(200)	False	False	-
subtitle	VARCHAR(255)	False	False	
price_start_per_person	NUMERIC(12, 2)	False	False	0
currency	VARCHAR(10)	False	False	USD
country_id	INTEGER	True	False	-
state_id	INTEGER	True	False	-
city_id	INTEGER	True	False	-
category_id	INTEGER	True	False	-
start_location	VARCHAR(150)	False	False	
finish_location	VARCHAR(150)	False	False	
number_of_days	INTEGER	False	False	1
number_of_hours	INTEGER	True	False	-
number_of_nights	INTEGER	True	False	-
max_group_size	INTEGER	True	False	-
min_booking_size	INTEGER	True	False	-
tour_language	VARCHAR(100)	True	False	-
suitable_age_range	VARCHAR(100)	True	False	-
tour_visibility	VARCHAR(20)	False	False	public
featured	BOOLEAN	False	False	False
short_description	TEXT	False	False	
long_description	TEXT	False	False	
pricing_type	VARCHAR(20)	False	False	per_person
offer_price	NUMERIC(12, 2)	False	False	0
infant_price	NUMERIC(12, 2)	False	False	0
single_supplement	NUMERIC(12, 2)	False	False	0
tax_percentage	FLOAT	False	False	0
service_fee	NUMERIC(12, 2)	False	False	0
gateway_fee_percentage	FLOAT	False	False	0
booking_deposit	NUMERIC(12, 2)	False	False	0
deposit_type	VARCHAR(20)	False	False	fixed

deposit_percentage	FLOAT	True	False	-
deposit_cutoff_days	INTEGER	True	False	-
balance_payment_deadline_days	INTEGER	True	False	-
requires_supplier_confirmation	BOOLEAN	False	False	True
seo_title	VARCHAR(180)	False	False	
seo_description	VARCHAR(255)	False	False	
seo_keywords	VARCHAR(255)	False	False	
focus_keyword	VARCHAR(180)	True	False	-
canonical_url	VARCHAR(500)	True	False	-
open_graph_image	VARCHAR(255)	True	False	-
search_visibility	BOOLEAN	False	False	True
image_alt_text	VARCHAR(180)	False	False	
banner_image	VARCHAR(255)	False	False	
map_image	VARCHAR(255)	False	False	
mobile_cover_image	VARCHAR(255)	True	False	-
tour_video_url	VARCHAR(500)	True	False	-
brochure_pdf	VARCHAR(255)	True	False	-
status	VARCHAR(20)	False	False	draft
commission_percentage	NUMERIC(5, 2)	True	False	-
admin_markup_percentage	NUMERIC(5, 2)	True	False	-
created_by	INTEGER	True	False	-
updated_by	INTEGER	True	False	-
created_at	DATETIME	True	False	-
updated_at	DATETIME	True	False	-

Foreign Keys:

- Column `state_id` references `states.id`
- Column `category_id` references `tour_categories.id`
- Column `city_id` references `cities.id`
- Column `country_id` references `countries.id`
- Column `updated_by` references `users.id`
- Column `created_by` references `users.id`
- Column `supplier_id` references `suppliers.id`

user_roles

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	False	False	-
role_id	INTEGER	False	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `user_id` references `users.id`
- Column `role_id` references `roles.id`

user_sessions

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	False	False	-
session_id	VARCHAR(120)	False	False	-
current_refresh_jti	VARCHAR(64)	True	False	-
ip_address	VARCHAR(100)	True	False	-
user_agent	VARCHAR(255)	True	False	-
status	VARCHAR(30)	False	False	active
revoked_at	DATETIME	True	False	-
last_seen_at	DATETIME	True	False	-
created_at	DATETIME	True	False	-

Foreign Keys:

- Column `user_id` references `users.id`

user_status_history

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
user_id	INTEGER	False	False	-
from_status	VARCHAR(40)	True	False	-
to_status	VARCHAR(40)	False	False	-
reason	VARCHAR(500)	True	False	-
changed_by	INTEGER	True	False	-
created_at	DATETIME	False	False	-

Foreign Keys:

- Column `changed_by` references `users.id`
- Column `user_id` references `users.id`

users

Column Name	Data Type	Nullable	Primary Key	Default
id	INTEGER	False	True	-
name	VARCHAR(150)	False	False	-
email	VARCHAR(150)	False	False	-
phone	VARCHAR(30)	False	False	
profile_image	VARCHAR(255)	False	False	
address	VARCHAR(255)	False	False	
country	VARCHAR(100)	False	False	
state	VARCHAR(100)	False	False	
city	VARCHAR(100)	False	False	
pincode	VARCHAR(20)	False	False	
password	VARCHAR(255)	True	False	-
role_id	INTEGER	True	False	-
is_active	BOOLEAN	True	False	True
approval_status	VARCHAR(30)	False	False	approved
user_type	VARCHAR(20)	True	False	-
country_code	VARCHAR(8)	False	False	
mobile_number	VARCHAR(20)	True	False	-
email_verified	BOOLEAN	False	False	False
password_created_at	DATETIME	True	False	-
account_status	VARCHAR(40)	False	False	ACTIVE
admin_verified	BOOLEAN	False	False	False
admin_verified_at	DATETIME	True	False	-
admin_verified_by	INTEGER	True	False	-
deactivated_at	DATETIME	True	False	-
deactivated_by	INTEGER	True	False	-
deactivation_reason	VARCHAR(500)	True	False	-
last_login_at	DATETIME	True	False	-
reset_password_token	VARCHAR(255)	True	False	-
reset_password_expires_at	DATETIME	True	False	-
email_verified_at	DATETIME	True	False	-
email_verification_token	VARCHAR(255)	True	False	-
email_verification_expires_at	DATETIME	True	False	-
otp_code_hash	VARCHAR(255)	True	False	-
otp_expires_at	DATETIME	True	False	-

`otp_attempts`	`INTEGER`	True	False	0
`token_version`	`INTEGER`	False	False	0
`two_factor_enabled`	`BOOLEAN`	False	False	False
`two_factor_secret`	`VARCHAR(255)`	True	False	-
`two_factor_backup_codes`	`TEXT`	True	False	-
`force_password_reset`	`BOOLEAN`	False	False	False
`failed_login_attempts`	`INTEGER`	False	False	0
`locked_until`	`DATETIME`	True	False	-
`created_at`	`DATETIME`	True	False	-
`updated_at`	`DATETIME`	True	False	-

Foreign Keys:

- Column `role_id` references `roles.id`
- Column `deactivated_by` references `users.id`
- Column `admin_verified_by` references `users.id`

Chapter 05 — Database Migration Readiness

1. Migration History & Current Head

Database migrations for the Tourvaa platform are managed via **Alembic**.

Migration State Summary

- **Current Head Migration**: alembic/versions/20261028_0054_financial_document_snapshots.py
- **Total Migrations Tracked**: 118 revision files.
- **Pending Migrations for Step 7 Fixes**: **0 (None)**.
- **Verification Rule**: In `app/main.py`, the `validate_database_migration_head()` function executes during the application lifespan and checks `alembic_version` against the migration tree. If any pending migrations exist, the backend will fail to boot with an explicit error.

---

2. Table Schema Compatibility & Integrity

The canonical source-level inventory records 138 ORM application tables; a deployed MySQL schema also contains Alembic's `alembic_version` table. The live physical count must still be checked against the target database immediately before migration.

Key structural guarantees verified:

1. **Foreign Key Integrity**: All foreign key relationships (`bookings.customer_id`, `tours.supplier_id`, `invoices.booking_id`, etc.) use explicit `ON DELETE` constraints to prevent orphaned records.

2. **Unique Constraints**: Unique indexes protect user emails, role slugs, booking reference numbers, and voucher codes.

3. **Transaction Safety**: All database operations executed via FastAPI dependency injection use the protected `get_db()` session generator, ensuring automatic rollback on unhandled exceptions.

---

3. Database Migration Deployment Runbook

When deploying migrations to a new environment or staging cluster:

```
# 1. Use a protected MySQL defaults file or mounted secret; never pass passwords in argv.
# Example defaults file: /run/secrets/tourvaa-mysql.cnf (mode 0600)
mysqldump --defaults-extra-file=/run/secrets/tourvaa-mysql.cnf --single-transaction --routines --triggers tourvaa > pre_migra

# 2. Check current database revision vs head
python -m alembic current
python -m alembic heads

# 3. Apply pending migrations
python -m alembic upgrade head

# 4. Verify head matches code
python -m alembic current --check-heads
```

Critical Rollback Strategy & MySQL Non-Transactional DDL Limitation

> [!CAUTION]

> **MySQL InnoDB Non-Transactional DDL**: In MySQL (including 8.0 and 8.4), DDL statements (`CREATE TABLE`, `ALTER TABLE`, `DROP TABLE`, `CREATE INDEX`, `DROP INDEX`) execute with **implicit commits** before and after execution. Multi-statement migrations do **NOT** execute inside an atomic rollback transaction.

If an Alembic migration script fails halfway (e.g. the 2nd `ALTER TABLE` statement fails):

1. **Partial Application State**: The 1st statement remains committed in the database, while subsequent statements have not run.

2. **Alembic Version Status**: Alembic does NOT update `alembic_version` on a failed migration; the database remains registered at the previous revision.

3. **Automatic Rollback Failure**: Re-running `alembic upgrade head` or `alembic downgrade` will fail because the partially applied changes are already present.

Required Recovery Procedures for Failed Migrations:

- **Approach A (Recommended — Full Restoration)**:

Restore the database immediately from the pre-migration snapshot:

```
mysql --defaults-extra-file=/run/secrets/tourvaa-mysql.cnf tourvaa < pre_migration_backup.sql
```

- **Approach B (Forensic Manual DDL Reversal)**:

If restoring a large database is prohibitive, inspect the failed migration script, identify which statements succeeded, and manually execute the corresponding reverse DDL (e.g., `ALTER TABLE table DROP COLUMN col;`) in the MySQL CLI before investigating the root cause and re-running the migration.