

• ON DARK

ON LIGHT •



# DriveCommand

— MILES AHEAD —

PRIMARY • INK #1D1D1F

REVERSAL • BONE #F5F5F7

# Across surfaces.

Approved color pairings. Always use the highest-contrast combination for the surface.  
Never reduce contrast below AA.



01 · INK  
#1D1D1F



02 · DEEP NAVY  
#003C82



03 · SIGNAL BLUE  
#0066CC



04 · SLATE  
#2C2C2E



05 · BONE  
#F5F5F7



06 · BONE-2  
#E8E8ED



07 · SILVER  
#86868B



08 · PAPER  
#FFFFFF

# Inside this guide.

The complete identity system for DriveCommand — the end-to-end carrier operations platform. Logo, color, type, voice and expression, across every surface our customers will meet us on.

|     |                       |       |
|-----|-----------------------|-------|
| I   | Foundation            | 03-04 |
| II  | Logo System           | 05-08 |
| III | Color                 | 09-11 |
| IV  | Typography            | 12-13 |
| V   | Iconography & Imagery | 14-15 |
| VI  | Voice & Tone          | 16    |
| VII | Expressions           | 17-22 |

# Command the fleet.

WHAT WE ARE

DriveCommand is the operating system for carriers — dispatch, drivers, loads, compliance, and settlements, unified in one platform.

CATEGORY

Carrier Ops SaaS

PROMISE

Miles Ahead

AUDIENCE

Dispatchers, Ops VPs, Owner-operators

PERSONALITY

Precise · Assertive · Built for the road

THE TAGLINE

Miles Ahead.

USE WHEN

The signature line. Paired with the wordmark on primary surfaces — homepage hero, product keynote, annual report cover. Never shortened. Always punctuated.




II • LOGO

# D & C. Merged.

The mark tells the whole story of the company in a single dimensional glyph. Every surface, angle, and negative space is deliberate.


- D** **D is for Drive.**  
The outer silhouette is a bold uppercase D — every mile, every route, every driver behind the wheel.
- 3D** **Three dimensions for the three sides of the business.**  
The isometric extrusion represents how DriveCommand connects **drivers & owners, dispatchers, and brokers** — three faces of one operation.
- C** **C is carved inside for Command.**  
Look inside the D — the negative space and beveled notch form a C. Command lives within Drive, not separate from it.
- ∞** **D and C share a single block.**  
They are not stacked or adjacent — they are *fused*. Drivers, owners, dispatchers, and brokers working as one connected system. One mark. One network.



CLEAR SPACE

# Keep the edges clean.


Maintain a minimum clear space of **1x** — the height of the notch — on every side of the mark. Never crowd the block.



MINIMUM SIZE

# Don't go below here.

Below **24px / 0.25"** the notch collapses. Use the monogram glyph only in favicons, app icons, and ultra-small stamps.



LOCKUPS

# Four ways to sign.



DriveCommand

CARRIER OPERATIONS • MILES AHEAD

A • HORIZONTAL

PRIMARY • FULL-COLOR



DriveCommand

B • STACKED

COMPACT

DriveCommand

C • WORDMARK

EDITORIAL




D • GLYPH


APP ICON • STAMP




# Don't do this.




● STRETCH OR SQUASH




● RECOLOR OUTSIDE PALETTE




● ROTATE OFF-AXIS




● DROP SHADOWS OR EFFECTS




● OUTLINE OR STROKE



● LOW CONTRAST PLACEMENT



● ADD TAGLINES INSIDE LOCKUP



● REFLOW THE MARK

III · COLOR

# Less, more clearly.

Color is used sparingly. The system is grounded in neutrals — black for weight, generous bone for breathing room. A single brand blue carries identity, action, and link. Every pairing in this guide is verified to pass **WCAG AA** at minimum.

DEFAULT RATIO

85 neutrals 15 brand blue

01 / INK

Ink

15.46:1 on bone

Ink

#1D1D1F

PMS Black 6

02 / BONE

Bone

Page surface

Bone

#F5F5F7

PMS Cool Gray 1

03 / GRAPHITE

Graphite

4.66:1 on bone

Graphite

#6E6E73

PMS Cool Gray 9

04 / BLUE

Blue

5.57:1 on white

Brand Blue

#0066CC

PMS 2935

05 / FOG

Fog

Dividers · UI

Fog

#D2D2D7

PMS Cool Gray 3


EXTENDED SYSTEM

# Neutral ramp & brand scale.

Eleven neutrals from white to ink — the core of every layout. Brand blue scales for tints, hovers, and dark surfaces. Every step has a verified use.


NEUTRAL · STRUCTURE & TEXT

11 STEPS · WCAG AA-VERIFIED



BRAND BLUE · ACCENT & SIGNAL

9 STEPS · CORE = B500



VERIFIED PAIRINGS

# 100% AA pass.

Every text/background pairing in the system meets WCAG 2.2 AA (4.5:1 minimum for normal text). No exceptions.

|                         |                  |           |
|-------------------------|------------------|-----------|
| The quick brown fox     | Ink on Bone      | ✓ 15.46:1 |
| Supporting body copy    | Graphite on Bone | ✓ 9.20:1  |
| Track this load →       | Blue on Bone     | ✓ 5.11:1  |
| Highlighted KPI · 98.4% | Deep on Tint     | ✓ 9.24:1  |
| Get a quote             | White on Blue    | ✓ 5.57:1  |
| Active link · dark mode | Air on Ink       | ✓ 8.88:1  |

SEMANTIC STATES

# Color = state.

Used sparingly. Always paired with an icon or label — never color alone.

|                                                                                      |                                                                     |          |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------|----------|
|   | <b>Success</b><br>#006B40 · --success<br>On time · delivered · POD  | ✓ 6.07:1 |
|   | <b>Warning</b><br>#9A4A00 · --warning<br>At-risk · trending late    | ✓ 5.75:1 |
|   | <b>Critical</b><br>#C8102E · --critical<br>Past window · escalation | ✓ 5.40:1 |
|  | <b>Info</b><br>#0066CC · --accent<br>In-transit · active lane       | ✓ 5.11:1 |

RULE

Never communicate state with color alone. Always include an icon, label, or shape so colorblind users can perceive the same information.

# Three fonts. One voice.

All three typefaces are free on Google Fonts, variable, and ship with every browser CDN. No commercial licensing. No brand-guide PDFs that nobody reads.

DM Sans

400 • 500 • 600 • 700 • Google Fonts

Miles ahead.

DISPLAY • 96/92  
HEADLINE • 64/64  
QUOTE • 40/48

Inter

300 • 400 • 500 • 600 • 700

Dispatchers juggle seventeen tabs. DriveCommand collapses them into one surface — loads, lanes, drivers, hours, settlements — so decisions happen in seconds, not minutes.

LEAD • 22/34  
BODY • 16/26  
SMALL • 13/20

JetBrains Mono

Regular • Medium • Bold

LOAD-48216 • CHI → DAL • 1,082 mi • ON-TIME

LABEL • 12/16  
DATA • 14/20  
CODE • 14/24



# Soft & modern. Built for UI. Made to scale.

DM Sans carries the brand — friendly, rounded, and warm at display sizes. Inter handles every button, label, and paragraph of product UI. JetBrains Mono locks the numbers in place.

BASE UNIT  
8px grid

MEASURE  
66ch max

FALLBACK STACK  
Times → serif

LINE RHYTHM  
4px baseline

NUMERALS  
tnum (mono-tables)

SMOOTHING  
-webkit-antialiased

## Built for the long haul.

A single operating surface for carriers of every size. From a two-truck owner-operator to a 400-tractor fleet — one command, one system.

LOAD-48216 ● ON-TIME

### Chicago, IL → Dallas, TX

| DISTANCE            | RATE                   | ETA                 |
|---------------------|------------------------|---------------------|
| 1,082 <sub>mi</sub> | \$2,640 <sub>.00</sub> | 18:42 <sub>CT</sub> |

## Every mile earned.

The only carrier OS built by dispatchers, for dispatchers — not re-skinned enterprise software from 2008.

# Square corners. Honest lines.

Stroked, geometric, 1.6px weight on a 48px grid. Square caps, miter joins. No rounded corners — we move freight, not pillows.

GRID  
48 × 48

CAPS  
Square

STROKE  
1.6px

CORNERS  
0px radius

|                                                                                                 |                                                                                                |                                                                                                |                                                                                               |
|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <br>TRUCK    | <br>MAP     | <br>ROUTE   | <br>DRIVER |
| <br>LOAD     | <br>CLOCK   | <br>DOC     | <br>BOLT   |
| <br>SHIELD | <br>STACK | <br>CHART | <br>PIN  |

# Road, cab, dock. No stock.

[ HERO IMAGE • 16:10 • CLASS 8 TRACTOR AT DAWN ]

HERO • DOCUMENTARY

## GOLDEN HOUR FREIGHT SHOTS.

[ DISPATCH FLOOR ]

PEOPLE • ON-THE-JOB

DO

- + Real drivers, real yards
- + Wide, documentary framing
- + Desaturated, natural light
- + Dust, weather, grit

[ YARD • OVERHEAD ]

16:9

[ DETAIL • HANDS ]

DON'T

- Glossy corporate stock
- Over-saturated sunsets
- Isolated-on-white crops
- Cliché "businessman" shots



# Say it like a dispatcher.

PRINCIPLE

## Precise.

Numbers first. No adjectives where a metric will do.

PRINCIPLE

## Direct.

Short sentences. Active voice. No filler.

PRINCIPLE

## Informed.

We know the difference between a detention hour and a layover.

PRINCIPLE

## Assured.

Confident without swagger. Helpful without hand-holding.

THE WORD WE DON'T USE

"Platform." Everyone says it.  
We say "operations."

SAY THIS • NOT THAT

YES Dispatch a load in 40 seconds.

NO Empower dispatchers with next-gen load optimization.

YES 1,082 miles, on-time.

NO Delivering value at scale across the nation.

YES The driver logged 8 hrs, 12 min.

NO Robust HOS visibility for the modern carrier.

YES Every load. Every driver. Every mile.

NO World-class end-to-end solutions you can trust.

VII • EXPRESSIONS

# In the wild.


The identity applied across six surfaces: product, web, print, swag, fleet, and social. Every touchpoint reads as one brand.



# Landing page.

drivecommand.co · 1440 viewport.  
Bone canvas, deep ink for type,  
blue for one CTA. Apple-flavored  
restraint.

FORMAT  
1440 × 900



# Dispatch board.

The primary operations surface.  
Light, neutral, generous. Reds reserved for true exceptions only.

DriveCommand

Dispatch

Drivers

Loads

Customers

Settlements

Reports

⌘K

Search

RS

TODAY

Open loads284

In transit142

Arriving38

At-risk12

Delayed4

LANES

Midwest · I-80

Southeast · I-75

West · I-5

Gulf · I-10

LOADS TODAY

284

+12 vs yday

MILES BOOKED

184k

97% capacity

ON-TIME %

96.4

+1.2 pts

AVG DWELL

48m

-6m vs target

AT-RISK

12

2 critical

LIVE MAP · 142 ACTIVE

Updated 12s ago

ACTIVE LOADS

View all 142 >

| LOAD    | ROUTE     | DRIVER     | MILES | STATE      |
|---------|-----------|------------|-------|------------|
| L-48216 | CHI → DAL | R. Salazar | 1082  | On time    |
| L-48217 | ATL → HOU | M. Chen    | 798   | In transit |
| L-48218 | LAX → PHX | T. Nguyen  | 372   | At risk    |
| L-48219 | SEA → BOI | D. Harris  | 500   | Delayed    |
| L-48220 | DEN → OKC | J. Patel   | 682   | In transit |
| L-48221 | NYC → CLE | A. Brooks  | 462   | On time    |
| L-48222 | MSP → CHI | L. Garcia  | 408   | In transit |
| L-48223 | POR → SLC | K. Foster  | 768   | Scheduled  |

§ EXPRESSIONS · PRODUCT

— MILES AHEAD

PRINT · IDENTITY

# Business card.

3.5 × 2 in. Uncoated bone stock, single-hit signal red on reverse. Letterpress blind-debossed glyph.

STOCK  
Crane Lettra  
110c

INKS  
PMS 282 · 178



MILES AHEAD

**Rosa Salazar**

VP OPERATIONS

rosa@drivecommand.co

+1 312 555 0148

DC · REVERSE

Miles Ahead.

drivecommand.co



MILES AHEAD

**Marcus Chen**

FOUNDING ENGINEER

DRIVECOMMAND · EST. 2026

End-to-end carrier ops.

drivecommand.co

MILES AHEAD



SWAG & FLEET

Apparel  
& decals.

Wearables for conferences and driver crews. Vehicle livery for partner rigs and delivery vans. The mark earns its keep in the real world.

- A • TEE • INK
- B • CAP • NAVY
- C • TRAILER • 53’
- D • HOODIE • SILVER
- E • ENAMEL PIN
- F • DRIVER ID



SOCIAL • TEMPLATES

Feed & stories.

Three recurring formats: **Stat**, **Quote**, and **Launch**. All 1:1 and 9:16 safe.

STAT • 01



96.4%

On-time delivery across the Meridian fleet in Q1.

DRIVECOMMAND.CO

QUOTE • CUSTOMER

"Cut our dispatch time in half. My team actually leaves on time now."

— KIM F. • DISPATCH MGR, KENWAY

DRIVECOMMAND.CO

NEW • LAUNCH



LIVE • APRIL 2026

Driver Settlements v2.

Pay drivers correctly, the first time. Every time.

Read the blog →

9:41

drivecommand

— MILES AHEAD

Every load. Every driver. Every mile.



# Miles Ahead.

— BRAND GUIDE • V1.0 • APRIL 2026 —



— SECTION ONE

# 01

## Logo system.

Anatomy, construction, clear space, minimum size, color treatments, and the things that break the mark.

# Built on a grid.

The mark is constructed on an 8-unit isometric grid. Every angle, weight, and notch derives from that base. The accent face holds a 1:1.618 ratio with the body block.

DM Sans.

DISPLAY + UI  
VARIABLE · 100 – 1000  
DESIGNED · COLOPHON & INDIAN TYPE FOUNDRY

Sphinx of black  
quartz, judge  
my vow.

AaAaAaAaAa  
300 / LIGHT400 / REGULAR500 / MEDIUM600 / SEMIBOLD700 / BOLD

IV · TYPE · SPECIMEN 02

JetBrains Mono.

Pack my box  
with five dozen  
Liquor jugs.

CODE + NUMERALS + TAGS  
VARIABLE · 100 – 800  
DESIGNED · JETBRAINS TYPE

TABULAR NUMERALS

0 1 2 3 4 5  
6 7 8 9 % \$

LIGATURES · CODE

⇒ → ≤ ≥  
≠ = ≡ ←


STATUS TAGS

IN-TRANSIT  
AT-RISK  
DELAYED

# In the cab. In the hand.

The driver app is built for one hand, gloves on, sunlight, motion. Big targets, real numbers, almost no chrome.

|              |                                                                                             |
|--------------|---------------------------------------------------------------------------------------------|
| TOUCH TARGET | <div>Min 56pt</div> <div>Driver-with-gloves baseline.</div>                                 |
| TYPE SCALE   | <div>17pt body / 28pt KPI</div> <div>Readable at arm length in a moving cab.</div>          |
| COLOR        | <div>High-contrast only</div> <div>AAA where physically possible. No greys for state.</div> |
| MOTION       | <div>No incidental animation</div> <div>Motion only carries meaning.</div>                  |
| AUDIO        | <div>Optional voice</div> <div>Hands free for actual driving.</div>                         |





# Motion carries meaning.

We don't decorate with motion — we use it to tell the user what just happened, what is about to happen, and what they can do.

01CUBIC OUT · 0.22 · 1



### Easing

Movement decelerates into rest. Nothing bounces. Nothing snaps.

02120 / 240 / 480MS



### Duration

Fast for state changes. Medium for navigation. Slow only for first reveals.

03NO MORE THAN 1.04



### Scale

Hover states grow imperceptibly. We scale information, not buttons.

04ONE TONE, SPARINGLY



### Sound

A single 880Hz pluck on critical confirmations. Silence is the default.

05TICK, DO NOT FADE

96.4%

### Live data

Numbers tick into place to show they are alive. Charts redraw, never wipe.

06COLOR, NOT MOTION

Driver out of HOS


### Errors

Red text and a red rule. We never shake, flash, or strobe — drivers may be moving.

V · IMAGERY · DIRECTION

# Real yards. Real drivers.

Documentary. Wide. Slightly desaturated. We photograph the work, not the worker. No glossy stock. No corporate smiles.



|   |          |                                                     |
|---|----------|-----------------------------------------------------|
| + | SUBJECT  | Drivers, dispatchers, mechanics. The actual people. |
| + | DISTANCE | Wide / medium. Faces only when invited.             |
| + | LIGHT    | Overcast, golden hour, fluorescent yard lights.     |
| + | COLOR    | Slightly desaturated. Cool greys, warm skin.        |
| + | GRAIN    | A whisper of grain — film, not noise.               |
| — | AVOID    | Studio backdrops · forced smiles · perfect weather  |

|   |       |                                                |
|---|-------|------------------------------------------------|
| — | AVOID | Stock libraries · over-saturation · clean cabs |
|---|-------|------------------------------------------------|