


MUHAMMAD AYAZ HASAN

20K-1044

BS-SE (5A)

LAB 2

Task 1



The screenshot shows a terminal window titled 'ayaz@ayaz-VirtualBox: ~'. The terminal output is as follows:


```
ayaz@ayaz-VirtualBox:~$ sudo addgroup OSLAB02 --force-badname
Allowing use of questionable username.
addgroup: The group 'OSLAB02' already exists.
ayaz@ayaz-VirtualBox:~$ sudo adduser --ingroup OSLAB02 OSUser1 --force-badname
Allowing use of questionable username.
adduser: The user 'OSUser1' already exists.
ayaz@ayaz-VirtualBox:~$ sudo adduser --ingroup OSLAB02 OSUser2 --force-badname
Allowing use of questionable username.
Adding user 'OSUser2' ...
Adding new user 'OSUser2' (1002) with group 'OSLAB02' ...
Creating home directory '/home/OSUser2' ...
Copying files from '/etc/skel' ...
New password:
BAD PASSWORD: The password fails the dictionary check - it is based on a dictionary word
Retype new password:
Sorry, passwords do not match.
New password:
```

```
stematic
Rtype new password:
passwd: password updated successfully
Changing the user information for OSUser2
Enter the new value, or press ENTER for the default
    Full Name []: OSUser2
    Room Number []: 50
    Work Phone []: 097
    Home Phone []: 890
    Other []: 783
Is the information correct? [Y/n] Y
ayaz@ayaz-VirtualBox:~$
```


```
Is the information correct? [Y/n] Y
ayaz@ayaz-VirtualBox:~$ sudo adduser newuser --ingroup sudo --force-badname
[sudo] password for ayaz:
Adding user `newuser' ...
Adding new user `newuser' (1003) with group `sudo' ...
Creating home directory `/home/newuser' ...
Copying files from `/etc/skel' ...
New password:
BAD PASSWORD: The password fails the dictionary check - it is too simplistic/sy
stematic
Rtype new password:
passwd: password updated successfully
Changing the user information for newuser
Enter the new value, or press ENTER for the default
    Full Name []: newuser
    Room Number []: 12
    Work Phone []: 13
    Home Phone []: 14
    Other []: 11
Is the information correct? [Y/n] Y
ayaz@ayaz-VirtualBox:~$ sudo usermod -a -G sudo newuser
ayaz@ayaz-VirtualBox:~$ sudo su newuser
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.
```

Task 2

```
newuser@ayaz-VirtualBox:/home/ayaz$ mkdir -p OSLAB/subdir/subsubdir/OSLAB2
mkdir: cannot create directory 'OSLAB': Permission denied
newuser@ayaz-VirtualBox:/home/ayaz$ sudo mkdir -p OSLAB/subdir/subsubdir/OSLAB2
[sudo] password for newuser:
```



Task 4



```
Activities Terminal 21:53 1 ستمبر
newuser@ayaz-VirtualBox: /home/ayaz
newuser@ayaz-VirtualBox:/home/ayaz$ sudo adduser abc
Adding user `abc' ...
Adding new group `abc' (1003) ...
Adding new user `abc' (1004) with group `abc' ...
Creating home directory `/home/abc' ...
Copying files from `/etc/skel' ...
New password:
BAD PASSWORD: The password fails the dictionary check - it is too simplistic/sy
stematic
Retype new password:
passwd: password updated successfully
Changing the user information for abc
Enter the new value, or press ENTER for the default
    Full Name []: abc
    Room Number []: 90
    Work Phone []: 91
    Home Phone []: 21
    Other []: 212
Is the information correct? [Y/n] Y
newuser@ayaz-VirtualBox:/home/ayaz$
```