

Cucumber Report

Jan 28, 2022 7:02:46 PM

Start : Jan 28, 7:02:19.208 PM

End : Jan 28, 7:02:41.532 PM

Duration : 22.324 s

Features



Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>verify_application_title</u>	2	0	2	0	22.324 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>verify_application_title</u>	<u>verify_title_on_chrome</u>	2	0	1	1	17.717 s
2	<u>verify_application_title</u>	<u>verify_title_on_firefox</u>	2	0	1	1	4.365 s

(F)- verify_application_title

FAILED	DURATION - 22.324 s	Scenarios		Steps	
/ 7:02:19.208 PM // 7:02:41.532 PM /		Total - 2		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	

(S)- verify_title_on_chrome

<div>FAILED</div> <div>DURATION - 17.717 s</div>			Steps	
/ 7:02:19.217 PM // 7:02:36.934 PM /				
verify_application_title				
@selenium_grid @grid_chrome				



#	Step / Hook Details	Status	Duration
1	<p>Given user is on the application_login page with chrome</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'macbook-pro.home', ip: '2a01:cb19:8bf4:600:3191:127:b1c5:5818%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_291' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] Capabilities {}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:577) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:246) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:146) at stepdefinitions.selenium_grid_step_defs.Selenium_grid_def.user_is_on_the_application_login_page_with_chrome(Selenium_grid_def.java:43) at ?.user is on the application_login page with chrome(file:///Users/ayse/eclipse-workspace/cucumber-framework/.src/test/resources/features/selenium_grid_features/selenium_grid.feature:5)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException: connection timed out: /192.168.1.18:4444 at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:80) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)</p>	FAILED	12.186 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:119) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:55) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:102) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:39) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:246) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:146) at stepdefinitions.selenium_grid_step_defs.Selenium_grid_def.user_is_on_the_application_login_page_with_chrome(Selenium_grid_def.java:43) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) Caused by: java.net.ConnectException: connection timed out: /192.168.1.18:4444 at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179) at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28) at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20) at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578) at io.netty.util.concurrent.DefaultPromise.notifyListeners0(DefaultPromise.java:571) at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:550) at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491) at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616) at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:609) at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:117) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe\$1.run(AbstractNioChannel.java:262) at io.netty.util.concurrent.PromiseTask.runTask(PromiseTask.java:98) at io.netty.util.concurrent.ScheduledFutureTask.run(ScheduledFutureTask.java:170) at io.netty.util.concurrent.AbstractEventExecutor.safeExecute(AbstractEventExecutor.java:164) at io.netty.util.concurrent.SingleThreadEventExecutor.runAllTasks(SingleThreadEventExecutor.java:469) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:500) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.lang.Thread.run(Thread.java:748) Caused by: io.netty.channel.ConnectTimeoutException: connection timed out: /192.168.1.18:4444 at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe\$1.run(AbstractNioChannel.java:261) * Not displayable characters are replaced by '?'. </pre>		
2	Then verify the title includes Resortsline	SKIPPED	0.002 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	5.449 s

#	Step / Hook Details	Status	Duration
	<div>Screenshot</div> <div>+</div>		

(S)- verify_title_on_firefox

<div>FAILED</div> <div>DURATION - 4.365 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 7:02:37.166 PM // 7:02:41.531 PM /				
verify_application_title				
@grid_firefox @selenium_grid				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on the application_login page with firefox</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Build info: version: '4.0.0', revision: '3a21814679' System info: host: 'macbook-pro.home', ip: '2a01:cb19:8bf4:600:3191:127:b1c5:5818%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_291' Driver info: org.openqa.selenium.remote.RemoteWebDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}], desiredCapabilities=Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}}] Capabilities {} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:577) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:246) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:146) at stepdefinitions.selenium_grid_step_defs.Selenium_grid_def.user_is_on_the_application_login_page_with_firefox(Selenium_grid_def.java:72) at ?.user is on the application_login page with firefox(file:///Users/ayse/eclipse-workspace/cucumber-framework/.src/test/resources/features/selenium_grid_features/selenium_grid.feature:10) Caused by: java.io.UncheckedIOException: java.net.ConnectException: Host is down: /192.168.1.18:4444 at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:80) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</pre>	FAILED	0.075 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:119) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:55) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:102) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:39) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:246) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:146) at stepdefinitions.selenium_grid_step_defs.Selenium_grid_def.user_is_on_the_application_login_page_with_firefox(Selenium_grid_def.java:72) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) </pre>		

#	Step / Hook Details	Status	Duration
	<p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)</p> <p>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33)</p> <p>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)</p> <p>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)</p> <p>Caused by: java.net.ConnectException: Host is down: /192.168.1.18:4444</p> <p>at org.asynchttpclient.netty.channel.NettyConnectListener.onFailure(NettyConnectListener.java:179)</p> <p>at org.asynchttpclient.netty.channel.NettyChannelConnector\$1.onFailure(NettyChannelConnector.java:108)</p> <p>at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:28)</p> <p>at org.asynchttpclient.netty.SimpleChannelFutureListener.operationComplete(SimpleChannelFutureListener.java:20)</p> <p>at io.netty.util.concurrent.DefaultPromise.notifyListener0(DefaultPromise.java:578)</p> <p>at io.netty.util.concurrent.DefaultPromise.notifyListenersNow(DefaultPromise.java:552)</p> <p>at io.netty.util.concurrent.DefaultPromise.notifyListeners(DefaultPromise.java:491)</p> <p>at io.netty.util.concurrent.DefaultPromise.setValue0(DefaultPromise.java:616)</p> <p>at io.netty.util.concurrent.DefaultPromise.setFailure0(DefaultPromise.java:609)</p> <p>at io.netty.util.concurrent.DefaultPromise.tryFailure(DefaultPromise.java:117)</p> <p>at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.connect(AbstractNioChannel.java:284)</p> <p>at io.netty.channel.DefaultChannelPipeline\$HeadContext.connect(DefaultChannelPipeline.java:1342)</p> <p>at io.netty.channel.AbstractChannelHandlerContext.invokeConnect(AbstractChannelHandlerContext.java:548)</p> <p>at io.netty.channel.AbstractChannelHandlerContext.connect(AbstractChannelHandlerContext.java:533)</p> <p>at io.netty.channel.CombinedChannelDuplexHandler\$DelegatingChannelHandlerContext.connect(CombinedChannelDuplexHandler.java:495)</p> <p>at io.netty.channel.ChannelOutboundHandlerAdapter.connect(ChannelOutboundHandlerAdapter.java:51)</p> <p>at io.netty.channel.CombinedChannelDuplexHandler.connect(CombinedChannelDuplexHandler.java:296)</p> <p>at io.netty.channel.AbstractChannelHandlerContext.invokeConnect(AbstractChannelHandlerContext.java:548)</p> <p>at io.netty.channel.AbstractChannelHandlerContext.connect(AbstractChannelHandlerContext.java:533)</p> <p>at io.netty.channel.AbstractChannelHandlerContext.connect(AbstractChannelHandlerContext.java:517)</p> <p>at io.netty.channel.DefaultChannelPipeline.connect(DefaultChannelPipeline.java:978)</p> <p>at io.netty.channel.AbstractChannel.connect(AbstractChannel.java:265)</p> <p>at io.netty.bootstrap.Bootstrap\$3.run(Bootstrap.java:250)</p> <p>at io.netty.util.concurrent.AbstractEventExecutor.safeExecute(AbstractEventExecutor.java:164)</p> <p>at io.netty.util.concurrent.SingleThreadEventExecutor.runAllTasks(SingleThreadEventExecutor.java:469)</p> <p>at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:500)</p> <p>at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986)</p>		

#	Step / Hook Details	Status	Duration
	<p>at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.lang.Thread.run(Thread.java:748) Caused by: io.netty.channel.AbstractChannel\$AnnotatedSocketException: Host is down: /192.168.1.18:4444 Caused by: java.net.SocketException: Host is down at sun.nio.ch.Net.connect0(Native Method) at sun.nio.ch.Net.connect(Net.java:459) at sun.nio.ch.Net.connect(Net.java:451) at sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:646) at io.netty.util.internal.SocketUtils\$3.run(SocketUtils.java:91) at io.netty.util.internal.SocketUtils\$3.run(SocketUtils.java:88) at java.security.AccessController.doPrivileged(Native Method) at io.netty.util.internal.SocketUtils.connect(SocketUtils.java:88) at io.netty.channel.socket.nio.NioSocketChannel.doConnect(NioSocketChannel.java:315) at io.netty.channel.nio.AbstractNioChannel\$AbstractNioUnsafe.connect(AbstractNioChannel.java:248) at io.netty.channel.DefaultChannelPipeline\$HeadContext.connect(DefaultChannelPipeline.java:1342) at io.netty.channel.AbstractChannelHandlerContext.invokeConnect(AbstractChannelHandlerContext.java:548) at io.netty.channel.AbstractChannelHandlerContext.connect(AbstractChannelHandlerContext.java:533) at io.netty.channel.CombinedChannelDuplexHandler\$DelegatingChannelHandlerContext.connect(CombinedChannelDuplexHandler.java:495) at io.netty.channel.ChannelOutboundHandlerAdapter.connect(ChannelOutboundHandlerAdapter.java:51) at io.netty.channel.CombinedChannelDuplexHandler.connect(CombinedChannelDuplexHandler.java:296) at io.netty.channel.AbstractChannelHandlerContext.invokeConnect(AbstractChannelHandlerContext.java:548) at io.netty.channel.AbstractChannelHandlerContext.connect(AbstractChannelHandlerContext.java:533) at io.netty.channel.AbstractChannelHandlerContext.connect(AbstractChannelHandlerContext.java:517) at io.netty.channel.DefaultChannelPipeline.connect(DefaultChannelPipeline.java:978) at io.netty.channel.AbstractChannel.connect(AbstractChannel.java:265) at io.netty.bootstrap.Bootstrap\$3.run(Bootstrap.java:250) at io.netty.util.concurrent.AbstractEventExecutor.safeExecute(AbstractEventExecutor.java:164) at io.netty.util.concurrent.SingleThreadEventExecutor.runAllTasks(SingleThreadEventExecutor.java:469) at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:500) at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:986) at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74) at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) at java.lang.Thread.run(Thread.java:748) * Not displayable characters are replaced by '?'. </p>		
2	Then verify the title includes Resortsline	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	4.279 s
	Screenshot		

#	Step / Hook Details	Status	Duration
	+		

(Step) AFTER - stepdefinitions.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) verify_title_on_chrome

(F) verify_application_title

(Step) AFTER - stepdefinitions.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) verify_title_on_firefox

(F) verify_application_title