Lab 3 — Humber ID Function Unit Test (6% of final grade)

Create a JavaScript function that will validate a Humber College student ID, then create the Unit Test to test it.

Lab completed during in-class lab time (1%)

Part 1: BUILD THE checkHumbrid FUNCTION

(1%)

- 1. Using the provided *Lab-3-unittest-function.js* file, create a function called **checkHumbrld** that accepts one parameter.
- 2. The function should validate a Humber college ID number e.g. N12345678 (uppercase or lowercase 'N' followed by 8 digits).
- 3. If the input validates, the function will return the Boolean *true*, otherwise it will return *false*.

Part 2: BUILD THE test checkHumbrid FUNCTION

(2%)

- 4. Using the provided *Lab-3*-unittest-test.*js* file, create a function called, test__checkHumbrld, which will test the checkHumbrld function.
- 5. This second function will take 2 parameters: a value to pass to the checkHumbrld function, and the expected result of running that value with the checkHumbrld function.
- 6. When run, it should output the results of the test to the HTML page. The output should read as follows (note the logic that reports whether the input value passed the test or not):

Value tested: xxxxxx Expected result: xxxxxx ==PASSED== (OR...)

Value tested: xxxxxx Expected result: xxxxxx xxFAILEDxx

Part 3: RUN THE TESTS

(1%)

Using the unit test function, create and execute tests checking for test-to-pass, test-to-fail, and boundary values (at least 6 tests in total). Mark each of these three groupings with a comment. If you test your unit test by changing one of the expectations, be sure to correct it. I expect to see all tests passed when I run it.

STRETCH GOAL

(1%)

• Style the results so that **==PASSED**== is green, and **xxFAILEDxx** is red.