

```
(base) ayberksavas@Ayberks-MacBook-Pro devops-case % docker build -t devops-case-app:day1 .
[+] Building 1.8s (15/15) FINISHED
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 1.38kB
=> resolve image config for docker-image://docker.io/docker/dockerfile:1.7
=> CACHED docker-image://docker.io/docker/dockerfile:1.7@sha256:a57df69d0ea827fb7266491f2813635de6f17269be881f696fbfdf2d83dda33e
=> => resolve docker.io/docker/dockerfile:1.7@sha256:a57df69d0ea827fb7266491f2813635de6f17269be881f696fbfdf2d83dda33e
=> [internal] load metadata for docker.io/library/python:3.12-slim
=> [internal] load .dockerignore
=> => transferring context: 601B
=> [internal] load build context
=> => transferring context: 63B
=> [stage-1 1/5] FROM docker.io/library/python:3.12-slim@sha256:9d3abd9fc11d06998ccdbdd93b4dd49b5ad7d67fcbbc11c016eb0eb2c2194891
=> => resolve docker.io/library/python:3.12-slim@sha256:9d3abd9fc11d06998ccdbdd93b4dd49b5ad7d67fcbbc11c016eb0eb2c2194891
=> CACHED [stage-1 2/5] RUN useradd --create-home --uid 1000 --shell /usr/sbin/nologin appuser
=> CACHED [builder 2/4] WORKDIR /build
=> CACHED [builder 3/4] COPY requirements.txt .
=> CACHED [builder 4/4] RUN python -m venv /opt/venv && /opt/venv/bin/pip install --no-cache-dir --upgrade pip && /opt/venv/bin/pip install --no-cache-dir -r requirements.txt
=> CACHED [stage-1 3/5] COPY --from=builder --chown=appuser:appuser /opt/venv /opt/venv
=> CACHED [stage-1 4/5] WORKDIR /app
=> CACHED [stage-1 5/5] COPY --chown=appuser:appuser app.py .
=> exporting to image
=> => exporting layers
=> => exporting manifest sha256:8a989ba0e67c01177708dbffcaa5c083a0c234e1518a17cf8c007a891f0c6eef
=> => exporting config sha256:dc9388752509dfdfcb79acc5a73b323434f6d34c26ac2b555cf8e8a42f4ad961
=> => exporting attestation manifest sha256:cf03aba6101b76fbf052ba5d89d27c7833b4a3fdacbee8fa11ae12717beaa59a
=> => exporting manifest list sha256:25ad93a531171302cec3b6e9a6942dbf93020fc04ff088079434bc3580dd4830
=> => naming to docker.io/library/devops-case-app:day1
=> => unpacking to docker.io/library/devops-case-app:day1

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/uptnp2ngvef412j75hp7hpdhz
(base) ayberksavas@Ayberks-MacBook-Pro devops-case % docker run -d --name d1-check -p 8080:8080 -e BUILD_SHA=day1-checkpoint devops-case-app:day1
7175fa6596c25ea985d38d84f676bf8fde5a4b3f987a58593eeebbbf2f4b7651
(base) ayberksavas@Ayberks-MacBook-Pro devops-case % docker exec d1-check id
uid=1000(appuser) gid=1000(appuser) groups=1000(appuser)
(base) ayberksavas@Ayberks-MacBook-Pro devops-case % curl -s localhost:8080/ping
pong
(base) ayberksavas@Ayberks-MacBook-Pro devops-case % curl -s localhost:8080/healthz
{"status":"ok"}
(base) ayberksavas@Ayberks-MacBook-Pro devops-case % curl -s localhost:8080/version
{"sha":"day1-checkpoint"}
(base) ayberksavas@Ayberks-MacBook-Pro devops-case % docker inspect --format='{{.State.Health.Status}}' d1-check
healthy
(base) ayberksavas@Ayberks-MacBook-Pro devops-case % git log --oneline
329a4d7 (HEAD -> main, origin/main, origin/HEAD) test: add unit tests for /ping, /healthz, /version (#1)
ef40631 Initial commit
(base) ayberksavas@Ayberks-MacBook-Pro devops-case % git grep -i "secret\\|password\\|api_key\\|aws_access_key" -- ':!*.md' || echo "no secrets found"
.gitignore:# Environment files - never commit real secrets
```