WMCS009-05 Information Systems

Assignment 4 - Association Analysis

Deadline: 5-Jan-2020 at 12:00h



Dr. George Azzopardi 9-Dec-2020

Task

Use Jupyter notebook to implement the Apriori algorithm in Python

Input

- CSV file: It must contain a binary representation of all concerned items. The first row must contain the header (i.e. the names of the items), and the remaining rows must contain only 1s and 0s separated by commas
- Minimum support the threshold used to select the frequent itemsets
- Minimum confidence the threshold used to determine the association rules

Output

List of association rules that satisfy the given minimum support and confidence

Deliverable

 The python notebook and a short report describing how the main steps of the algorithm were implemented. These include the self-join and pruning (based on the Apriori principle) in determining the frequent itemsets, and the non-monotonicity property in determining the association rules.


Rubric

- Use the provided myDataFile.csv as your test case. Test your algorithm with a minimum support of 0.005 and confidence of 0.6. List the number of frequent itemsets per layer and the association rules in the form "A -> B (confidence = ?" where A and B can be comma separated lists. (3 points for correct output)
- Correct implementation of the Apriori principle in determining the frequent itemsets (3 points)
- Correct implementation of the non-monotonicity property in the determination of the association rules (3 points)
- Readability of the algorithm and report (1 point)


- Use the Weka tool to check your results
 - Download it from here: https://waikato.github.io/weka-wiki/downloading_weka/
 - Click on Explorer




Click on open file



Locate myDataFile.csv



Click on the Associate tab and click in the field next to the Choose button



- Set the minimum support and the minimum confidence.
 - Click OK followed by Start

