

INSTRUMENTAL VARIABLES

Annie Chen

February 26, 2020



IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)

IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$

IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$
- SUTVA

IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$
- SUTVA
 - $D(z) = D(z')$ if $z = z'$

IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$
- SUTVA
 - $D(z) = D(z')$ if $z = z'$
 - $Y(z, d) = Y(z', d')$

IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$
- SUTVA
 - $D(z) = D(z')$ if $z = z'$
 - $Y(z, d) = Y(z', d')$
- Exclusion Restriction

IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$
- SUTVA
 - $D(z) = D(z')$ if $z = z'$
 - $Y(z, d) = Y(z', d')$
- Exclusion Restriction
 - $Y_i(z = 1, d) = Y_i(z = 0, d)$ for $d = 0, 1$

IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$
- SUTVA
 - $D(z) = D(z')$ if $z = z'$
 - $Y(z, d) = Y(z', d')$
- Exclusion Restriction
 - $Y_i(z = 1, d) = Y_i(z = 0, d)$ for $d = 0, 1$
- Relevance

IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$
- SUTVA
 - $D(z) = D(z')$ if $z = z'$
 - $Y(z, d) = Y(z', d')$
- Exclusion Restriction
 - $Y_i(z = 1, d) = Y_i(z = 0, d)$ for $d = 0, 1$
- Relevance
 - $\text{Cov}(D_i, Z_i) \neq 0$

IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$
- SUTVA
 - $D(z) = D(z')$ if $z = z'$
 - $Y(z, d) = Y(z', d')$
- Exclusion Restriction
 - $Y_i(z = 1, d) = Y_i(z = 0, d)$ for $d = 0, 1$
- Relevance
 - $\text{Cov}(D_i, Z_i) \neq 0$
- Monotonicity


IV ASSUMPTIONS

Which are directly testable from data?

- Ignorability (Exogeneity)
 - $\{Y_i(z, d), D_i(1), D_i(0)\} \perp\!\!\!\perp Z_i$
- SUTVA
 - $D(z) = D(z')$ if $z = z'$
 - $Y(z, d) = Y(z', d')$
- Exclusion Restriction
 - $Y_i(z = 1, d) = Y_i(z = 0, d)$ for $d = 0, 1$
- Relevance
 - $\text{Cov}(D_i, Z_i) \neq 0$
- Monotonicity
 - $D_i(1) \geq D_i(0)$ for all i


VALID INSTRUMENTS

- Let's play a game: is Z a valid instrument that identifies a causal effect of D on Y ?




VALID INSTRUMENTS

- Can we test the exclusion restriction by checking the association between Z and Y after conditioning on D ?




VALID INSTRUMENTS

- and here? Suppose the instrument Z is unobserved, but we have a proxy V .




VALID INSTRUMENTS

- Can we make this one work?




VALID INSTRUMENTS

- Can we make this one work?¹



¹Note that this is now a conditional instrument and we adjust our assumptions accordingly. I.e., $\{Y(z, d), D(1), D(0)\} \perp Z|X$

VIOLATING IV ASSUMPTIONS



REVIEW LATE FRAMEWORK

- For unit i , if $Z_i \in \{0, 1\}$ is the instrument (encouragement) and $D_i \in \{0, 1\}$ is treatment, then we have 4 principal strata (latent class variable C).

C_i	$D_i(z)$	
	$Z_i = 1$	$Z_i = 0$
Compliers	1	0
Always-takers	1	1
Never-takers	0	0
Defiers	0	1

REVIEW LATE FRAMEWORK

- For unit i , if $Z_i \in \{0, 1\}$ is the instrument (encouragement) and $D_i \in \{0, 1\}$ is treatment, then we have 4 principal strata (latent class variable C).

C_i	$D_i(z)$	
	$Z_i = 1$	$Z_i = 0$
Compliers	1	0
Always-takers	1	1
Never-takers	0	0
Defiers	0	1

- Can we determine which C unit i falls under from our observed data?

REVIEW LATE FRAMEWORK

- For unit i , if $Z_i \in \{0, 1\}$ is the instrument (encouragement) and $D_i \in \{0, 1\}$ is treatment, then we have 4 principal strata (latent class variable C).

C_i	$D_i(z)$	
	$Z_i = 1$	$Z_i = 0$
Compliers	1	0
Always-takers	1	1
Never-takers	0	0
Defiers	0	1

- Can we determine which C unit i falls under from our observed data?
- Say $Z_i = 1$ and $D_i = 0$. What type(s) could unit i be?

IV ESTIMAND AND 2SLS ESTIMATOR

- Intent-to-treat (ITT) effect: $\mathbb{E}[Y_i(z = 1) - Y_i(z = 0)]$

IV ESTIMAND AND 2SLS ESTIMATOR

- Intent-to-treat (ITT) effect: $\mathbb{E}[Y_i(z = 1) - Y_i(z = 0)]$
- ITT_d : $\mathbb{E}[D_i(z = 1) - D_i(z = 0)]$

IV ESTIMAND AND 2SLS ESTIMATOR

- Intent-to-treat (ITT) effect: $\mathbb{E}[Y_i(z = 1) - Y_i(z = 0)]$
- ITT_d : $\mathbb{E}[D_i(z = 1) - D_i(z = 0)]$
- Local Average Treatment Effect (LATE):² $= \frac{ITT}{ITT_d}$

²also known as Complier Average Causal Effect (CACE) ref. GG p.144 and p.180

IV ESTIMAND AND 2SLS ESTIMATOR

- Intent-to-treat (ITT) effect: $\mathbb{E}[Y_i(z = 1) - Y_i(z = 0)]$
- ITT_d : $\mathbb{E}[D_i(z = 1) - D_i(z = 0)]$
- Local Average Treatment Effect (LATE):² $= \frac{ITT}{ITT_d}$
- Can be estimated with 2SLS assuming monotonicity and excludability.

²also known as Complier Average Causal Effect (CACE) ref. GG p.144 and p.180

WEAK INSTRUMENTS

- If instrument(s) are so weak that there is no first stage, the 2SLS distribution is centered on the plim of OLS.

WEAK INSTRUMENTS

- If instrument(s) are so weak that there is no first stage, the 2SLS distribution is centered on the plim of OLS.
- Run a joint-significance test (f-test) under the null that your instrument(s) is/are weak.

WEAK INSTRUMENTS

- If instrument(s) are so weak that there is no first stage, the 2SLS distribution is centered on the plim of OLS.
- Run a joint-significance test (f-test) under the null that your instrument(s) is/are weak.
- The *rule of thumb* given by Staiger and Stock (1997) is a first-stage F-statistic > 10 (in which case, we may reject the null and conclude the instrument is relevant).³

³Stock and Yogo (2005) tabulate the critical values needed to reject null for some tolerable level of relative bias (between OLS and 2SLS estimator).

UNDER IDENTIFICATION

- Consider this regression model:

$$Y = \beta_0 + \beta_1 X + \beta_2 W + u$$

UNDER IDENTIFICATION

- Consider this regression model:

$$Y = \beta_0 + \beta_1 X + \beta_2 W + u$$

- X is your endogenous regressor

UNDER IDENTIFICATION

- Consider this regression model:

$$Y = \beta_0 + \beta_1 X + \beta_2 W + u$$

- X is your endogenous regressor
- W is an exogenous covariate

UNDER IDENTIFICATION

- Consider this regression model:

$$Y = \beta_0 + \beta_1 X + \beta_2 W + u$$

- X is your endogenous regressor
- W is an exogenous covariate
- You need one instrument, Z , to *just*-identify the IV model.

UNDER IDENTIFICATION

- Consider this regression model:

$$Y = \beta_0 + \beta_1 X + \beta_2 W + u$$

- X is your endogenous regressor
 - W is an exogenous covariate
 - You need one instrument, Z , to *just*-identify the IV model.
- Now suppose you have >1 endogenous regressors:

$$Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \dots \beta_k X_k + \gamma W + u$$

UNDER IDENTIFICATION

- Consider this regression model:

$$Y = \beta_0 + \beta_1 X + \beta_2 W + u$$

- X is your endogenous regressor
 - W is an exogenous covariate
 - You need one instrument, Z , to *just*-identify the IV model.
- Now suppose you have >1 endogenous regressors:

$$Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \dots \beta_k X_k + \gamma W + u$$

- X_1, X_2, \dots, X_k are your k endogenous regressors

UNDER IDENTIFICATION

- Consider this regression model:

$$Y = \beta_0 + \beta_1 X + \beta_2 W + u$$

- X is your endogenous regressor
 - W is an exogenous covariate
 - You need one instrument, Z , to *just*-identify the IV model.
- Now suppose you have >1 endogenous regressors:

$$Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \dots \beta_k X_k + \gamma W + u$$

- X_1, X_2, \dots, X_k are your k endogenous regressors
- And you have Z_1, \dots, Z_m instruments

UNDER IDENTIFICATION

- Consider this regression model:

$$Y = \beta_0 + \beta_1 X + \beta_2 W + u$$

- X is your endogenous regressor
 - W is an exogenous covariate
 - You need one instrument, Z , to *just*-identify the IV model.
- Now suppose you have >1 endogenous regressors:

$$Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \dots \beta_k X_k + \gamma W + u$$

- X_1, X_2, \dots, X_k are your k endogenous regressors
- And you have Z_1, \dots, Z_m instruments
- Where $m < k$ = underidentification, $m > k$ = overid, $m = k$ is just-identified.

OVER IDENTIFICATION

- When you have more instruments than endogenous regressors, you can conduct an overidentification test.

OVER IDENTIFICATION

- When you have more instruments than endogenous regressors, you can conduct an overidentification test.
- Sargan-Hansen Test (\mathcal{J} -test): the test statistic is $\mathcal{J} = mF$ where F is the F-statistic for the null that coefficients are jointly zero in $\hat{u} = \beta_0 + \beta_1 Z_1 + \dots + \beta_m Z_m + \gamma W + \nu$.

OVER IDENTIFICATION

- When you have more instruments than endogenous regressors, you can conduct an overidentification test.
- Sargan-Hansen Test (\mathcal{J} -test): the test statistic is $\mathcal{J} = mF$ where F is the F-statistic for the null that coefficients are jointly zero in $\hat{u} = \beta_0 + \beta_1 Z_1 + \dots + \beta_m Z_m + \gamma W + \nu$.
- $\mathcal{J} \sim \chi^2_{m-k}$ (k is number of endogenous regressors, m is number of instruments)

OVER IDENTIFICATION

- When you have more instruments than endogenous regressors, you can conduct an overidentification test.
- Sargan-Hansen Test (\mathcal{J} -test): the test statistic is $\mathcal{J} = mF$ where F is the F-statistic for the null that coefficients are jointly zero in $\hat{u} = \beta_0 + \beta_1 Z_1 + \dots + \beta_m Z_m + \gamma W + \nu$.
- $\mathcal{J} \sim \chi^2_{m-k}$ (k is number of endogenous regressors, m is number of instruments)
- Null hypothesis is that all instruments are uncorrelated with \hat{u}

OVER IDENTIFICATION

- When you have more instruments than endogenous regressors, you can conduct an overidentification test.
- Sargan-Hansen Test (\mathcal{J} -test): the test statistic is $\mathcal{J} = mF$ where F is the F-statistic for the null that coefficients are jointly zero in $\hat{u} = \beta_0 + \beta_1 Z_1 + \dots + \beta_m Z_m + \gamma W + \nu$.
- $\mathcal{J} \sim \chi^2_{m-k}$ (k is number of endogenous regressors, m is number of instruments)
- Null hypothesis is that all instruments are uncorrelated with \hat{u}
- Assumes homoskedasticity⁴

⁴if heteroskedastic, see Kleibergen–Paap rk Wald statistic

OVER IDENTIFICATION

- When you have more instruments than endogenous regressors, you can conduct an overidentification test.
- Sargan-Hansen Test (\mathcal{J} -test): the test statistic is $\mathcal{J} = mF$ where F is the F-statistic for the null that coefficients are jointly zero in $\hat{u} = \beta_0 + \beta_1 Z_1 + \dots + \beta_m Z_m + \gamma W + \nu$.
- $\mathcal{J} \sim \chi^2_{m-k}$ (k is number of endogenous regressors, m is number of instruments)
- Null hypothesis is that all instruments are uncorrelated with \hat{u}
- Assumes homoskedasticity⁴
- Is this really a test for exogeneity?

⁴if heteroskedastic, see Kleibergen–Paap rk Wald statistic

AER::IVREG()

```
ivmod <- ivreg(y ~ x1 + w1 | w1 + z1 + z2, data)
summary(ivmod, diagnostics = TRUE)$diagnostics
```

	df1	df2	statistic	p-value
## Weak instruments	2	60	17.4114496	1.089283e-06
## Wu-Hausman	1	60	34.3521510	2.093826e-07
## Sargan	1	NA	0.1457748	7.026062e-01

ADDITIONAL NOTES

LIMITED INFORMATION MAXIMUM LIKELIHOOD (LIML)

- Alternative to 2SLS is LIML estimator, which has better small sample properties than 2SLS