



```
In [1]: import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
df=pd.read_csv(r"D:\Study Materials\Generative AI\mtcars.csv")
df
```

Out[1]:

	model	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
<b>0</b>	Mazda RX4	21.0	6	160.0	110	3.90	2.620	16.46	0	1	4	4
<b>1</b>	Mazda RX4 Wag	21.0	6	160.0	110	3.90	2.875	17.02	0	1	4	4
<b>2</b>	Datsun 710	22.8	4	108.0	93	3.85	2.320	18.61	1	1	4	1
<b>3</b>	Hornet 4 Drive	21.4	6	258.0	110	3.08	3.215	19.44	1	0	3	1
<b>4</b>	Hornet Sportabout	18.7	8	360.0	175	3.15	3.440	17.02	0	0	3	2
<b>5</b>	Valiant	18.1	6	225.0	105	2.76	3.460	20.22	1	0	3	1
<b>6</b>	Duster 360	14.3	8	360.0	245	3.21	3.570	15.84	0	0	3	4
<b>7</b>	Merc 240D	24.4	4	146.7	62	3.69	3.190	20.00	1	0	4	2
<b>8</b>	Merc 230	22.8	4	140.8	95	3.92	3.150	22.90	1	0	4	2
<b>9</b>	Merc 280	19.2	6	167.6	123	3.92	3.440	18.30	1	0	4	4
<b>10</b>	Merc 280C	17.8	6	167.6	123	3.92	3.440	18.90	1	0	4	4
<b>11</b>	Merc 450SE	16.4	8	275.8	180	3.07	4.070	17.40	0	0	3	3
<b>12</b>	Merc 450SL	17.3	8	275.8	180	3.07	3.730	17.60	0	0	3	3
<b>13</b>	Merc 450SLC	15.2	8	275.8	180	3.07	3.780	18.00	0	0	3	3
<b>14</b>	Cadillac Fleetwood	10.4	8	472.0	205	2.93	5.250	17.98	0	0	3	4
<b>15</b>	Lincoln Continental	10.4	8	460.0	215	3.00	5.424	17.82	0	0	3	4
<b>16</b>	Chrysler Imperial	14.7	8	440.0	230	3.23	5.345	17.42	0	0	3	4
<b>17</b>	Fiat 128	32.4	4	78.7	66	4.08	2.200	19.47	1	1	4	1
<b>18</b>	Honda Civic	30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
<b>19</b>	Toyota Corolla	33.9	4	71.1	65	4.22	1.835	19.90	1	1	4	1
<b>20</b>	Toyota Corona	21.5	4	120.1	97	3.70	2.465	20.01	1	0	3	1
<b>21</b>	Dodge Challenger	15.5	8	318.0	150	2.76	3.520	16.87	0	0	3	2
<b>22</b>	AMC Javelin	15.2	8	304.0	150	3.15	3.435	17.30	0	0	3	2
<b>23</b>	Camaro Z28	13.3	8	350.0	245	3.73	3.840	15.41	0	0	3	4
<b>24</b>	Pontiac Firebird	19.2	8	400.0	175	3.08	3.845	17.05	0	0	3	2

	model	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
<b>25</b>	Fiat X1-9	27.3	4	79.0	66	4.08	1.935	18.90	1	1	4	1
<b>26</b>	Porsche 914-2	26.0	4	120.3	91	4.43	2.140	16.70	0	1	5	2
<b>27</b>	Lotus Europa	30.4	4	95.1	113	3.77	1.513	16.90	1	1	5	2
<b>28</b>	Ford Pantera L	15.8	8	351.0	264	4.22	3.170	14.50	0	1	5	4
<b>29</b>	Ferrari Dino	19.7	6	145.0	175	3.62	2.770	15.50	0	1	5	6
<b>30</b>	Maserati Bora	15.0	8	301.0	335	3.54	3.570	14.60	0	1	5	8
<b>31</b>	Volvo 142E	21.4	4	121.0	109	4.11	2.780	18.60	1	1	4	2

In [2]: `df.head()`

Out[2]:

	model	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
<b>0</b>	Mazda RX4	21.0	6	160.0	110	3.90	2.620	16.46	0	1	4	4
<b>1</b>	Mazda RX4 Wag	21.0	6	160.0	110	3.90	2.875	17.02	0	1	4	4
<b>2</b>	Datsun 710	22.8	4	108.0	93	3.85	2.320	18.61	1	1	4	1
<b>3</b>	Hornet 4 Drive	21.4	6	258.0	110	3.08	3.215	19.44	1	0	3	1
<b>4</b>	Hornet Sportabout	18.7	8	360.0	175	3.15	3.440	17.02	0	0	3	2

In [3]: `df.tail()`

Out[3]:

	model	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
<b>27</b>	Lotus Europa	30.4	4	95.1	113	3.77	1.513	16.9	1	1	5	2
<b>28</b>	Ford Pantera L	15.8	8	351.0	264	4.22	3.170	14.5	0	1	5	4
<b>29</b>	Ferrari Dino	19.7	6	145.0	175	3.62	2.770	15.5	0	1	5	6
<b>30</b>	Maserati Bora	15.0	8	301.0	335	3.54	3.570	14.6	0	1	5	8
<b>31</b>	Volvo 142E	21.4	4	121.0	109	4.11	2.780	18.6	1	1	4	2

In [4]: `df.info()`


```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 32 entries, 0 to 31
Data columns (total 12 columns):
#   Column  Non-Null Count  Dtype  
---  -
0   model    32 non-null     object  
1   mpg      32 non-null     float64  
2   cyl      32 non-null     int64  
3   disp     32 non-null     float64  
4   hp       32 non-null     int64  
5   drat     32 non-null     float64  
6   wt       32 non-null     float64  
7   qsec     32 non-null     float64  
8   vs       32 non-null     int64  
9   am       32 non-null     int64  
10  gear     32 non-null     int64  
11  carb     32 non-null     int64  
dtypes: float64(5), int64(6), object(1)
memory usage: 3.1+ KB

```


```
In [5]: sns.countplot(x='cyl', data=df, hue='cyl')
```

```
Out[5]: <Axes: xlabel='cyl', ylabel='count'>
```




```
In [6]: sns.countplot(x='hp', data=df, hue='hp')
```

```
Out[6]: <Axes: xlabel='hp', ylabel='count'>
```




```
In [7]: sns.countplot(x='gear', data=df, hue='gear')
```

```
Out[7]: <Axes: xlabel='gear', ylabel='count'>
```




```
In [8]: sns.countplot(x='model', data=df, hue='model')
```

```
Out[8]: <Axes: xlabel='model', ylabel='count'>
```



```
In [9]: numeric_df = df.select_dtypes(include=['number']) #keeps only numeric
sns.heatmap(numeric_df.corr(),annot=True)#show how two variables are corelated
```

```
Out[9]: <Axes: >
```



In [ ]: