

Career Operations Intelligence Platform

Data Model Specification

Overview

This document defines the canonical data structures used throughout the platform.

The purpose of these models is to establish a consistent contract between workflows, prompts, scripts, and reporting layers.

All downstream processing assumes these structures remain stable.

Opportunity Object

The Opportunity Object represents a normalized employment opportunity extracted from source material.

Schema

```
{
  "job_id": "",
  "title": "",
  "company": "",
  "location": "",
  "description": "",
  "candidate_urls": [],
  "source_email_ids": [],
  "confidence": 0.0,
  "flags": [],
  "extraction_timestamp": ""
}
```

Field Definitions

Field	Type	Required	Description
job_id	string	Yes	Stable identifier generated during canonicalization
title	string	Yes	Job title
company	string	Yes	Employer name
location	string	No	Location extracted from source
description	string	No	Extracted job description
candidate_urls	array	No	URLs associated with the opportunity
source_email_ids	array	No	Source message identifiers
confidence	float	Yes	Extraction confidence
flags	array	No	Extraction warnings
extraction_timestamp	string	Yes	ISO timestamp

Ranked Opportunity Object

Represents a scored and evaluated opportunity produced by Workflow A.

Schema

```
{
  "rank": 1,
  "title": "",
  "company": "",
  "location": "",
  "fit_score": 0,
  "recommendation": "",
  "confidence": 0.0,
  "trajectory_alignment": "",
  "why_good_fit": "",
  "career_capital": "",
  "institutional_training_value": "",
  "risks": ""
}
```

```
}
```

Recommendation Values

Valid values:

- PRIORITY APPLY
 - APPLY
 - REVIEW
 - SKIP
-

Daily Brief Object

Represents the summary generated for Obsidian.

Schema

```
{  
  "generated_at": "",  
  "jobs_reviewed": 0,  
  "priority_apply": 0,  
  "apply": 0,  
  "review": 0,  
  "skip": 0,  
  "average_confidence": 0.0  
}
```

Resume Profile Object

Represents a strategic resume track available to Workflow B.

Schema

```
{  
  "resume_id": "",  
  "primary_type": "",  
}
```

```
"focus_areas": [],  
"skills": []  
}
```

Current Resume Types

- Operations Leadership
 - Implementation & Operations
 - Program Operations
 - Program Coordinator / PMO
-

Resume Routing Result

Represents the output generated by Workflow B.

Schema

```
{  
  "company": "",  
  "title": "",  
  "recommended_resume": "",  
  "confidence": 0.0,  
  "skills_additions": [],  
  "skills_removals": [],  
  "flags": []  
}
```

Field Definitions

recommended_resume

Selected resume profile judged most appropriate for the opportunity.

skills_additions

ATS-relevant terminology present in the job description but absent from the selected resume profile.

skills_removals

Low-value or less relevant terminology that may be removable if space constraints exist.

flags

Warnings generated during routing.

Workflow Metrics Object

Represents operational telemetry generated during workflow execution.

Schema

```
{  
  "emails_processed": 0,  
  "jobs_extracted": 0,  
  "duplicates_removed": 0,  
  "jobs_ranked": 0,  
  "average_confidence": 0.0,  
  "runtime_seconds": 0  
}
```

Data Lifecycle

Workflow A:

Email → Opportunity Object → Ranked Opportunity Object → Daily Brief

Workflow B:

Job Description → Resume Profile Comparison → Resume Routing Result → Routing Report

These models represent the canonical contracts between all major platform components.