OGRDBstats Report

Contents

1 Novel sequence analysis **2**
1.1 End-nucleotide composition 2
1.2 Per-nucleotide consensus where previous nucleotides match the consensus 2
1.3 Whole-sequence composition of each assigned read 2
1.4 Final three nucleotides: frequency of each observed triplet 2
1.5 CDR3 length distribution, in assignments to novel alleles 3

2 Variation from germline, in assignments to each allele **4**

3 Allele usage in potential haplotype anchor genes **8**

4 Haplotype plots **9**

5 Configuration settings **10**

1 Novel sequence analysis

1.1 End-nucleotide composition



1.2 Per-nucleotide consensus where previous nucleotides match the consensus



1.3 Whole-sequence composition of each assigned read



1.4 Final three nucleotides: frequency of each observed triplet



1.5 CDR3 length distribution, in assignments to novel alleles



2 Variation from germline, in assignments to each allele




IGLV2−18*02
13 sequences assigned
10 (76.9%) exact matches, in which:
9 unique CDR3
3 unique J
IGLV2−23*03
220 sequences assigned
182 (82.7%) exact matches, in which:
139 unique CDR3
3 unique J
IGLV3−1*01
85 sequences assigned
75 (88.2%) exact matches, in which:
61 unique CDR3
3 unique J
IGLV3−9*01
14 sequences assigned
7 (50%) exact matches, in which:
5 unique CDR3
2 unique J
IGLV3−10*01
29 sequences assigned
26 (89.7%) exact matches, in which:
24 unique CDR3
3 unique J
IGLV3−16*01
2 sequences assigned
2 (100%) exact matches, in which:
2 unique CDR3
1 unique J
IGLV3−19*01
56 sequences assigned
46 (82.1%) exact matches, in which:
37 unique CDR3
3 unique J
IGLV3−21*02
39 sequences assigned
32 (82.1%) exact matches, in which:
26 unique CDR3
3 unique J
IGLV3−21*04
50 sequences assigned
39 (78%) exact matches, in which:
31 unique CDR3
4 unique J
IGLV3−22*01
1 sequences assigned
1 (100%) exact matches, in which:
1 unique CDR3
1 unique J
IGLV3−25*02
28 sequences assigned
25 (89.3%) exact matches, in which:
22 unique CDR3
3 unique J
IGLV3−25*03
36 sequences assigned
32 (88.9%) exact matches, in which:
24 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV3−27*01
4 sequences assigned
4 (100%) exact matches, in which:
4 unique CDR3
2 unique J
IGLV4−60*03_c259t
1 sequences assigned
1 (100%) exact matches, in which:
1 unique CDR3
1 unique J
IGLV4−69*01
29 sequences assigned
25 (86.2%) exact matches, in which:
21 unique CDR3
3 unique J
IGLV5−39*01
3 sequences assigned
3 (100%) exact matches, in which:
3 unique CDR3
2 unique J
IGLV5−45*01
6 sequences assigned
6 (100%) exact matches, in which:
5 unique CDR3
2 unique J
IGLV5−45*03
9 sequences assigned
9 (100%) exact matches, in which:
7 unique CDR3
3 unique J
IGLV5−52*01
1 sequences assigned
1 (100%) exact matches, in which:
1 unique CDR3
1 unique J
IGLV6−57*02
17 sequences assigned
14 (82.4%) exact matches, in which:
14 unique CDR3
4 unique J
IGLV7−43*01
17 sequences assigned
14 (82.4%) exact matches, in which:
13 unique CDR3
3 unique J
IGLV7−46*01
10 sequences assigned
10 (100%) exact matches, in which:
10 unique CDR3
4 unique J
IGLV7−46*04
6 sequences assigned
5 (83.3%) exact matches, in which:
5 unique CDR3
2 unique J
IGLV8−61*01
15 sequences assigned
13 (86.7%) exact matches, in which:
11 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV9−49*01
9 sequences assigned
7 (77.8%) exact matches, in which:
7 unique CDR3
2 unique J
Count
0
2
4
6
0
4
8
12
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/unpublished_PRJEB58016/I14/I14/I14_IGL/I14_IGL/a3/fc22dcee3769db3f1e5
##
## Germline reference file: /work/jenkins/unpublished_PRJEB58016/I14/I14/I14_IGL/I14_IGL/a3/fc22dcee376
##
## Novel allele file: /work/jenkins/unpublished_PRJEB58016/I14/I14/I14_IGL/I14_IGL/a3/fc22dcee3769db3f1
##
## Species: Homosapiens
##
## Chain: IGLV
##
## Segment: V
```