OGRDBstats Report

Contents

1 Novel sequence analysis **2**
- 1.1 End-nucleotide composition 2
- 1.2 Per-nucleotide consensus where previous nucleotides match the consensus 4
- 1.3 Whole-sequence composition of each assigned read 6
- 1.4 Final three nucleotides: frequency of each observed triplet 7
- 1.5 CDR3 length distribution, in assignments to novel alleles 8

2 Variation from germline, in assignments to each allele **10**

3 Allele usage in potential haplotype anchor genes **18**

4 Haplotype plots **19**

5 Configuration settings **20**

1 Novel sequence analysis

1.1 End-nucleotide composition


















Gene IGHV4−34*01_T300C
Gene IGHV4−59*12_C300T
Gene IGHV4−61*01_i04_T288C_G291A
Gene IGHV4−61*01_i04_G88A_G103A
Gene IGHV4−NL1*01_C300T
Gene IGHV4−NL1*01_A237C_C300T
Count
Position
315
320
A
C
G
T

1.2 Per-nucleotide consensus where previous nucleotides match the consensus


















Gene IGHV4−34*01_T300C
Gene IGHV4−59*12_C300T
Gene IGHV4−61*01_i04_T288C_G291A
Gene IGHV4−61*01_i04_G88A_G103A
Gene IGHV4−NL1*01_C300T
Gene IGHV4−NL1*01_A237C_C300T
% share
Contributing Reads
Position
A
C
G
T

1.3 Whole-sequence composition of each assigned read





1.4 Final three nucleotides: frequency of each observed triplet





1.5 CDR3 length distribution, in assignments to novel alleles




IGHV4−59*12_C300T
IGHV4−61*01_i04_T288C_G291A
IGHV4−61*01_i04_G88A_G103A
IGHV4−NL1*01_C300T
IGHV4−NL1*01_A237C_C300T
Count
CDR3 AA Length (unmutated)

2 Variation from germline, in assignments to each allele


























IGHV1−69−2*01
33 sequences assigned
2 (6.1%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV1−69*01_12_13
13627 sequences assigned
3551 (26.1%) exact matches, in which:
3116 unique CDR3
7 unique J
IGHV1−69*04_09
7139 sequences assigned
1842 (25.8%) exact matches, in which:
1657 unique CDR3
7 unique J
IGHV1−69*06_14
8572 sequences assigned
2588 (30.2%) exact matches, in which:
2322 unique CDR3
7 unique J
IGHV2−5*01
2274 sequences assigned
390 (17.2%) exact matches, in which:
326 unique CDR3
6 unique J
IGHV2−26*01
242 sequences assigned
91 (37.6%) exact matches, in which:
80 unique CDR3
5 unique J
IGHV2−26*04
43 sequences assigned
17 (39.5%) exact matches, in which:
16 unique CDR3
4 unique J
IGHV2−70*01
1615 sequences assigned
200 (12.4%) exact matches, in which:
175 unique CDR3
6 unique J
IGHV2−70*15
1095 sequences assigned
154 (14.1%) exact matches, in which:
129 unique CDR3
6 unique J
IGHV2−70D*04
454 sequences assigned
123 (27.1%) exact matches, in which:
103 unique CDR3
6 unique J
IGHV3−7*01
13905 sequences assigned
2067 (14.9%) exact matches, in which:
1656 unique CDR3
7 unique J
IGHV3−9*01
13124 sequences assigned
2274 (17.3%) exact matches, in which:
1760 unique CDR3
7 unique J
Count
Nucleotide Difference


IGHV3−11*01
7575 sequences assigned
1425 (18.8%) exact matches, in which:
1143 unique CDR3
7 unique J
IGHV3−13*01
930 sequences assigned
403 (43.3%) exact matches, in which:
305 unique CDR3
7 unique J
IGHV3−13*06
81 sequences assigned
4 (4.9%) exact matches, in which:
4 unique CDR3
3 unique J
IGHV3−15*01
4023 sequences assigned
941 (23.4%) exact matches, in which:
760 unique CDR3
7 unique J
IGHV3−20*04
1024 sequences assigned
1 (0.1%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−20*01_02
395 sequences assigned
51 (12.9%) exact matches, in which:
40 unique CDR3
6 unique J
IGHV3−21*01
23280 sequences assigned
3663 (15.7%) exact matches, in which:
2802 unique CDR3
7 unique J
IGHV3−23*01_04
31374 sequences assigned
5558 (17.7%) exact matches, in which:
3992 unique CDR3
7 unique J
IGHV3−23*01_04_C300T_A303G_
6258 sequences assigned
824 (13.2%) exact matches, in which:
806 unique CDR3
7 unique J
IGHV3−30−3*01
174 sequences assigned
1 (0.6%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−30*03
6379 sequences assigned
793 (12.4%) exact matches, in which:
677 unique CDR3
7 unique J
IGHV3−30*04
5284 sequences assigned
1461 (27.6%) exact matches, in which:
1167 unique CDR3
7 unique J
Count
Nucleotide Difference


IGHV3−30*03_T288C
1333 sequences assigned
202 (15.2%) exact matches, in which:
201 unique CDR3
7 unique J
IGHV3−33*01
4829 sequences assigned
1182 (24.5%) exact matches, in which:
1022 unique CDR3
7 unique J
IGHV3−33*08
8224 sequences assigned
1893 (23%) exact matches, in which:
1609 unique CDR3
7 unique J
IGHV3−35*01
4 sequences assigned
2 (50%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV3−43*01
376 sequences assigned
23 (6.1%) exact matches, in which:
19 unique CDR3
4 unique J
IGHV3−48*01
4561 sequences assigned
943 (20.7%) exact matches, in which:
763 unique CDR3
7 unique J
IGHV3−48*02
3742 sequences assigned
1064 (28.4%) exact matches, in which:
778 unique CDR3
7 unique J
IGHV3−49*03_05
2558 sequences assigned
515 (20.1%) exact matches, in which:
401 unique CDR3
7 unique J
IGHV3−53*01_02
4782 sequences assigned
659 (13.8%) exact matches, in which:
519 unique CDR3
7 unique J
IGHV3−53*01_02_T267G_G303A_
1118 sequences assigned
82 (7.3%) exact matches, in which:
82 unique CDR3
6 unique J
IGHV3−64*01
259 sequences assigned
97 (37.5%) exact matches, in which:
70 unique CDR3
5 unique J
IGHV3−64*02_07
97 sequences assigned
8 (8.2%) exact matches, in which:
6 unique CDR3
2 unique J
Count
Nucleotide Difference



IGHV3−66*01
3898 sequences assigned
510 (13.1%) exact matches, in which:
425 unique CDR3
7 unique J
IGHV3−69−1*01
86 sequences assigned
14 (16.3%) exact matches, in which:
14 unique CDR3
5 unique J
IGHV3−69−1*02
49 sequences assigned
No exact matches.
IGHV3−72*01
832 sequences assigned
70 (8.4%) exact matches, in which:
57 unique CDR3
6 unique J
IGHV3−73*01_02
857 sequences assigned
291 (34%) exact matches, in which:
239 unique CDR3
7 unique J
IGHV3−74*01
12416 sequences assigned
630 (5.1%) exact matches, in which:
451 unique CDR3
7 unique J
IGHV3−74*01_A315G
2826 sequences assigned
143 (5.1%) exact matches, in which:
142 unique CDR3
7 unique J
IGHV3−74*01_T279C_A315G
1763 sequences assigned
75 (4.3%) exact matches, in which:
75 unique CDR3
7 unique J
IGHV3−64D*06
3 sequences assigned
No exact matches.
IGHV3−NL1*01
68 sequences assigned
No exact matches.
IGHV4−4*09
477 sequences assigned
No exact matches.
IGHV4−4*02_03
24 sequences assigned
4 (16.7%) exact matches, in which:
4 unique CDR3
3 unique J
Count
Nucleotide Difference


IGHV4−4*08_C136G_A138C_T163
466 sequences assigned
71 (15.2%) exact matches, in which:
71 unique CDR3
7 unique J
IGHV4−28*03
9 sequences assigned
No exact matches.
IGHV4−28*01_07
64 sequences assigned
6 (9.4%) exact matches, in which:
5 unique CDR3
3 unique J
IGHV4−30−2*01
700 sequences assigned
246 (35.1%) exact matches, in which:
179 unique CDR3
7 unique J
IGHV4−30−4*01
23 sequences assigned
3 (13%) exact matches, in which:
3 unique CDR3
2 unique J
IGHV4−30−4*07
28 sequences assigned
No exact matches.
IGHV4−30−4*08
7 sequences assigned
No exact matches.
IGHV4−30−2*01_C315G
597 sequences assigned
76 (12.7%) exact matches, in which:
76 unique CDR3
7 unique J
IGHV4−31*03
4212 sequences assigned
806 (19.1%) exact matches, in which:
707 unique CDR3
7 unique J
IGHV4−34*01
23664 sequences assigned
6513 (27.5%) exact matches, in which:
5315 unique CDR3
7 unique J
IGHV4−34*01_T300C
4882 sequences assigned
519 (10.6%) exact matches, in which:
512 unique CDR3
7 unique J
IGHV4−38−2*01
21 sequences assigned
5 (23.8%) exact matches, in which:
5 unique CDR3
4 unique J
Count
Nucleotide Difference


IGHV4−39*01_08
20392 sequences assigned
3846 (18.9%) exact matches, in which:
3049 unique CDR3
7 unique J
IGHV4−59*01
18436 sequences assigned
4228 (22.9%) exact matches, in which:
3455 unique CDR3
7 unique J
IGHV4−59*12
2368 sequences assigned
342 (14.4%) exact matches, in which:
331 unique CDR3
7 unique J
IGHV4−59*12_C300T
2558 sequences assigned
1195 (46.7%) exact matches, in which:
1165 unique CDR3
7 unique J
IGHV4−61*01_i04
2128 sequences assigned
724 (34%) exact matches, in which:
676 unique CDR3
7 unique J
IGHV4−61*01_i04_G88A_G103A
1299 sequences assigned
176 (13.5%) exact matches, in which:
174 unique CDR3
7 unique J
IGHV4−61*01_i04_T288C_G291A
420 sequences assigned
94 (22.4%) exact matches, in which:
92 unique CDR3
6 unique J
IGHV4−NL1*01
7984 sequences assigned
1301 (16.3%) exact matches, in which:
1076 unique CDR3
7 unique J
IGHV4−NL1*01_A237C_C300T
1079 sequences assigned
226 (20.9%) exact matches, in which:
226 unique CDR3
7 unique J
IGHV4−NL1*01_C300T
870 sequences assigned
482 (55.4%) exact matches, in which:
471 unique CDR3
7 unique J
IGHV5−10−1*01_03
3 sequences assigned
No exact matches.
IGHV5−51*01_03
17185 sequences assigned
2632 (15.3%) exact matches, in which:
1799 unique CDR3
7 unique J
Count
Nucleotide Difference


IGHV6−1*01
2096 sequences assigned
247 (11.8%) exact matches, in which:
208 unique CDR3
7 unique J
Count
300
200
100
0
0
5
10
15
20
Nucleotide Difference


IGHV7−4−1*02
3 sequences assigned
No exact matches.
Count
1.00
0.75
0.50
0.25
0.00
0
5
10
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots



5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64 065/M64 065/M64 065/M64 065/61/b5d457da917ce4198
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64 065/M64 065/M64 065/M64 065/61/b5d457da9
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64 065/M64 065/M64 065/M64 065/61/b5d457da917ce41
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 03: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 03_T288C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 53 01_02: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 53 01_02_T267G_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 74 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_A315G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 74 01_T279C_A315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 4 09: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 4 08_C136G_A138C_T163C_A164G_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 30 2 01: replacing with gap
```

```
##
##
## Unexpected N in novel sequence IGHV4 30 2 01_C315G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 61 01_i04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_T288C_G291A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 61 01_i04_G88A_G103A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_A237C_C300T: replacing with gap
```