OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition





1.2 Per-nucleotide consensus where previous nucleotides match the consensus





1.3 Whole-sequence composition of each assigned read





1.4 Final three nucleotides: frequency of each observed triplet





1.5 CDR3 length distribution, in assignments to novel alleles





2 Variation from germline, in assignments to each allele




IGLV2−18*01
7 sequences assigned
4 (57.1%) exact matches, in which:
4 unique CDR3
2 unique J
Count
Nucleotide Difference
IGLV2−18*02
3 sequences assigned
1 (33.3%) exact matches, in which:
1 unique CDR3
1 unique J
Count
Nucleotide Difference
IGLV2−23*02
54 sequences assigned
41 (75.9%) exact matches, in which:
41 unique CDR3
4 unique J
Count
Nucleotide Difference
IGLV2−23*03
55 sequences assigned
42 (76.4%) exact matches, in which:
42 unique CDR3
4 unique J
Count
Nucleotide Difference
IGLV3−1*01
386 sequences assigned
245 (63.5%) exact matches, in which:
208 unique CDR3
3 unique J
Count
Nucleotide Difference
IGLV3−9*01
20 sequences assigned
14 (70%) exact matches, in which:
14 unique CDR3
3 unique J
Count
Nucleotide Difference
IGLV3−10*01
42 sequences assigned
32 (76.2%) exact matches, in which:
30 unique CDR3
3 unique J
Count
Nucleotide Difference
IGLV3−12*02
1 sequences assigned
No exact matches.
Count
Nucleotide Difference
IGLV3−16*01
5 sequences assigned
4 (80%) exact matches, in which:
4 unique CDR3
2 unique J
Count
Nucleotide Difference
IGLV3−19*01
105 sequences assigned
68 (64.8%) exact matches, in which:
61 unique CDR3
4 unique J
Count
Nucleotide Difference
IGLV3−21*02
90 sequences assigned
49 (54.4%) exact matches, in which:
46 unique CDR3
3 unique J
Count
Nucleotide Difference
IGLV3−21*03
69 sequences assigned
41 (59.4%) exact matches, in which:
36 unique CDR3
4 unique J
Count
Nucleotide Difference


IGLV3−25*03
73 sequences assigned
48 (65.8%) exact matches, in which:
45 unique CDR3
4 unique J
IGLV3−27*01
3 sequences assigned
2 (66.7%) exact matches, in which:
2 unique CDR3
2 unique J
IGLV4−3*01
2 sequences assigned
1 (50%) exact matches, in which:
1 unique CDR3
1 unique J
IGLV4−60*03
6 sequences assigned
4 (66.7%) exact matches, in which:
3 unique CDR3
1 unique J
IGLV4−69*01
36 sequences assigned
25 (69.4%) exact matches, in which:
23 unique CDR3
3 unique J
IGLV5−37*03
3 sequences assigned
3 (100%) exact matches, in which:
3 unique CDR3
2 unique J
IGLV5−39*01
6 sequences assigned
4 (66.7%) exact matches, in which:
4 unique CDR3
2 unique J
IGLV5−45*01
8 sequences assigned
7 (87.5%) exact matches, in which:
6 unique CDR3
3 unique J
IGLV5−45*03
7 sequences assigned
4 (57.1%) exact matches, in which:
4 unique CDR3
3 unique J
IGLV5−52*01
3 sequences assigned
3 (100%) exact matches, in which:
3 unique CDR3
2 unique J
IGLV6−57*02
16 sequences assigned
11 (68.8%) exact matches, in which:
11 unique CDR3
3 unique J
IGLV6−57*04
15 sequences assigned
13 (86.7%) exact matches, in which:
12 unique CDR3
4 unique J
Count
Nucleotide Difference


IGLV7−43*01
35 sequences assigned
23 (65.7%) exact matches, in which:
21 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV7−46*01
31 sequences assigned
12 (38.7%) exact matches, in which:
11 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV7−46*04
25 sequences assigned
11 (44%) exact matches, in which:
11 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV8−61*01
8 sequences assigned
3 (37.5%) exact matches, in which:
3 unique CDR3
1 unique J
Count
Nucleotide Difference


IGLV8−61*02
2 sequences assigned
2 (100%) exact matches, in which:
2 unique CDR3
2 unique J
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJEB26509/S34/S34/34_IGL/34_IGL/75/4b9e3aeb2d3cf5ea1bd39b96890eeb/34_
##
## Germline reference file: /work/jenkins/PRJEB26509/S34/S34/34_IGL/34_IGL/75/4b9e3aeb2d3cf5ea1bd39b9689
##
## Novel allele file: /work/jenkins/PRJEB26509/S34/S34/34_IGL/34_IGL/75/4b9e3aeb2d3cf5ea1bd39b96890eeb/n
##
## Species: Homosapiens
##
## Chain: IGLV
##
## Segment: V
```