OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition









1.2 Per-nucleotide consensus where previous nucleotides match the consensus









1.3 Whole-sequence composition of each assigned read









1.4 Final three nucleotides: frequency of each observed triplet









1.5 CDR3 length distribution, in assignments to novel alleles



2 Variation from germline, in assignments to each allele




IGKV2−24*01
81 sequences assigned
69 (85.2%) exact matches, in which:
60 unique CDR3
5 unique J
IGKV2−28*01
1499 sequences assigned
1204 (80.3%) exact matches, in which:
826 unique CDR3
5 unique J
IGKV2−30*01
332 sequences assigned
272 (81.9%) exact matches, in which:
227 unique CDR3
5 unique J
IGKV3−7*04
15 sequences assigned
14 (93.3%) exact matches, in which:
13 unique CDR3
4 unique J
IGKV3−11*01
2359 sequences assigned
1723 (73%) exact matches, in which:
1208 unique CDR3
5 unique J
IGKV3−15*01
1851 sequences assigned
1323 (71.5%) exact matches, in which:
927 unique CDR3
5 unique J
IGKV3−20*01
2568 sequences assigned
1870 (72.8%) exact matches, in which:
1318 unique CDR3
5 unique J
IGKV4−1*01
753 sequences assigned
448 (59.5%) exact matches, in which:
258 unique CDR3
5 unique J
IGKV4−1*01_T333G
434 sequences assigned
190 (43.8%) exact matches, in which:
79 unique CDR3
5 unique J
IGKV5−2*01
52 sequences assigned
46 (88.5%) exact matches, in which:
38 unique CDR3
4 unique J
IGKV3D−7*01
8 sequences assigned
7 (87.5%) exact matches, in which:
7 unique CDR3
3 unique J
IGKV1D−8*01
113 sequences assigned
55 (48.7%) exact matches, in which:
42 unique CDR3
5 unique J
Count
Nucleotide Difference



IGKV3D−11*01
10 sequences assigned
10 (100%) exact matches, in which:
9 unique CDR3
3 unique J
Count
Nucleotide Difference
IGKV3D−11*02
6 sequences assigned
4 (66.7%) exact matches, in which:
4 unique CDR3
3 unique J
Count
Nucleotide Difference
IGKV1D−12*01
96 sequences assigned
77 (80.2%) exact matches, in which:
63 unique CDR3
5 unique J
Count
Nucleotide Difference
IGKV1D−13*02
348 sequences assigned
287 (82.5%) exact matches, in which:
229 unique CDR3
5 unique J
Count
Nucleotide Difference
IGKV3D−15*01
74 sequences assigned
61 (82.4%) exact matches, in which:
54 unique CDR3
5 unique J
Count
Nucleotide Difference
IGKV3D−15*03_T278G
64 sequences assigned
53 (82.8%) exact matches, in which:
44 unique CDR3
5 unique J
Count
Nucleotide Difference
IGKV1D−16*01
44 sequences assigned
33 (75%) exact matches, in which:
25 unique CDR3
5 unique J
Count
Nucleotide Difference
IGKV3D−20*01
104 sequences assigned
70 (67.3%) exact matches, in which:
65 unique CDR3
5 unique J
Count
Nucleotide Difference
IGKV6D−21*01
71 sequences assigned
60 (84.5%) exact matches, in which:
48 unique CDR3
5 unique J
Count
Nucleotide Difference
IGKV6D−21*02
17 sequences assigned
15 (88.2%) exact matches, in which:
14 unique CDR3
5 unique J
Count
Nucleotide Difference
IGKV6D−21*01_A85G_A164C_G1
18 sequences assigned
12 (66.7%) exact matches, in which:
2 unique CDR3
1 unique J
Count
Nucleotide Difference
IGKV2D−24*01
6 sequences assigned
6 (100%) exact matches, in which:
6 unique CDR3
4 unique J
Count
Nucleotide Difference


IGKV2D−26*03
15 sequences assigned
3 (20%) exact matches, in which:
3 unique CDR3
3 unique J
IGKV2D−29*01
133 sequences assigned
104 (78.2%) exact matches, in which:
88 unique CDR3
5 unique J
IGKV2D−30*01
29 sequences assigned
27 (93.1%) exact matches, in which:
24 unique CDR3
5 unique J
IGKV1D−33*01
1532 sequences assigned
1191 (77.7%) exact matches, in which:
840 unique CDR3
5 unique J
IGKV2D−40*01
97 sequences assigned
75 (77.3%) exact matches, in which:
56 unique CDR3
5 unique J
IGKV6D−41*01
4 sequences assigned
3 (75%) exact matches, in which:
3 unique CDR3
2 unique J
IGKV1D−43*01
28 sequences assigned
25 (89.3%) exact matches, in which:
23 unique CDR3
5 unique J
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /work/jenkins/PRJEB26509/S27/S27/27_IGK/27_IGK/87/c3ea7e678f02a745d662a41e1f4039/27_
##
## Germline reference file: /work/jenkins/PRJEB26509/S27/S27/27_IGK/27_IGK/87/c3ea7e678f02a745d662a41e1f
##
## Novel allele file: /work/jenkins/PRJEB26509/S27/S27/27_IGK/27_IGK/87/c3ea7e678f02a745d662a41e1f4039/r
##
## Species: Homosapiens
##
## Chain: IGKV
##
## Segment: V
```