OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition











1.2 Per-nucleotide consensus where previous nucleotides match the consensus










Gene IGHV3−30−3*01_T288C_T300C_G303A_G317A
Gene IGHV3−33*01_C288T
Gene IGHV4−34*01_T300C
Gene IGHV4−34*01_G291A
Gene IGHV4−34*01_C288T_T300C
Gene IGHV4−39*01_08_A291G
Gene IGHV4−59*12_C300T
Gene IGHV4−NL1*01_C300T
% share
Contributing Reads
Position
A
C
G
T

1.3 Whole-sequence composition of each assigned read























1.4 Final three nucleotides: frequency of each observed triplet

























1.5 CDR3 length distribution, in assignments to novel alleles



2 Variation from germline, in assignments to each allele




IGHV1−69−2*01
6 sequences assigned
No exact matches.
IGHV1−69*10
3559 sequences assigned
443 (12.4%) exact matches, in which:
437 unique CDR3
6 unique J
IGHV1−69*01_12_13
3805 sequences assigned
1098 (28.9%) exact matches, in which:
1064 unique CDR3
6 unique J
IGHV2−5*02
385 sequences assigned
28 (7.3%) exact matches, in which:
28 unique CDR3
4 unique J
IGHV2−26*01
37 sequences assigned
16 (43.2%) exact matches, in which:
16 unique CDR3
4 unique J
IGHV2−70*01
174 sequences assigned
12 (6.9%) exact matches, in which:
12 unique CDR3
3 unique J
IGHV2−70D*04
45 sequences assigned
5 (11.1%) exact matches, in which:
5 unique CDR3
4 unique J
IGHV3−7*01
775 sequences assigned
138 (17.8%) exact matches, in which:
136 unique CDR3
6 unique J
IGHV3−7*03
732 sequences assigned
107 (14.6%) exact matches, in which:
106 unique CDR3
4 unique J
IGHV3−9*01
1005 sequences assigned
105 (10.4%) exact matches, in which:
103 unique CDR3
6 unique J
IGHV3−11*01
622 sequences assigned
60 (9.6%) exact matches, in which:
57 unique CDR3
4 unique J
IGHV3−11*04
204 sequences assigned
21 (10.3%) exact matches, in which:
21 unique CDR3
4 unique J
Count
Nucleotide Difference


IGHV3−11*05
133 sequences assigned
1 (0.8%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−11*06
451 sequences assigned
27 (6%) exact matches, in which:
26 unique CDR3
5 unique J
IGHV3−13*01
32 sequences assigned
17 (53.1%) exact matches, in which:
17 unique CDR3
3 unique J
IGHV3−13*06
57 sequences assigned
No exact matches.
IGHV3−15*01
232 sequences assigned
31 (13.4%) exact matches, in which:
31 unique CDR3
5 unique J
IGHV3−15*07
447 sequences assigned
31 (6.9%) exact matches, in which:
31 unique CDR3
4 unique J
IGHV3−20*04
86 sequences assigned
2 (2.3%) exact matches, in which:
2 unique CDR3
1 unique J
IGHV3−21*01
1324 sequences assigned
245 (18.5%) exact matches, in which:
236 unique CDR3
5 unique J
IGHV3−23*01_04
5365 sequences assigned
800 (14.9%) exact matches, in which:
755 unique CDR3
6 unique J
IGHV3−23*01_04_C288T_C300T_
1068 sequences assigned
243 (22.8%) exact matches, in which:
241 unique CDR3
6 unique J
IGHV3−23*01_04_C300T_A303G_
1721 sequences assigned
146 (8.5%) exact matches, in which:
143 unique CDR3
6 unique J
IGHV3−30−3*01
2567 sequences assigned
807 (31.4%) exact matches, in which:
768 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV3−30*03
690 sequences assigned
72 (10.4%) exact matches, in which:
71 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV3−30*18
622 sequences assigned
66 (10.6%) exact matches, in which:
66 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV3−30−3*01_T288C
922 sequences assigned
136 (14.8%) exact matches, in which:
132 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV3−30−3*01_T288C_T300C_G
766 sequences assigned
143 (18.7%) exact matches, in which:
142 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV3−30*20
260 sequences assigned
34 (13.1%) exact matches, in which:
34 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV3−30*i02
178 sequences assigned
16 (9%) exact matches, in which:
16 unique CDR3
3 unique J
Count
Nucleotide Difference


IGHV3−33*01
1036 sequences assigned
201 (19.4%) exact matches, in which:
198 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV3−33*06
279 sequences assigned
14 (5%) exact matches, in which:
14 unique CDR3
4 unique J
Count
Nucleotide Difference


IGHV3−33*08
404 sequences assigned
37 (9.2%) exact matches, in which:
37 unique CDR3
4 unique J
Count
Nucleotide Difference


IGHV3−33*01_C288T
254 sequences assigned
116 (45.7%) exact matches, in which:
116 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV3−35*01
2 sequences assigned
No exact matches.
Count
Nucleotide Difference


IGHV3−43*01
72 sequences assigned
5 (6.9%) exact matches, in which:
5 unique CDR3
3 unique J
Count
Nucleotide Difference


IGHV3−48*01
700 sequences assigned
98 (14%) exact matches, in which:
95 unique CDR3
6 unique J
IGHV3−48*02
280 sequences assigned
64 (22.9%) exact matches, in which:
64 unique CDR3
4 unique J
IGHV3−48*04
210 sequences assigned
18 (8.6%) exact matches, in which:
18 unique CDR3
3 unique J
IGHV3−49*03_05
223 sequences assigned
24 (10.8%) exact matches, in which:
23 unique CDR3
4 unique J
IGHV3−53*05
21 sequences assigned
No exact matches.
IGHV3−53*01_02
1035 sequences assigned
108 (10.4%) exact matches, in which:
105 unique CDR3
6 unique J
IGHV3−64*01
47 sequences assigned
11 (23.4%) exact matches, in which:
10 unique CDR3
2 unique J
IGHV3−64*02_07
37 sequences assigned
No exact matches.
IGHV3−66*02
65 sequences assigned
No exact matches.
IGHV3−66*03
11 sequences assigned
1 (9.1%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV3−69−1*01
13 sequences assigned
3 (23.1%) exact matches, in which:
3 unique CDR3
2 unique J
IGHV3−72*01
54 sequences assigned
7 (13%) exact matches, in which:
7 unique CDR3
2 unique J
Count
Nucleotide Difference


IGHV3−73*01_02
91 sequences assigned
24 (26.4%) exact matches, in which:
24 unique CDR3
3 unique J
IGHV3−74*01
1170 sequences assigned
76 (6.5%) exact matches, in which:
69 unique CDR3
6 unique J
IGHV3−64D*06
702 sequences assigned
33 (4.7%) exact matches, in which:
31 unique CDR3
4 unique J
IGHV3−NL1*01
28 sequences assigned
No exact matches.
IGHV4−4*08
38 sequences assigned
No exact matches.
IGHV4−4*09
29 sequences assigned
No exact matches.
IGHV4−28*03
3 sequences assigned
No exact matches.
IGHV4−28*01_07
1 sequences assigned
1 (100%) exact matches, in which:
1 unique CDR3
1 unique J
IGHV4−30−2*01
764 sequences assigned
96 (12.6%) exact matches, in which:
91 unique CDR3
5 unique J
IGHV4−30−4*01
905 sequences assigned
78 (8.6%) exact matches, in which:
77 unique CDR3
5 unique J
IGHV4−30−4*08
151 sequences assigned
No exact matches.
IGHV4−31*03
2018 sequences assigned
190 (9.4%) exact matches, in which:
184 unique CDR3
6 unique J
Count
Nucleotide Difference


IGHV4−34*01
2229 sequences assigned
1055 (47.3%) exact matches, in which:
982 unique CDR3
6 unique J
IGHV4−34*01_C288T_T300C
631 sequences assigned
252 (39.9%) exact matches, in which:
247 unique CDR3
6 unique J
IGHV4−34*01_G291A
441 sequences assigned
117 (26.5%) exact matches, in which:
117 unique CDR3
5 unique J
IGHV4−34*01_T300C
686 sequences assigned
165 (24.1%) exact matches, in which:
162 unique CDR3
6 unique J
IGHV4−38−2*02
3 sequences assigned
No exact matches.
IGHV4−39*07
795 sequences assigned
5 (0.6%) exact matches, in which:
5 unique CDR3
2 unique J
IGHV4−39*01_08
1652 sequences assigned
299 (18.1%) exact matches, in which:
288 unique CDR3
6 unique J
IGHV4−39*01_08_A291G
197 sequences assigned
73 (37.1%) exact matches, in which:
73 unique CDR3
6 unique J
IGHV4−59*01
3329 sequences assigned
650 (19.5%) exact matches, in which:
626 unique CDR3
6 unique J
IGHV4−59*12
940 sequences assigned
98 (10.4%) exact matches, in which:
98 unique CDR3
5 unique J
IGHV4−59*12_C300T
748 sequences assigned
295 (39.4%) exact matches, in which:
291 unique CDR3
6 unique J
IGHV4−61*01_i04
1303 sequences assigned
66 (5.1%) exact matches, in which:
65 unique CDR3
5 unique J
Count
Nucleotide Difference


IGHV4−NL1*01
1311 sequences assigned
274 (20.9%) exact matches, in which:
267 unique CDR3
6 unique J
IGHV4−NL1*01_C300T
482 sequences assigned
72 (14.9%) exact matches, in which:
72 unique CDR3
6 unique J
IGHV5−10−1*01_03
324 sequences assigned
77 (23.8%) exact matches, in which:
74 unique CDR3
5 unique J
IGHV5−51*01_03
2437 sequences assigned
602 (24.7%) exact matches, in which:
560 unique CDR3
6 unique J
IGHV6−1*01
108 sequences assigned
24 (22.2%) exact matches, in which:
24 unique CDR3
5 unique J
IGHV7−4−1*01
2 sequences assigned
No exact matches.
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJNA491287/M64 071/M64 071/M64 071/M64 071/de/850f7e04ee0e54a9b
##
## Germline reference file: /misc/work/jenkins/PRJNA491287/M64 071/M64 071/M64 071/M64 071/de/850f7e04ee
##
## Novel allele file: /misc/work/jenkins/PRJNA491287/M64 071/M64 071/M64 071/M64 071/de/850f7e04ee0e54a
##
## Species: Homosapiens
##
## Chain: IGHV
##
## Segment: V
##
## Unexpected N in reference sequence IGHV1 24 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV1 24 01_A315G_C317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 23 01_04: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C288T_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 23 01_04_C300T_A303G_A317G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 30 3 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 30 3 01_T288C_T300C_G303A_G317A: replacing with gap
##
##
## Unexpected N in reference sequence IGHV3 33 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV3 33 01_C288T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 34 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_T300C: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_G291A: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 34 01_C288T_T300C: replacing with gap
```

```
##
##
## Unexpected N in reference sequence IGHV4 39 01_08: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 39 01_08_A291G: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 59 12: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 59 12_C300T: replacing with gap
##
##
## Unexpected N in reference sequence IGHV4 NL1 01: replacing with gap
##
##
## Unexpected N in novel sequence IGHV4 NL1 01_C300T: replacing with gap
```