OGRDBstats Report

Contents

1 Novel sequence analysis

1.1 End-nucleotide composition





1.2 Per-nucleotide consensus where previous nucleotides match the consensus





1.3 Whole-sequence composition of each assigned read

1.4 Final three nucleotides: frequency of each observed triplet





1.5 CDR3 length distribution, in assignments to novel alleles



2 Variation from germline, in assignments to each allele




IGLV2−18*01
10 sequences assigned
9 (90%) exact matches, in which:
7 unique CDR3
3 unique J
IGLV2−18*02
13 sequences assigned
7 (53.8%) exact matches, in which:
7 unique CDR3
3 unique J
IGLV2−23*02
482 sequences assigned
372 (77.2%) exact matches, in which:
312 unique CDR3
4 unique J
IGLV3−1*01
683 sequences assigned
500 (73.2%) exact matches, in which:
377 unique CDR3
4 unique J
IGLV3−9*01
53 sequences assigned
44 (83%) exact matches, in which:
42 unique CDR3
3 unique J
IGLV3−10*01
73 sequences assigned
62 (84.9%) exact matches, in which:
56 unique CDR3
4 unique J
IGLV3−16*01
20 sequences assigned
17 (85%) exact matches, in which:
15 unique CDR3
3 unique J
IGLV3−19*01
405 sequences assigned
303 (74.8%) exact matches, in which:
221 unique CDR3
4 unique J
IGLV3−21*02
568 sequences assigned
442 (77.8%) exact matches, in which:
323 unique CDR3
4 unique J
IGLV3−21*04
173 sequences assigned
144 (83.2%) exact matches, in which:
119 unique CDR3
4 unique J
IGLV3−22*01
6 sequences assigned
5 (83.3%) exact matches, in which:
5 unique CDR3
2 unique J
IGLV3−25*03
499 sequences assigned
367 (73.5%) exact matches, in which:
299 unique CDR3
4 unique J
Count
Nucleotide Difference


IGLV3−27*01
38 sequences assigned
33 (86.8%) exact matches, in which:
32 unique CDR3
3 unique J
IGLV4−3*01
2 sequences assigned
2 (100%) exact matches, in which:
2 unique CDR3
2 unique J
IGLV4−60*02
41 sequences assigned
37 (90.2%) exact matches, in which:
32 unique CDR3
4 unique J
IGLV4−69*01
117 sequences assigned
95 (81.2%) exact matches, in which:
75 unique CDR3
4 unique J
IGLV5−37*01
8 sequences assigned
8 (100%) exact matches, in which:
7 unique CDR3
2 unique J
IGLV5−39*01
7 sequences assigned
7 (100%) exact matches, in which:
5 unique CDR3
2 unique J
IGLV5−45*02
43 sequences assigned
36 (83.7%) exact matches, in which:
20 unique CDR3
4 unique J
IGLV5−48*01
3 sequences assigned
3 (100%) exact matches, in which:
2 unique CDR3
2 unique J
IGLV5−52*01
6 sequences assigned
6 (100%) exact matches, in which:
6 unique CDR3
2 unique J
IGLV6−57*01
127 sequences assigned
102 (80.3%) exact matches, in which:
89 unique CDR3
4 unique J
IGLV6−57*02
69 sequences assigned
59 (85.5%) exact matches, in which:
54 unique CDR3
5 unique J
IGLV7−43*01
33 sequences assigned
25 (75.8%) exact matches, in which:
24 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV7−43*01_G159A
48 sequences assigned
41 (85.4%) exact matches, in which:
38 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV7−46*04
92 sequences assigned
68 (73.9%) exact matches, in which:
57 unique CDR3
3 unique J
Count
Nucleotide Difference


IGLV8−61*01
86 sequences assigned
68 (79.1%) exact matches, in which:
51 unique CDR3
4 unique J
Count
Nucleotide Difference


IGLV9−49*01
35 sequences assigned
30 (85.7%) exact matches, in which:
28 unique CDR3
4 unique J
Count
Nucleotide Difference

3 Allele usage in potential haplotype anchor genes



4 Haplotype plots

5 Configuration settings

```
## Repertoire file: /misc/work/jenkins/PRJEB26509/S19/S19/19_IGL/19_IGL/64/8747eeec0d1b58a5e95e45b5658ca
##
## Germline reference file: /misc/work/jenkins/PRJEB26509/S19/S19/19_IGL/19_IGL/64/8747eeec0d1b58a5e95e4
##
## Novel allele file: /misc/work/jenkins/PRJEB26509/S19/S19/19_IGL/19_IGL/64/8747eeec0d1b58a5e95e45b5658
##
## Species: Homosapiens
##
## Chain: IGLV
##
## Segment: V
```